| DATE | DAILY NOTES | TREATMENT | DIET |
|---|---|---|---|
| | BP - 125/72 mmHg<br>SpO2 - 72% on $O_2$<br>R 79/m<br><br>Pre-dinner - 98 mg/dl<br><br>Fasting - 104 mg/dl<br><br>12/2/26<br>BP - 123/71 mmHg<br>SpO2 75% on O2<br>PR - 93 b/m<br><br>CVS: S1S2 (+)<br>RS: O/E crepts (+)<br>PA = soft | CISR<br><br>? infected Red sore.<br><br>R<br>→ INT: 1 (0) NS<br>1 (0) RL<br>1 (0) D5<br>→ Rest CST | |

| DATE | DAILY NOTES | TREATMENT | DIET |
|---|---|---|---|
| 13/2/24 | BP - 158/85 mmHg. | C/S/R | |
| | SpO2 - 81% | ? infected | bed sores |
| | PR - 110/min | | |
| | R/K BP. | R/ | |
| | | → P. Cream | |
| | | → Inj. lasix 20mg IV stat | |
| | | R/K CST | |
| 14/2/26 | Spo2 - 82-90% | → Inj. MVI in 100 ml | |
| | PR - 41 b/m | | |
| | BP - 116/69 mmHg | | |
| | | C/S/R | |
| | | → NS + Dopamin | |
| | | R/L | |
| | | Glycomacrolex | |
| | | → R/K CST | |
| 15/2/26 | | C/S/R | |
| | | → INT : NS 100 | |
| | | RL 100 | |
| | | D5 100 | |
| | | → R/K CMT | |

| DATE | DAILY NOTES | TREATMENT | DIET |
|---|---|---|---|
| 1/02/26 | FBS - 101 mg/dl | C/S/R | |
| | BP - 129/79 mmHg. | ? Infected Bed sore. | |
| | SpO2 - 82% off | | |
| | PR - 80/min | C/O : No Acing fresh complaints | |
| | Temp - 97°F | No Acid. | |
| | O/E | | |
| | CNS - Conscious & oriented | | |
| | CVS - S1S2 (+), No murmur | O/E Bed Rash | |
| | RS - BIL equal air (+) No Crepts, No wheez | Cns normal Ayotem. | |
| | P/A - soft/NT | | |
| | | Tab. Syndopa 110 mg ½ — ½ | |
| | | Inj NS 20 IV | |
| | | D.N.S 100 → MV/ | |
| | | Tab. Lugolin 600 mg | |
| | | Inj Pantop 40 mg IV | |
| | | Bed sore | |

| DATE | DAILY NOTES | TREATMENT | DIET |
|---|---|---|---|
| 17/02/20 | | C/S/R | |
| BP - 144/81 mmHg. | | | |
| SPO2 - 88% off O2 | | Bed side care, prevent Aspiration | |
| PR - 93/min | | on paracetamol | |
| - Rigors ⊕ | | | |
| - No improvement | | | |
| gram's stain ⊕ | | Inj | |
| | | - T. Syndopa 110 (C/L) BD | |
| | | - T. Ciprofloxacin 500 BD | |
| | | - T. pantop 40 BD | |
| Adv | | - NS 2 Drains BD TID | |
| Bed side care | | Budesonide BD | |
| | | Glycopyrrolate BD | |
| | | - Inj NS 2 ⊕ 1 x 10 | |
| | | [redacted] | |

| DATE | DAILY NOTES | TREATMENT | DIET |
|---|---|---|---|
| | 18/02/20 | | |
| | BP - 145/90 mmHg | Ryle's tube (gastrostomy) 2 | |
| | PR - 110 b/m | prevent aspiration / 2 pillows | |
| | SPO2 - 97% off O2 | | |
| | - Rigors ⊕ | → pt. Bath | |
| | - Gastric | → Stool passed | |
| | | → Bladder ⊕ | |
| | O/E: RS CVS/NAD | | |
| | pedal edema ⊕ | | |
| | BLE pitting | Inj | |
| | | - T. Syndopa 110 (C/L) BD | tid |
| | | - T. Ciprofloxacin 500 BD (⊕) gm) | ⊕ ⊕ ⊕ |
| | Hypotension | - T. pantop 40 | |
| | | - NS 2 Drains BD TID | |
| | | Budesonide BD | |
| | | Glycopyrrolate BD | |
| | | ~~Inj NS 2 ⊕ 1 x 10~~ | |
| | | Inj NS 500ml + MVI (Neuropathy) | |
| | | [redacted] | |