[redacted] (17) 1 F-20

DEPARTMENT OF PATHOLOGY [redacted]

HEMATOLOGICAL EXAMINATION

Date 07/1

Name ..... Female 20years10months3days 202401023441O (OPD) Surgery ..... Age ..... Sex ..... Ward/OPD .....

CR. No. .....

Brief - Clinica .....

Test advised :

1) TLC / DLC / Hb% / PCV / ESR / BT / CT
2) Complete Haemogram
3) Foetal Hb% / Osmotic Fragility / Reticulocyte Count
4) Absolute eosinophil count
5) Total RBC count / Platelet count
6) Peripheral smear for Abnormal cell !
7) Others

[redacted]

Signature of MO / Faculty
Ward / OPD :

REPORT

Hb% ....12.6.... Gm% PCV : ....57.2.... % EST : ..... mm/1st hou

Platelet count ....2.5 lacs.... / cum m Total RBC Count ..... per cum

Total Leucocyte Count ....6,400.... / cum m.

Differential Leucocyte Count :

Neutrophil	67 %	Blast	%	MCV	
Lymphocyte	31 %	Promyelocyte	%	MCH	
Monocyte	01 %	Myelocyte	%	MCHC	
Eosinophil	01 %	Metamyelocyte	%		
Basophil	00 %	Abnormal Cells	%		

RBC Morphology ....N/N....

Band Cells ....% Toxic Granules .....

n. R.B.C. ..../100WBC Absolute Eosinophil count .... / cumm

Foetal Haemoglobin ....% Reticulocyte count ....%

L. E. cell phenomenon :

B. T. : .... min.... Sec CT : .... min.... Sec

[redacted]

Faculty / Medical Officer, Deptt. of Pathology

Lab Technical / Tech. Asstt.

[redacted]

F-25

17

[redacted]

[redacted]ARTMENT OF BIOCHEMISTRY

Female 30years10months2da
202401023441C (OPD)
Surgery

[redacted]ATION REPORT

OPD / Word : Reg. No. : Date : 07/11

Name : Age : Sex :

INVESTIGATED PARAMETERS	TEST VALUES	NORMAL RANGE VALUES	
	Renal Profile		
Serum Urea	13	15 - 40	mg/dl
Serum Creatinine	0.55	0.6 - 1.5	mg/dl
Serum Uric Acid		2 - 7	mg/dl
	Liver Profile		
Serum Bilirubin (Total)	R05	0.2 - 1.2	mg/dl
(Direct)		0.1 - 0.5	mg/dl
(Indirect)		0.2 - 0.8	mg/dl
SGPT (ALT)	16	5 - 40	IU/L
SGOT (AST)	16	5 - 40	IU/L
Serum Alkaline Phosphatase (ALP)	42	50 - 280	IU/L
Serum Total Protein		5.5 - 8.5	mg/dl
Serum Albumin		3 - 5	mg/dl
Serum Globulin		2 - 4	mg/dl
A / G Ratio		1.2 - 2.5	mg/dl
	Pancreatic Profile		
Blood Glucose (Fasting)		70 - 110	mg/dl
Blood Glucose (Post Prandial)		80 - 140	mg/dl
Blood Glucose (Random)		Up to 140	mg/dl

GTT (Glucose Tolerance Test)

0 Hrs (Fasting	30 min.	60 min.	90 min.	120 min.	50 min. (Extended)

Serum Amylase		35 - 180 Somogyi Units / dl	
	Lipid Profile		
Serum Cholesterol		120 - 200	mg/dl
Serum Triglyceride		60 - 175	mg/dl
Serum HDL		30 - 70	mg/dl
Serum VLDL		12 - 35	mg/dl
Serum LDL		70 - 130	mg/dl
	CSF Profile		
C.S.F. Protein		15 - 45	mg/dl
C.S.F. Glucose		40 - 100	mg/dl
	Body Fluid Profile		
Body Fluid Protein		6 - 8	mg/dl
Body Fluid Glucose		70 - 100	mg/dl
	Prostate Profile		
Serum Acid Phosphatase (ACP)		1 - 3.5	KAU/dl
	Electrolyte Profile		
Serum Ca 2+		9 - 11	mg/dl
Serum Na+		135 - 145	meq / L
Serum K+		3.5 - 5.5	meq / L

TGPA-15-05-2008-1,00,000-J.C. No. - 13758 [redacted] *Signature of Medical Officer* [redacted]

[redacted]

ICTC HIV TEST REPORTING FORMAT

Ref. From :- S.OPD

HIV TEST REPORT FORM

CR. No. :- Name and address of [redacted]

Name : Surname [redacted] Middle Name ..... First Name [redacted]

Gender : M / F / TG Age 30 Years PID Number SAICTCTRWST-001 17866/ka/24 Lab ID Number 282/11

Date and time blood drawn : 07 // 11 // 2024 (DD/MM/YY) 10 // 35 (HH : MM)

Test Details :

Specimen type used for testing : Serum / Plasma / Whole Blood

Date and time specimen tested : 07 // 11 // 2024 (DD/MM/YY) 14 // 30 (HH : MM)

Note :

- Column 2 and 3 to be filled only when HIV 1 & 2 antibody discriminatory test(s) used.
- No cell has to be left blank; indicate as NA where not applicable.

Column 1	Column 2	Column 3	Column 4
Name of HIV test kit	Reactive/Nonreactive (R/NR) for HIV-1 antibodies	Reactive/Noareactive (R/NR) for HIV-2 antibodies	Reactive/Nonreactive (R/NR) for HIV antibodies
Test I : COMBAIDS	NA	NA	NR
Test II :			
Test III :			

Interpretation of the result : Tick ☑ relevant

- ☑ Specimen is negative for HIV antibodies
- ☐ Specimen is positive for HIV-1 antibodies
- ☐ Specimen is positive for HIV antibodies (HIV 1 and HIV 2; or HIV 2 alone)
- ☐ Specimen is indeterminate for HIV antibodies. Collct fresh sample in two weeks.

**Confirmation of HIV 2 sero-status at identified referral laboratory through ART centres.*

-- End or Report --

[redacted]

Name & Signatu[redacted]
Laboratory Techni[redacted]

[redacted]
Laboratory in-charge

[redacted]

DEPARTMENT OF RADIODIAGNOSIS

Patient ID	234410	Patient Name	[redacted] 30 F
Age		Sex	O
Accession Number		Modality	US
Referring Physician		Study	
Study Date	05-Nov-2024		

PART : USG WHOLE ABDOMEN

LIVER: is normal in size and shows homogeneous echotexture.
No evidence of intrahepatic biliary radicles dilatation / focal space occupying lesion.
The portal vein and common bile duct shows normal caliber.

GALL BLADDER: is distended and shows smooth walls. Wall thickness is normal.
There is evidence of multiple tiny hyperechoic foci with posterior acoustic shadowing seen in gall bladder lumen

SPLEEN: Is normal in size and shows normal echo pattern.

PANCREAS: shows normal echo anatomy and its relationship with splenic vein is normal.
KIDNEYS: Both the kidneys are normal in size, shape and location and show normal cortico-medullary differentiation.

No evidence of hydronephrosis or calculus.

URINARY BLADDER: is distended with smooth walls.
No evidence of diverticulum or calculus.

UTERUS: is anteverted and shows normal endometrial echo reflectivity.

OVARY: Both ovaries are normal in size and appear normal.

No evidence of ascites or pleural effusion.

IMPRESSION:
GB microlithiasis

[redacted]

Sr Anwesha Majumdar
Post Graduate Trainee

[redacted]

Date: 05-Nov-2024 10:48:28

[redacted]

[redacted]	: [redacted]	Age	: 30 Years
No.	: 4671195938	Gender	: Female
By	: [redacted]	Reported	: 15/11/2024 7:27:02PM
Collected	: 14/11/2024 5:54:00PM	Report Status	: Final
A/c Status	: P	Processed at	: [redacted]
Collected at	: [redacted]		

Test Report

Test Name	Results	Units	Bio. Ref. Interval
THYROID PROFILE,TOTAL, SERUM (ECLIA)			
T3, Total	1.55	ng/mL	0.80 - 2.00
T4, Total	13.00	µg/dL	5.10 - 14.10
TSH	1.34	µIU/mL	0.27 - 4.20

Interpretation

PREGNANCY	REFERENCE RANGE FOR TSH IN µIU/mL (As per American Thyroid Association)
1st Trimester	0.100 - 2.500
2nd Trimester	0.200 - 3.000
3rd Trimester	0.300 - 3.000

Note

1. TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50% . hence time of the day has influence on the measured serum TSH concentrations.
2. Alteration in concentration of Thyroid hormone binding protein can profoundly affect Total T3 and/or Total T4 levels especially in pregnancy and in patients on steroid therapy.
3. Unbound fraction (Free,T4 /Free,T3) of thyroid hormone is biologically active form and correlate more closely with clinical status of the patient than total T4/T3 concentration
4. Values <0.03 uIU/mL need to be clinically correlated due to presence of a rare TSH variant in some individuals

[redacted]

If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action
[redacted] Fax: [redacted] E-mail: [redacted]

[redacted]

[redacted]

Patient ID	AGMP1191531332	Barcode	3296335
Patient Name/Gender/Age	[redacted] Female/33	Registration Date	28/11/2024 03:12 PM
Center	[redacted]	Sample Collected Date	28/11/2024 03:15 PM
Referred By	Medical Officer	Sample Received Date	28/11/2024 03:27 PM
Report Printing Date	02/12/2024 12:47 PM	Reporting Time	29/11/2024 07:39 PM

THYROID FUNCTION TEST

Test Name	Sample Type	Methodology	Result	HIL Flag	Unit	Biological Reference Interval
T3(Triiodothyronine)	SERUM	Chemiluminescence	1.4	N	ng/mL	0.6-1.81
T4(Thyroxin)	SERUM	Chemiluminescence	12.81	H	ug/dL	4.5-12
TSH(Thyroid Stimulating Hormone)	SERUM	Chemiluminescence	1.588	N	uIU/mL	0.4-4.2

Suggested interpretation for the Thyroid Function Tests Pattern

TSH	T3	T4	
Within range	Decreased	Within range	*isolated low t3 often seen in elderly & associated non thyroidal illness. in elderly the drop in T3 level can be upto 25%
Raised	Within range	Decreased	*isolated high tsh especially in the range of 4.7 to 15 mlu/ml is commonly associated with physiologic & biological TSH variability * Subclinical autoimmune hypothyroidism. *intermittent t4 therapy or t4 overdose. *
Raised or Within range	Decreased		*interfering antibodies to thyroid hormones (Anti TPO antibodies) *Intermittent t4 therapy of t4 overdose *Drug interference amiodarone, heparin ,beta blockers, steroids anti-epileptics
Decreased	Raised or Within range	Raised or Within range	*isolated low tsh-especially in the range of 0.1 to 0.4 of often seen in elderly & associated with non thyroidal illness. *Subclinical hyperthyroidism. *Thyroxin ingestion
Decreased	Decreased	Decreased	*Central hypothyroidism *Non-thyroidal illness *Recent treatment for hyperthyroidism (TSH remains suppressed)*
Decreased	Raised	Raised	*primary hyperthyroidism (graves disease) multi nodular goitre, toxic nodule *transient thyroditis : postpartum , silent (lym phocytic), post viral (granulomatous, subacute, dequervains), gestational thyrotoxicosis with hyper emesis gravidarum*
Decreased or Within range	Raised	Within range	*T3 toxicosis *Non thyroidal illness
References	1. INTERPRETATION OF THYROID FUNCTION TESTS, DAYAN ET AL. THE LANCET. VOL 357. FEBRUARY 24 2001		
	2.LABORATORY EVALUATION OF THYROID FUNCTION, INDIAN THYROID GUIDELINES, JAPI, JANUARY 2011, VOL 59		

IMPORTANT :

Doctor Signature

[redacted]

[redacted]

[redacted]

Report Status FINAL

[redacted]

PROGRESS RECORD

NAME	[redacted]		SEX :	HOSP. NO.
SERVICE & UNIT	BED :	WARD :	MRD NO.	OCC :

Date	Note Progress of case complication, changes of diagnosis, condition on discharge & instruction to patient. Initial all entries.
7/1/25 8:30 AM	C/S/B FS-I Δ Calculus Cholecystitis O/E – conscious, oriented BP – 100/70 mm Hg PR – 88 bpm Chest – B/L AE (+) CVS S1S2 (+) CNS – B/L PRTL PA – soft, BS (+)
7/1/25 5:20 PM	C/S/B FS-I Calculus Cholecystitis O/E – conscious, oriented BP – 100/74 mm Hg PR – 84 bpm Chest – B/L AE (+) CVS – S1S2 (+) CNS – B/L PRTL PA – soft, BS (+)

[redacted]

[redacted]

NURSES DAILY

ALL INJECTIONS TO BE INITIALLED BY PERSONS ADMINISTRATING AND WITHNESSING

NAME	AGE :	SEX :	HOSP. NO.
[redacted]			

SERVICE & UNIT	BED :	WARD :	MRD NO.	OCC :

Date	Medication	Diet	Treatment - Remarks
	8/1/05 8:30 AM C/S/B - SUT		
	⊿ Calculous cholecystitis		
	c/o - No fresh complaint	· Gen - B/L AE (+)	
	BP - 100/70 mmHg	· CVS - S1 S2 (+)	
	P/R - 74 bpm	· CNS - B/L PRTL	
	SpO2 - 98% in R/A	· P/A - Soft, BS (+)	
	9/1/25 C/S/B - SUT		
	8:30 AM + POD 1 - Lap. Chole.		
	c/c Alert, awake & conscious		
	BP - 98/66 mmHg		
	P/R - 64 bpm		
	SpO2 - 100%		
	CVS - S1 S2 (+)		
	CNS - E4 V5 M6		
	RS - B/L AE (+)		
	P/A - Soft BS (+)		



[redacted]

Patient ID	ASRPPPV1571253	Barcode	3368376
Patient Name/Gender/Age	[redacted]	Registration Date	06/01/2025 [illegible]5 PM
	[redacted]emale/30		
Center	[redacted]	Sample Collected Date	06/01/2025 04:22 PM
Referred By	Medical Officer	Sample Received Date	06/01/2025 04:30 PM
Report Printing Date	07/01/2025 09:57 AM	Reporting Time	06/01/2025 10:03 PM

BIOCHEMISTRY - LIVER FUNCTION TEST

Test Name	Sample Type	Methodology	Result	H/L Flag	Unit	Biological Reference Interval
Alanine Transaminase	SERUM	IFCC	9.9	N	U/L	7-49
Aspartate Amino Transaminase	SERUM	IFCC	14.4	N	U/L	10-46
Alkaline Phosphatase	SERUM	PNP-DGKC	**37.5**	L	U/L	64-306
Lactate Dehydrogenase	SERUM	SCE	**138.8**	L	U/L	225-450
Gamma Glutamyl Transferase	SERUM	SZASZ	10.8	N	U/L	10-45
Total Protein	SERUM	Biuret	6.47	N	g/dL	6-8
Albumin	SERUM	Bromocresol Green	4.1	N	g/dL	3.5-5.2
Bilirubin Total	SERUM	Modified TAB	0.52	N	mg/dL	0.2-1.2
Bilirubin Direct	SERUM	Diazo	0.16	N	mg/dL	0.1-0.4
Bilirubin Indirect	SERUM	Calculated	0.36	N	mg/dL	0.1-1.2

IMPORTANT :

Doctor Signature

[redacted]

[redacted]

[illegible] THE MACHINE/ELISA USED TO TEST THE SAMPLE

Point Value Plus

[redacted]

Free Diagnostic Initiative
National [illegible]

[redacted]

Patient ID	ASR/PPP/1571253	Barcode	3368376
Patient Name/Gender/Age	[redacted] Female/30	Registration Date	06/01/2025 04:15 PM
	[redacted]	Sample Collected Date	06/01/2025 04:22 PM
Center	Medical Officer	Sample Received Date	06/01/2025 04:30 PM
Referred By		Reporting Time	06/01/2025 11:51 PM
Report Printing Date	07/01/2025 09:57 AM		

BIOCHEMISTRY - LIPID PROFILE

Test Name	Sample Type	Methodology	Result	H/L Flag	Unit	Biological Reference Interval
Total Cholesterol	SERUM	CHOD PAP	170.252	N	mg/dL	150-220
Triglyceride	SERUM	GPO PAPS	82.599	N	mg/dL	40-140
HDL Cholesterol	SERUM	Selective Inhibition	44.872	N	mg/dL	35-80
LDL Cholesterol	SERUM	Calculated	108.4	N	mg/dL	5-130
Cholesterol:HDL	SERUM	Calculated	3.778	N		0-5
HDL:LDL	SERUM	Calculated	0.414	L		0.42-0.68
VLDL	SERUM	Calculated	16.6	N	mg/dL	2-30

IMPORTANT :

Doctor Signature

[redacted]

[redacted]

BS 240 AUTO-SYSMEX CS2100 FTE TWO MACHINES ARE USED TO TEST THE SAMPLE

Report Status FINAL

[redacted]

Patient Name/Gender/Age	ASR/PPP/1571253	Barcode	3368376
	[redacted]	Registration Date	06/01/2025 0[illegible] PM
	[redacted]/Female/30		
Center	[redacted]	Sample Collected Date	06/01/2025 04:22 PM
Referred By	Medical Officer	Sample Received Date	06/01/2025 04:30 PM
Report Printing Date	07/01/2025 09:57 AM	Reporting Time	06/01/2025 10:03 PM

BIOCHEMISTRY - KIDNEY FUNCTION TEST

Test Name	Sample Type	Methodology	Result	H/L Flag	Unit	Biological Reference Interval
Serum Creatinine	SERUM	Modified Jaffe's	0.9	N	mg/dL	0.9-1.3
Blood Urea	SERUM	GLDH	11.68	N	mg/dL	10-50
Serum Uric Acid	SERUM	Uricase PAP	3.75	N	mg/dL	2.6-7.2
Serum Sodium	SERUM	Direct ISE	140.5	N	mmol/L	135-155
Serum Potassium	SERUM	Direct ISE	3.78	N	mmol/L	3.5-5.5
Serum Chloride	SERUM	Direct ISE	98.8	N	mmol/L	98-110

IMPORTANT :

Doctor Signature

[redacted]

[redacted]

[illegible] ELECTROLYTE [illegible] ARE USED TO TEST THE SAMPLE

Report Status FINAL

Name/Gender/Age	ASR/PPP/1571253 [redacted] [redacted] Female/30 [redacted]	Barcode Registration Date	3368376 06/01/2025 [illegible]:15 PM
		Sample Collected Date	06/01/2025 04:22 PM
Referred By	Medical Officer	Sample Received Date	06/01/2025 04:30 PM
Report Printing Date	07/01/2025 09:57 AM	Reporting Time	06/01/2025 06:02 PM

TOTAL BLOOD COUNT

Test Name	Sample Type	Methodology	Result	H/L Flag	Unit	Biological Reference Interval
Haemoglobin(Hb%)	WHOLE BLOOD	Colorimetric SLS	12.4	N	gm/dL	12-15
Platelet	WHOLE BLOOD	Sheath Fluid Impedance	194	N	10^3/uL	150-410
Haematocrit	WHOLE BLOOD	Calculated	36.2	N	%	36-46
Red blood cell	WHOLE BLOOD	Sheath Fluid Impedance	3.84	N	10^6/uL	3.8-4.8
Mean Corpuscular Haemoglobin Concentration	WHOLE BLOOD	Calculated	34.3	N	g/dL	31.5-34.5
RBC Distribution Width	WHOLE BLOOD	Calculated	11.6			
Mean Platelet Volume	WHOLE BLOOD	Calculated	9.9	N	fL	9.4-12.3
Mean Corpuscular Haemoglobin	WHOLE BLOOD	Calculated	**32.3**	H	Pg	27-32
Mean Corpuscular Volume	WHOLE BLOOD	Calculated	94.3	N	fL	83-101
Total Count and Differential Count						
White Blood Cells	WHOLE BLOOD	Fluorescence Flowcytometry	**4.00**	C	10^3/uL	4-10
Percentage Neutrophil	WHOLE BLOOD	Flow Cytometery	55.0	N	%	40-80
Percentage Lymphocyte	WHOLE BLOOD	Flow Cytometery	38.6	N	%	20-40
Percentage Monocyte	WHOLE BLOOD	Flow Cytometery	3.7	N	%	2-10
Percentage Eosinophil	WHOLE BLOOD	Flow Cytometery	2.1	N	%	1-6
Percentage Basophil	WHOLE BLOOD	Flow Cytometery	0.6	N	%	0-2

IMPORTANT :

Doctor Signature

[redacted]

[redacted]

#3.1HIGH ELECTROLYTE DIA MACHINE(S) ARE USED TO TEST THE SAMPLE

Report Status FINAL

[redacted] [redacted] [redacted]

[redacted]

DOCTOR'S ORDER

ALL INJECTIONS TO BE INITIALLED BY PERSONS ADMINISTRATING AND WITHNESSING

NAME [redacted]	AGE :	SEX :	HOSP. NO.
SERVICE & UNIT / BED :	WARD : post op	MRD NO.	OCC :

Date	Medication	Treatment	Diet	Laboratory
	C/S/B –	SUR		
8/1/25				
2:00pm	Δ POD	of lap chole		
	O/E – Conscious, oriented.			
	BP – 110/80 mm Hg			
	PR – 82 bpm			
	Chest – B/L BE (+)			
	CVS – S1S2 (+)			
	CNS – B/L PRT L			
	PA – soft, BS (+)			
	NO/FIT			
				[redacted]

[redacted]

8/1/25
5:25pm

c/s/B SUJ

Δ POD of lap Chole

O/E - conscious oriented
BP - 100/70 mm Hg
PR - 94 bpm SpO2 - 98%
CVS - S1S2+
CNS - BL PRL
Chest - BL AE+
P/A - soft, BS+
tenderness over
surgical site.

[redacted] 1/25

10/1/25
8:30pm

c/s/B SUJ

Δ POD2 of lap Chole.

O/E - conscious oriented
BP - 104/72 mm Hg
PR - 76 bpm SpO2 - 96%
CVS - S1S2+
CNS - E4V5M6.
Chest - BL AE+
P/A - soft, ~~[illegible]~~
tenderness
over surgical site.

[redacted]