[redacted]

OPERATION NOTES

Name of the Patient. [redacted] Age/Sex 22y/F UHID 40622 IPD 7198

Surgeons Name : [redacted]

Assistant :

Anaesthetist : [redacted]

Date : 12/2/26

Time :

Operation : Laparoscopic cholycystectomy done I/G GA

OPERATIVE NOTES

Supine position
Aseptic for port placement
Calot's dissected
CVS Achieved
cystic duct & Artery clipped & cut
GB Removed from GB Fossa
Haemostasis Achieved
Closure done in layer
ABD done
patient tolerated procedure well
Shifted to Ward



To Sunday. GB thin wall
Smooth GB Calculi
Calot's (N)
cystic d [redacted]

Scanned with OKEN Scanner

[redacted]

POST OPERATIVE ORDERS

Patient Name ..... Age/Sex ..... War/Bed No. ..... Date .....

NPO till Nyco 10:00 pm
followed by lymid dw

Rx. monocef 1gm x BD

Rx. Pantop 40mg x OD

Rx. Emet mp x BD

Rx. Dyomecpr aq mp x BD

IV fluid IV DNS till morning

Pooped up

Vital monitor

Inform SR

[redacted]

Scanned with OKEN Scanner

[redacted]

FIT FOR SURGERY	REVIEW
ALLERGIES	
IPD No. 7198	Date : 12/2/26

PAC FORM

Name [redacted]	Age 22y	Sex : M/F	Height:
Surgery Lapcholec			Weight:
Surgeon [redacted]			Blood Group
Anaestheslologist			

AIRWAY ASSESSMENT	SPECIFIC PROBLEMS OF ANAESTHESIA	ASA Grading
Mouth Opening – 3FB Teeth Neck Movements Mallampati Score I, II, III, IV		I, II, III, IV, V, VI EMERGENCY: Y/

SYSTEMS	CLINICAL EVALUATION	INVESTIGATIONS
☐ Asthma ☐ COPD ☐ Pneumonia ☐ Expectoration ☐ Dyspnoea ☐ Othopnoea ☐ Cough ☐ Recent URI ☐ Smoker		☑ Hb 12.7 ☐ BT ☐ ASO ☑ PCV ☐ CT ☑ TLC 19,600 ☑ PT 16.0 ☐ CSP ☑ PLTS 279 ☑ PTT ☐ ESR ☑ INR 1.1 ☐ PCT
CARDIO VASCULAR SYSTEM : ☐ Hypertension ☐ CADMI ☐ Angina ☐ Pace Maker ☐ Cyanosis NAHA: Congestive Heart Failure ☐ Othopnoea ☐ Cough ☐ Recent URI ☐ Smoker	B.P. 112/62 PULSE : 89 ANTIPLATELET STOPPED SINCE	☑ SGOT ☑ SGPT ☑ ALP ☑ Albumin ☑ Blood Urea 27 ☑ Creatinine 0.6 ☑ Na+ K+ Cl HCO2
		☐ FBS ☐ T3 ☑ RBS ☐ T4 ☑ HIV NR ☐ TSH ☑ HBsAg NR ☐ TSH ☑ HCV NR ☐ Urine ☐ HBA.C ☐ Stickling
CNS/MUSCULOSKETAL : ☐ CVA/Stroke ☐ Solzures ☐ Paraplegia ☐ Neuromuscular ☐ Head Injury ☐ Spinal Injury ☐ Others ☐ Disorder		☑ ECG ☐ ECHO ☐ LVEF % ☐ RWMA ☐ VALVES ☐ OTHER ☐ CATH/ANGIO: ☐ LMCA: ☐ LAD: ☐ CIRC: ☐ RCS: ☐ MRI: ☐ CT Scan ☑ USG
HEAPATIC/GI/RENAL ☐ Jaundice ☐ Hepatic Failure ☐ Splenomegaly ☐ Chronic renal failure ☐ Liguria Hepatics ☐ Acid Peptic Disease ☐ Hepatomegaly ☐ Hepatics	Current Medications : inj MONOCEF 1gm inj PANTOP - 40mg inj EMESET 4mg	
ENDOCRINE : ☐ Diabetes ☐ Thyroid ☐ Pituitary ☐ Adrenals ☐ Ketosis ☐ Hypo ☐ Hyper	Previous Anaesthesia / Surgery LSCS 2 year back	
ENDOCRINE : ☐ Anaemia ☐ Bleeding Disorders ☐ Build	☐ Cancer/Chemotheraphy ☐ Pregnancy ☐ Psychiatry ☐ Nutrition ☐ Temperature	☑ Chest X-Ray Pulmonary Function Test ABG

PRE-OP ORDER :

NPO From ✓

Review Consultation ✓

Investigation ✓

PLAN OF ANAESTHESIA

[redacted]

Name & Sign.

Review PAC

Scanned with OKEN Scanner

Immediate Pre-operative Re-evaluation:

DATE :
TIME :

- [ ] Patient Identified :
- [ ] Anaesthesia consent taken :
- [ ] Artificial denture / Contact lens / Hearing aids / Ornaments removed
- [ ] Recent investigation checked
- [ ] NPO Since :
- [ ] Surgery Consent taken :
- [ ] High Risk significant history :

NAME : SIGNATURE : [redacted]

Pre-Anaesthetic State :
- [x] Awake
- [ ] Apprehensive
- [ ] Unco-operative
- [ ] Calm
- [ ] Asleep
- [ ] Confused
- [ ] Unresponsive
- [ ] GCS

- [ ] Anaes Machine Checked
- [ ] Pressure Point Checked
- [ ] Eye Care
- [ ] Ointment
- [ ] Eye Pad

GENERAL ANAESTHETIC TECHNIQUE

General :
- [x] Pre-Oxygenation
- [x] Induction: Intravenous/Inhalational
- [ ] Rapid Sequence
- [x] Cricoid Pressure

AIRWAY MANAGEMENT

- [x] Laryngoscopy
- [ ] Direct
- [ ] Fibre Optic Scope
- [x] Binda
- [ ] Difficult
- [ ] Cormack & Lehane
- [ ] Endo Tracheal Tube
- [x] Oral
- [ ] Nasal
- [x] Cuff
- [ ] Uncuff
- [ ] Size
- [ ] Uncuff
- [ ] DETTType:
- [ ] Regular
- [ ] Reinforced
- [ ] RAE
- [ ] DLT
- [ ] Others
- [ ] Airway
- [ ] Oral
- [ ] LMA
- [ ] Nasal
- [ ] Mask Anaesthesia
- [ ] Nasal Cannula
- [ ] Oxygen Mask
- [ ] Via Tracheostomy

MAINTENANCE

- [x] Inhalational
- [ ] TIVA
- [ ] IPPV
- [ ] Regional

Position:

- [x] Supine
- [ ] R/L Lateral
- [ ] Prone
- [ ] Lithotomy
- [ ] Trendeleber
- [ ] Sitting

[redacted]

IV ACCESS:

(1) Site: right arm Size G: 20G
(2) Site: Size G:
(3) Site: Size G:

REGIONAL ANAESTHESIA / ANALAGESIA

CENTRAL BLOCKS :

- [x] SPINAL: Needle G: 25 Catheter: Single Cont.
- [ ] EPIDURAL: Needle G: Catheter: Single Cont.

REGIONAL BLOCKS:

- [ ] Brachial Plexus
- [ ] Sciatic
- [ ] Femoral
- [ ] Ankle
- [ ] Caudal
- [ ] OTHERS
- [ ] Nerve Simulator
- [ ] Yes
- [ ] Effect
- [ ] Complete
- [ ] Incomplete
- [ ] Supplements
- [ ] GA
- [ ] Complicatons

MONITORING

- [x] ECG
- [x] NIBP
- [x] Pulse Oximetery
- [ ] EtCO
- [ ] ABG
- [ ] ST Segments

ABP Site Size G
CVP Site Size G
PAP Site Size G
LAP
C.I.

- [ ] Temperature Site
- [ ] FIO_2
- [ ] MAC Value

ANAESTHESIA RECORD

OR Time ASA Risk I II III (WE Premeditation + inj pentazocine 30 mg) Time Given

Op. Proposed	
Induction :	inj propofol 100 mg + inj Sch 100 mg IV
Maintenance	inj Atracurium + N_2O/O_2 (2:2) + Sevoflurane
Reversal	inj neostigmine 2.5 mg.
Time	
O_2	✓
N_2O	✓
AGENT	
Blood S.No.	
Bl. Group	



Drugs
inj glycopyrrolate 0.2 mg
+ inj Midazolam 1 mg
+ inj pentazocine 30 mg
+ inj propofol 100 mg
+ inj Sch 100 mg
+ inj ondansetron
+ inj neostigmine [redacted]

GA	Regional
Cautery Yes No	Weight
Remarks	

Fluid Infusions
1. RL (BL)
2.
3.
4.
5.

Total

Blood Transfused

Urine Outpout		

Operation :
Surgeons :
Anaestists [redacted]

Reflex in O.R.
Vomit

Scanned with OKEN Scanner