

PRAMAN compliance report


test-fixture-sw01 — audited against CIS. Verdicts are deterministic; no language model contributed to any result or command in this document.

Device identity

Device ID	test-fixture-sw01
Hostname	test-fixture-sw01
Vendor	cisco_ios
OS family	ios
OS version	15.0
Hardware	not present in the supplied input -- upload 'show version' and 'show inventory' output alongside the configuration to populate this
Serial numbers	not present in the supplied input -- upload 'show version' and 'show inventory' output alongside the configuration to populate this
Configuration SHA-256	sha256:e623133066cfb9b855c78d0e94921c6b277f4fdd454be704b29bea7563260148
Audit ID	5096d474-232a-4696-aa90-a6985d6b969d
Audited at	2026-08-29T14:05:15.116500+00:00
Ledger sequence	12

Compliance posture

Compliance score



Measure	Value
Score	58.2%
Band	below target (50-75%)
Pass	32
Fail	23
Scored controls	55


58.2% (below target) — 32 pass, 23 fail across 55 scored controls.

Scored controls are those selected for this device and applicable to it. Controls with no automated check are counted as notchecked and excluded from both numerator and denominator, so the score never improves by failing to look. The bands are PRAMAN's own presentation thresholds, not a publisher grade: CIS and DISA rate individual controls, and neither certifies a device by score.

Basis: score = pass / (pass + fail) over automated checks; notchecked, notapplicable and unknown are excluded from the ratio.

1462 controls evaluated; 55 carried a verdict. Excluded from the ratio: 1391 not checked, 15 not applicable, 1 indeterminate, 0 in error.

All results, including the non-verdicts




Result	Controls	Share
pass	32	2.2%
fail	23	1.6%
unknown	1	0.1%
notchecked	1391	95.1%
notapplicable	15	1.0%

1462 control(s) evaluated for this device.

Only pass and fail enter the compliance score. notchecked means no automated check exists yet; unknown means the check ran and the evidence was insufficient. Neither is a pass.

Severity of failures




Severity	Failures	Share
High	2	9%
Medium	11	48%
Low	10	43%
Unknown	0	0%

23 failing control(s), by the publisher's severity rating.

Unknown is not a low severity: it means the publisher rated the control and this benchmark did not carry the rating through, so it needs a human decision rather than a default.

Score over audits



Audit	Score	Change
#11	58.2%	—
#12	58.2%	+0.0

2 committed audits, oldest first. Axis fixed at 0-100% so a small change looks small.

Findings

1.1.1 Enable 'aaa new-model'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!!!] HIGH SEVERITY

aaa.new_model eq True satisfied Check basis: The pack records aaa.new_model as false by default, so absence of 'aaa new-model' is a decided finding rather than missing evidence.

Evidence

Canonical path	Observed	Source	Parser
aaa.new_model	yes	core-rtr-01.conf:18	cisco_ios_patterns@1

18: aaa new-model

1.1.2 Enable 'aaa authentication login'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!!!] HIGH SEVERITY

'aaa.authentication_login' is configured Check basis: Any 'aaa authentication login' method list satisfies the control; the list name and method are the operator's choice, so only its existence is checked.

Evidence

Canonical path	Observed	Source	Parser
aaa.authentication_login	local	core-rtr-01.conf:19	cisco_ios_patterns@1

19: aaa authentication login default local

1.1.3 Enable 'aaa authentication enable default'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!!!] HIGH SEVERITY

'aaa.authentication_enable' is not configured Check basis: 'aaa authentication enable default' routes privileged-mode authentication through AAA; its presence is the whole control.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

Remediation

Note. These commands are templates, not ready to paste: replace {method1} with values for this device first.

Note. Publisher's stated impact: Enabling Cisco AAA 'authentication enable' mode is significantly disruptive as former access methods are immediately disabled. Therefore, before enabling 'aaa authentication enable default' mode, the organization should plan and implement authentication logins and passwords, challenges and responses, and token technologies.

Configure AAA authentication method(s) for enable authentication.

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#aaa authentication enable default {method1} enable ← substitute first

Source	CIS Cisco IOS 15 v4.1.1, control 1.1.3 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying	not rated by the publisher -- assess against this device's role before applying

1.1.4 Set 'login authentication for 'line con 0'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!!!] HIGH SEVERITY

all 1 block(s) satisfy the condition Check basis: The control wants an AAA method list on the console, so the three non-AAA forms IOS accepts are the failure set: 'none' (no login at all), 'line' (the line password) and 'local' (the local user database, which bypasses the AAA method list). A missing login directive fails for the same reason - the console then falls back to the line password.

Evidence

Canonical path	Observed	Source	Parser
line.console.id	0	core-rtr-01.conf:68-71	cisco_ios_patterns@1

68: line con 0

1.1.5 Set 'login authentication for 'line tty'

CIS · CIS Cisco IOS 15 v4.1.1

[/] NOTAPPLICABLE

[!!!] HIGH SEVERITY

no 'line.tty.id' blocks in this configuration Check basis: Same failure set as the console. on_no_blocks is notapplicable rather than fail: a platform with no asynchronous TTY lines has no TTY login to secure, and reporting a finding against an absent interface class is a false positive.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

1.1.6 Set 'login authentication for 'line vty'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!!!] HIGH SEVERITY

all 2 block(s) satisfy the condition Check basis: VTY is the remote administrative path, so an absent 'line vty' stanza fails rather than reporting notapplicable: IOS still offers vty 0 4, and it is then authenticated by the line password or not at all.

Evidence

Canonical path	Observed	Source	Parser
line.vty.id	0 4	core-rtr-01.conf:76-80	cisco_ios_patterns@1
line.vty.id	5 15	core-rtr-01.conf:82-86	cisco_ios_patterns@1

76: line vty 0 4

82: line vty 5 15

1.1.7 Set 'aaa accounting' to log all privileged use commands using 'commands 15'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!!] MEDIUM SEVERITY

aaa.accounting_commands regex_match '^15\\s' satisfied Check basis: The control names 'commands 15' specifically, so the privilege level is matched rather than merely checking that command accounting exists. The quantifier is 'any' because a device may account for several levels and only the level-15 list satisfies this control.

Evidence

Canonical path	Observed	Source	Parser
aaa.accounting_commands	15 default start-stop group tacacs+	core-rtr-01.conf:21	cisco_ios_patterns@1

21: aaa accounting commands 15 default start-stop group tacacs+

1.1.8 Set 'aaa accounting connection'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!!] MEDIUM SEVERITY

'aaa.accounting_connection' is not configured Check basis: Presence of an 'aaa accounting connection' method list.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

Remediation

Note. Publisher's stated impact: Implementing aaa accounting connection creates accounting records about connections from the network access server. Organizations should regular monitor these connection records for exceptions, remediate issues, and report findings regularly.

Configure AAA accounting for connections. first} {start-stop | stop-only | none} {radius | group group-name}

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#aaa accounting connection {default list-name guarantee-
Source		CIS Cisco IOS 15 v4.1.1, control 1.1.8 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying		not rated by the publisher -- assess against this device's role before applying

1.1.9 Set 'aaa accounting exec'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!!] MEDIUM SEVERITY

'aaa.accounting_exec' is not configured Check basis: Presence of an 'aaa accounting exec' method list.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

Remediation

Note. These commands are templates, not ready to paste: replace {default | list-name | guarantee-first} with values for this device first.

Note. Publisher's stated impact: Enabling aaa accounting exec creates accounting records for the EXEC terminal sessions on the network access server. These records include start and stop times, usernames, and date information. Organizations should regularly monitor these records for exceptions, remediate issues, and report findings.

Configure AAA accounting for EXEC shell session. {start-stop | stop-only | none} {radius | group group-name}

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#aaa accounting exec {default list-name guarantee-first} ← substitute first
Source		CIS Cisco IOS 15 v4.1.1, control 1.1.9 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying		not rated by the publisher -- assess against this device's role before applying

1.1.10 Set 'aaa accounting network'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!!] MEDIUM SEVERITY

'aaa.accounting_network' is not configured Check basis: Presence of an 'aaa accounting network' method list.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

Remediation

Note. Publisher's stated impact: Implementing aaa accounting network creates accounting records for a method list including ARA, PPP, SLIP, and NCPs sessions. Organizations should regular monitor these records for exceptions, remediate issues, and report findings.

Configure AAA accounting for connections. first} {start-stop | stop-only | none} {radius | group group-name}

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#aaa accounting network {default list-name guarantee-
Source		CIS Cisco IOS 15 v4.1.1, control 1.1.10 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying		not rated by the publisher -- assess against this device's role before applying

1.1.11 Set 'aaa accounting system'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!!] MEDIUM SEVERITY

'aaa.accounting_system' is not configured Check basis: Presence of an 'aaa accounting system' method list.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

Remediation

Note. Publisher's stated impact: Enabling aaa accounting system creates accounting records for all system-level events. Organizations should regular monitor these records for exceptions, remediate issues, and report findings regularly.

Configure AAA accounting system. first {start-stop | stop-only | none} {radius | group group-name}

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#aaa accounting system {default list-name guarantee-
Source		CIS Cisco IOS 15 v4.1.1, control 1.1.11 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying		not rated by the publisher -- assess against this device's role before applying

1.2.1 Set 'privilege 1' for local users

CIS · CIS Cisco IOS 15 v4.1.1

[/] NOTAPPLICABLE

[!!!] HIGH SEVERITY

no evidence at 'mgmt.local_user.privilege' Check basis: Every local user that declares a privilege level must declare level 1. IOS gives a 'username' with no privilege keyword level 1 already, so no fact is emitted for those users and on_missing is notapplicable rather than pass: the device is not credited for a check that had nothing to inspect, and it is not faulted for a default that is already compliant.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

1.2.2 Set 'transport input ssh' for 'line vty' connections

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!!!] HIGH SEVERITY

all 2 block(s) satisfy the condition Check basis: 'transport input' is a set of permitted protocols, so subset_of is the right operator: {ssh} passes, {telnet ssh} fails. 'none' is accepted alongside ssh because a line that admits no inbound transport at all exceeds the control's intent, and failing it would be a false positive. An absent directive fails - the IOS default of 'all' permits telnet.

Evidence

Canonical path	Observed	Source	Parser
line.vty.id	0 4	core-rtr-01.conf:76-80	cisco_ios_patterns@1
line.vty.id	5 15	core-rtr-01.conf:82-86	cisco_ios_patterns@1

76: line vty 0 4

82: line vty 5 15

1.2.3 Set 'no exec' for 'line aux 0'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!!] MEDIUM SEVERITY

all 1 block(s) satisfy the condition Check basis: 'no exec' on the AUX line is recorded as state 'disabled'. A device with no AUX line has no AUX port to disable, hence notapplicable.

Evidence

Canonical path	Observed	Source	Parser
line.aux.id	0	core-rtr-01.conf:73-74	cisco_ios_patterns@1

73: line aux 0

1.2.4 Create 'access-list' for use with 'line vty'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

1.2.5 Set 'access-class' for 'line vty'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!!!] HIGH SEVERITY

all 2 block(s) satisfy the condition Check basis: Each VTY line must carry an 'access-class'. Whether the referenced ACL itself is correctly written is control 1.2.4, which this engine cannot yet decide (see docs/GAPS.md) - so this rule reports only what it can see.

Evidence

Canonical path	Observed	Source	Parser
line.vty.id	0 4	core-rtr-01.conf:76-80	cisco_ios_patterns@1
line.vty.id	5 15	core-rtr-01.conf:82-86	cisco_ios_patterns@1

76: line vty 0 4

82: line vty 5 15

1.2.6 Set 'exec-timeout' to less than or equal to 10 minutes for 'line aux 0'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!!] MEDIUM SEVERITY

1 of 1 block(s) violate the condition: line aux 0 Check basis: Ten minutes is 600 seconds. The 'gt 0' leaf is not redundant: IOS records 'no exec-timeout' and 'exec-timeout 0 0' as zero, meaning never time out, which is the least secure setting available and would pass 'lte 600'.

Evidence

Canonical path	Observed	Source	Parser
line.aux.id	0	core-rtr-01.conf:73-74	cisco_ios_patterns@1

73: line aux 0

Remediation

Note. These commands are templates, not ready to paste: replace <timeout_in_minutes>, <timeout_in_seconds> with values for this device first.

Note. One or more commands run in config-line mode. The published fix does not include the command that enters it, so select the correct target (interface, line or instance) for this device before applying them.

Note. Publisher's stated impact: Organizations should prevent unauthorized use of unattended or abandoned sessions by an automated control. Enabling 'exec-timeout' with an appropriate length of minutes or seconds prevents unauthorized access of abandoned sessions.

Configure device timeout (10 minutes or less) to disconnect sessions after a fixed idle time.

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#line aux 0
2	config-line	test-fixture-sw01(config-line)#exec-timeout <timeout_in_minutes> <timeout_in_seconds> ← substitute first

Source	CIS Cisco IOS 15 v4.1.1, control 1.2.6 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying	not rated by the publisher -- assess against this device's role before applying

1.2.7 Set 'exec-timeout' to less than or equal to 10 minutes 'line console 0'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!!] MEDIUM SEVERITY

all 1 block(s) satisfy the condition Check basis: As 1.2.6, on the console. An absent directive fails because the IOS console default is a 10-minute timeout only on some platforms and 'never' on others; the benchmark requires it to be stated.

Evidence

Canonical path	Observed	Source	Parser
line.console.id	0	core-rtr-01.conf:68-71	cisco_ios_patterns@1

68: line con 0

1.2.8 Set 'exec-timeout' less than or equal to 10 minutes 'line tty'

CIS · CIS Cisco IOS 15 v4.1.1

[/] NOTAPPLICABLE

[!!] MEDIUM SEVERITY

no 'line.tty.id' blocks in this configuration Check basis: As 1.2.6, on each asynchronous TTY line.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

1.2.9 Set 'exec-timeout' to less than or equal to 10 minutes 'line vty'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!!] MEDIUM SEVERITY

all 2 block(s) satisfy the condition Check basis: As 1.2.6, on each VTY line.

Evidence

Canonical path	Observed	Source	Parser
line.vty.id	0 4	core-rtr-01.conf:76-80	cisco_ios_patterns@1
line.vty.id	5 15	core-rtr-01.conf:82-86	cisco_ios_patterns@1

76: line vty 0 4
82: line vty 5 15

1.2.10 Set 'exec-timeout' to less than or equal to 10 minutes 'line vty'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!!] MEDIUM SEVERITY

all 2 block(s) satisfy the condition Check basis: CIS v4.1.1 ships 1.2.10 with the same title, check and remediation as 1.2.9, so it is decided by the same condition. Mapping it rather than leaving it notchecked keeps the benchmark's own control list complete; the duplication is the publisher's and is recorded in docs/GAPS.md so nobody reads the two identical findings as two independent problems.

Evidence

Canonical path	Observed	Source	Parser
line.vty.id	0 4	core-rtr-01.conf:76-80	cisco_ios_patterns@1
line.vty.id	5 15	core-rtr-01.conf:82-86	cisco_ios_patterns@1

76: line vty 0 4
82: line vty 5 15

1.2.11 Set 'transport input none' for 'line aux 0'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!!] MEDIUM SEVERITY

1 of 1 block(s) violate the condition: line aux 0 Check basis: The AUX line must admit no inbound transport at all. subset_of {none} passes only the literal 'transport input none'.

Evidence

Canonical path	Observed	Source	Parser
line.aux.id	0	core-rtr-01.conf:73-74	cisco_ios_patterns@1

73: line aux 0

Remediation

Note. One or more commands run in config-line mode. The published fix does not include the command that enters it, so select the correct target (interface, line or instance) for this device before applying them.

Note. Publisher's stated impact: Organizations should prevent all unauthorized access of auxiliary ports by disabling all protocols using the 'transport input none' command.

Disable the inbound connections on the auxiliary port.

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#line aux 0
2	config-line	test-fixture-sw01(config-line)#transport input none

Source	CIS Cisco IOS 15 v4.1.1, control 1.2.11 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying	not rated by the publisher -- assess against this device's role before applying

1.3.1 Set the 'banner-text' for 'banner exec'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!] LOW SEVERITY

no evidence at 'mgmt.exec_banner' Check basis: The banner's wording is a legal question the tool does not judge; what it can decide is whether an exec banner is configured at all. 'no banner exec' records false explicitly, and an absent banner fails.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

Remediation

Note. Publisher's stated impact: Organizations provide appropriate legal notice(s) and warning(s) to persons accessing their networks by using a 'banner-text' for the banner exec command.

Configure the EXEC banner presented to a user when accessing the devices enable prompt. Enter TEXT message. End with the character 'c'.
<banner-text> c

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#banner exec c
Source		CIS Cisco IOS 15 v4.1.1, control 1.3.1 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying		not rated by the publisher -- assess against this device's role before applying

1.3.2 Set the 'banner-text' for 'banner login'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] LOW SEVERITY

mgmt.login_banner eq True satisfied Check basis: As 1.3.1, for the login banner.

Evidence

Canonical path	Observed	Source	Parser
mgmt.login_banner	yes	core-rtr-01.conf:44-48	cisco_ios_patterns@1

44: banner login ^

1.3.3 Set the 'banner-text' for 'banner motd'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] LOW SEVERITY

mgmt.motd_banner eq True satisfied Check basis: As 1.3.1, for the MOTD banner.

Evidence

Canonical path	Observed	Source	Parser
mgmt.motd_banner	yes	core-rtr-01.conf:50-52	cisco_ios_patterns@1

50: banner motd ^

1.4.1 Set 'password' for 'enable secret'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!!!] HIGH SEVERITY

'mgmt.enable_secret.hash_type' is not configured Check basis: The control asks only that an enable secret exists. The pack emits mgmt.enable_secret.hash_type for both the typed and untyped forms and deliberately never emits it for 'enable password', so this presence check cannot be satisfied by the weak predecessor command.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

Remediation

Note. These commands are templates, not ready to paste: replace {ENABLE_SECRET_PASSWORD} with values for this device first.

Note. Publisher's stated impact: Organizations should protect privileged EXEC mode through policies requiring the 'enabling secret' setting, which enforces a one-way cryptographic hash (MD5).

Configure a strong, enable secret password.

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#enable secret {ENABLE_SECRET_PASSWORD} ← substitute first
Source		CIS Cisco IOS 15 v4.1.1, control 1.4.1 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying		not rated by the publisher -- assess against this device's role before applying

1.4.2 Enable 'service password-encryption'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] MEDIUM SEVERITY

service.password_encryption eq True satisfied Check basis: Defaulted to false by the pack, so a config that never mentions the command is a decided finding.

Evidence

Canonical path	Observed	Source	Parser
service.password_encryption	yes	core-rtr-01.conf:8	cisco_ios_patterns@1

8: service password-encryption

1.4.3 Set 'username secret' for all local users

CIS · CIS Cisco IOS 15 v4.1.1

[!] NOTAPPLICABLE

[!!!] HIGH SEVERITY

no evidence at 'mgmt.local_user.secret' Check basis: Every local user with a credential must use the 'secret' keyword rather than 'password'. The pack emits one mgmt.local_user.secret fact per credentialed user, so an all-quantified check really does cover every user - reading the hash type instead would miss 'username x secret MyPass', which carries no type digit and therefore produces no hash-type fact at all.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

1.5.1 Set 'no snmp-server' to disable SNMP when unused

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

1.5.2 Unset 'private' for 'snmp-server community'

CIS · CIS Cisco IOS 15 v4.1.1

[/] NOTAPPLICABLE

[!!!] HIGH SEVERITY

no evidence at 'snmp.community' Check basis: No community string may be the default 'private'. notapplicable when no community exists at all, because there is then no default community to remove and failing would be a false positive.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

1.5.3 Unset 'public' for 'snmp-server community'

CIS · CIS Cisco IOS 15 v4.1.1

[/] NOTAPPLICABLE

[!!!] HIGH SEVERITY

no evidence at 'snmp.community' Check basis: As 1.5.2, for the default 'public' community.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

1.5.4 Do not set 'RW' for any 'snmp-server community'

CIS · CIS Cisco IOS 15 v4.1.1

[/] NOTAPPLICABLE

[!!!] HIGH SEVERITY

no evidence at 'snmp.community_access' Check basis: No community may grant write access. IOS defaults an unqualified community to RO and the pack emits no access fact in that case, so notapplicable is reported rather than a pass the evidence does not support.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

1.5.5 Set the ACL for each 'snmp-server community'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

1.5.6 Create an 'access-list' for use with SNMP

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

1.5.7 Set 'snmp-server host' when using SNMP

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] MEDIUM SEVERITY

satisfied by: 'snmp.host' is configured Check basis: The control is scoped "when using SNMP", so it is conditioned on the agent actually being enabled. snmp.enabled is observed only when a community, group, user or host is configured; requires_paths would be satisfied by the pack's default fact, so the condition tests the value instead.

Evidence

Canonical path	Observed	Source	Parser
snmp.host	10.0.0.100	core-rtr-01.conf:31	cisco_ios_patterns@1

31: snmp-server host 10.0.0.100

1.5.8 Set 'snmp-server enable traps snmp'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] LOW SEVERITY

satisfied by: snmp.traps eq True satisfied Check basis: As 1.5.7: only devices with SNMP enabled need 'snmp-server enable traps'. The second leaf carries on_missing: fail explicitly. Leaving it at the default of 'unknown' made the whole any_of report unknown on a device with SNMP enabled and no traps directive - which is precisely the violation, and reporting it as missing evidence excluded it from the score instead of counting it as the finding it is.

Evidence

Canonical path	Observed	Source	Parser
snmp.traps	yes	core-rtr-01.conf:32	cisco_ios_patterns@1

32: snmp-server enable traps

1.5.9 Set 'priv' for each 'snmp-server group' using SNMPv3

CIS · CIS Cisco IOS 15 v4.1.1

[/] NOTAPPLICABLE

[!!!] HIGH SEVERITY

no evidence at 'snmp.group_security' Check basis: Every SNMPv3 group must require privacy. The pack emits the security level only for v3 groups - a v1 or v2c group has no such field - so a device using only v2c reports notapplicable rather than failing a control scoped to SNMPv3.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

1.5.10 Require 'aes 128' as minimum for 'snmp-server user' when using SNMPv3

CIS · CIS Cisco IOS 15 v4.1.1

[/] NOTAPPLICABLE

[!!!] HIGH SEVERITY

no evidence at 'snmp.v3_priv' Check basis: The control names 'aes 128' as the minimum, so any AES variant satisfies it and DES or 3DES does not. Matching the algorithm prefix rather than an exact string keeps 'aes 192' and 'aes 256' compliant.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

2.1.1.1.1 Set the 'hostname'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] LOW SEVERITY

'device.hostname' is configured; device.hostname not_in ['router', 'switch'] satisfied Check basis: A hostname must exist and must not be the factory default, which is what the control is really about - 'Router' and 'Switch' are what ships, and leaving them signals an unmanaged device as well as breaking SSH key generation.

Evidence

Canonical path	Observed	Source	Parser
device.hostname	test-fixture-sw01	core-rtr-01.conf:11	cisco_ios_patterns@1

11: hostname test-fixture-sw01

2.1.1.1.2 Set the 'ip domain-name'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!] LOW SEVERITY

'mgmt.domain_name' is not configured Check basis: 'ip domain-name' is a prerequisite for RSA key generation and therefore for SSH; its presence is the control.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

Remediation

Note. These commands are templates, not ready to paste: replace {domain-name} with values for this device first.

Note. Publisher's stated impact: Organizations should plan the enterprise network and identify an appropriate domain name for the router.

Configure an appropriate domain name for the router.

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#ip domain-name {domain-name} ← substitute first
Source		CIS Cisco IOS 15 v4.1.1, control 2.1.1.1.2 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying		not rated by the publisher -- assess against this device's role before applying

2.1.1.1.3 Set 'modulus' to greater than or equal to 2048 for 'crypto key generate rsa'

CIS · CIS Cisco IOS 15 v4.1.1

[?] UNKNOWN

[!] MEDIUM SEVERITY

no evidence at 'crypto.key.size' Check basis: 'crypto key generate rsa' is an exec command, not a configuration line, so most running configurations carry no evidence of the modulus and the verdict is honestly unknown rather than a guess. When the command is present in an archived script or a show-run capture, 2048 bits is the floor. Deciding this control properly needs 'show crypto key mypubkey rsa' alongside the config - recorded in docs/GAPS.md. The configuration contains no evidence for this control, so compliance cannot be determined from the config alone.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

2.1.1.1.4 Set 'seconds' for 'ip ssh timeout'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] MEDIUM SEVERITY

mgmt.ssh.timeout lte 60 satisfied; mgmt.ssh.timeout gt 0 satisfied Check basis: CIS recommends 60 seconds. The pack states the platform default of 120, so a config that omits the command fails on the default rather than reporting missing evidence. 'gt 0' guards the never-time-out setting.

Evidence

Canonical path	Observed	Source	Parser
mgmt.ssh.timeout	60	core-rtr-01.conf:24	cisco_ios_patterns@1

24: ip ssh time-out 60

2.1.1.1.5 Set maximum value for 'ip ssh authentication-retries'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] LOW SEVERITY

mgmt.ssh.maxretries lte 3 satisfied Check basis: At most three authentication retries. The platform default is already 3, so the pack default makes a silent config compliant rather than unknown.

Evidence

Canonical path	Observed	Source	Parser
mgmt.ssh.maxretries	3	core-rtr-01.conf:25	cisco_ios_patterns@1

25: ip ssh authentication-retries 3

2.1.1.2 Set version 2 for 'ip ssh version'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!!!] HIGH SEVERITY

mgmt.ssh.version eq 2 satisfied Check basis: SSHv1 is cryptographically broken. Without an explicit 'ip ssh version 2' IOS negotiates 1.99 and still accepts v1, which the pack records as version 1 - so the absence of the command is a finding, not missing evidence.

Evidence

Canonical path	Observed	Source	Parser
mgmt.ssh.version	2	core-rtr-01.conf:23	cisco_ios_patterns@1

23: ip ssh version 2

2.1.2 Set 'no cdp run'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!!] MEDIUM SEVERITY

1 fact(s) violate service.cdp eq False Check basis: CDP advertises platform, version and addressing to any listener on the segment. It runs by default, so only an explicit 'no cdp run' passes.

Evidence

Canonical path	Observed	Source	Parser
service.cdp	not present in configuration	core-rtr-01.conf	cisco_ios_patterns@1

0: <not configured> CDP runs globally by default; only 'no cdp run' disables it

Remediation

Note. Publisher's stated impact: To reduce the risk of unauthorized access, organizations should implement a security policy restricting network protocols and explicitly require disabling all insecure or unnecessary protocols.

Disable Cisco Discovery Protocol (CDP) service globally.

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#no cdp run
Source		CIS Cisco IOS 15 v4.1.1, control 2.1.2 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying		not rated by the publisher -- assess against this device's role before applying

2.1.3 Set 'no ip bootp server'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!!] MEDIUM SEVERITY

1 fact(s) violate service.bootp eq False Check basis: The BOOTP server is on by default; only 'no ip bootp server' passes.

Evidence

Canonical path	Observed	Source	Parser
service.bootp	not present in configuration	core-rtr-01.conf	cisco_ios_patterns@1

0: <not configured> the BOOTP server is on by default; only 'no ip bootp server' disables it

Remediation

Note. Publisher's stated impact: To reduce the risk of unauthorized access, organizations should implement a security policy restricting network protocols and explicitly require disabling all insecure or unnecessary protocols such as 'ip bootp server'.

Disable the bootp server.

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#ip dhcp bootp ignore
Source		CIS Cisco IOS 15 v4.1.1, control 2.1.3 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying		not rated by the publisher -- assess against this device's role before applying

2.1.4 Set 'no service dhcp'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!!] MEDIUM SEVERITY

1 fact(s) violate service.dhcp eq False Check basis: The DHCP service is on by default; only 'no service dhcp' passes.

Evidence

Canonical path	Observed	Source	Parser
service.dhcp	not present in configuration	core-rtr-01.conf	cisco_ios_patterns@1

0: <not configured> the DHCP service is on by default; only 'no service dhcp' disables it

Remediation

Note. Publisher's stated impact: To reduce the risk of unauthorized access, organizations should implement a security policy restricting network protocols and explicitly require disabling all insecure or unnecessary protocols such as the Dynamic Host Configuration Protocol (DHCP).

Disable the DHCP server.

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#no service dhcp
Source		CIS Cisco IOS 15 v4.1.1, control 2.1.4 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying		not rated by the publisher -- assess against this device's role before applying

2.1.5 Set 'no ip identd'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] LOW SEVERITY

service.identd eq False satisfied Check basis: identd is off by default on supported releases, so this normally passes on the pack default and fails only where 'ip identd' is explicitly present.

Evidence

Canonical path	Observed	Source	Parser
service.identd	not present in configuration	core-rtr-01.conf	cisco_ios_patterns@1

0: <not configured> the identd server is disabled by default

2.1.6 Set 'service tcp-keepalives-in'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!] LOW SEVERITY

1 fact(s) violate service.tcp_keepalives_in eq True Check basis: Inbound TCP keepalives reap orphaned management sessions. Off unless configured, so the pack default decides the absent case.

Evidence

Canonical path	Observed	Source	Parser
service.tcp_keepalives_in	not present in configuration	core-rtr-01.conf	cisco_ios_patterns@1

0: <not configured> inbound TCP keepalives are off unless explicitly configured

Remediation

Note. Publisher's stated impact: To reduce the risk of unauthorized access, organizations should implement a security policy restricting how long to allow terminated sessions and enforce this policy through the use of 'tcp-keepalives-in' command.

Enable TCP keepalives-in service:

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#service tcp-keepalives-in

Source	CIS Cisco IOS 15 v4.1.1, control 2.1.6 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying	not rated by the publisher -- assess against this device's role before applying

2.1.7 Set 'service tcp-keepalives-out'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!] LOW SEVERITY

1 fact(s) violate service.tcp_keepalives_out eq True Check basis: As 2.1.6, outbound.

Evidence

Canonical path	Observed	Source	Parser
service.tcp_keepalives_out	not present in configuration	core-rtr-01.conf	cisco_ios_patterns@1

0: <not configured> outbound TCP keepalives are off unless explicitly configured

Remediation

Note. Publisher's stated impact: To reduce the risk of unauthorized access, organizations should implement a security policy restricting how long to allow terminated sessions and enforce this policy through the use of 'tcp-keepalives-out' command.

Enable TCP keepalives-out service:

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#service tcp-keepalives-out

Source	CIS Cisco IOS 15 v4.1.1, control 2.1.7 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying	not rated by the publisher -- assess against this device's role before applying

2.1.8 Set 'no service pad'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] LOW SEVERITY

service.pad eq False satisfied Check basis: The X.25 PAD service is enabled by default and has no place on a modern network; only 'no service pad' passes.

Evidence

Canonical path	Observed	Source	Parser
service.pad	no	core-rtr-01.conf:9	cisco_ios_patterns@1

9: no service pad

2.2.1 Set 'logging on'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] MEDIUM SEVERITY

logging.on eq True satisfied Check basis: IOS logs by default, so this passes on the pack default and fails only where 'no logging on' is explicitly present.

Evidence

Canonical path	Observed	Source	Parser
logging.on	not present in configuration	core-rtr-01.conf	cisco_ios_patterns@1

0: <not configured> IOS logs by default; only 'no logging on' disables it

2.2.2 Set 'buffer size' for 'logging buffered'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!] MEDIUM SEVERITY

1 fact(s) violate logging.buffered_size gte 64000 Check basis: CIS recommends a 64000-byte buffer. A config with no 'logging buffered' line keeps the 4096-byte default, which is a finding, so absence fails.

Evidence

Canonical path	Observed	Source	Parser
logging.buffered_size	16384	core-rtr-01.conf:35	cisco_ios_patterns@1

35: logging buffered 16384 informational

Remediation

Note. These commands are templates, not ready to paste: replace [log_buffer_size] with values for this device first.

Note. Publisher's stated impact: Data forensics is effective for managing technology risks and an organization can enforce such policies by enabling the 'logging buffered' command.

Configure buffered logging (with minimum size). Recommended size is 64000.

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#logging buffered [log_buffer_size] ← substitute first
Source		CIS Cisco IOS 15 v4.1.1, control 2.2.2 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying		not rated by the publisher -- assess against this device's role before applying

2.2.3 Set 'logging console critical'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!] LOW SEVERITY

1 fact(s) violate logging.console in ['critical', 'alerts', 'emergencies', 'none'] Check basis: The intent is to keep the console from being flooded, so any level at or below critical severity satisfies it - including 'no logging console', which the pack records as 'none'. Requiring the literal string 'critical' would fail a stricter configuration.

Evidence

Canonical path	Observed	Source	Parser
logging.console	informational	core-rtr-01.conf:37	cisco_ios_patterns@1

37: logging console informational

Remediation

Note. Publisher's stated impact: Logging critical messages at the console is important for an organization managing technology risk. The 'logging console' command should capture appropriate severity messages to be effective.

Configure console logging level.

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#logging console critical
Source		CIS Cisco IOS 15 v4.1.1, control 2.2.3 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying		not rated by the publisher -- assess against this device's role before applying

2.2.4 Set IP address for 'logging host'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] MEDIUM SEVERITY

'logging.remote_syslog' is configured Check basis: The check targets logging.remote_syslog - the destination itself - rather than logging.enable, which the pack also sets from the same line. Reading the boolean companion would pass a device whose only syslog directive is 'no logging host'.

Evidence

Canonical path	Observed	Source	Parser
logging.remote_syslog	10.0.0.200	core-rtr-01.conf:34	cisco_ios_patterns@1

34: logging host 10.0.0.200

2.2.5 Set 'logging trap informational'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] LOW SEVERITY

logging.trap_level in ['informational', 'debugging'] satisfied Check basis: 'informational' or more verbose satisfies the control; 'debugging' is accepted because it emits a superset. The platform default is already informational, stated in the pack, so a silent config passes on the default rather than reporting missing evidence.

Evidence

Canonical path	Observed	Source	Parser
logging.trap_level	informational	core-rtr-01.conf:36	cisco_ios_patterns@1

36: logging trap informational

2.2.6 Set 'service timestamps debug datetime'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] MEDIUM SEVERITY

logging.timestamps_debug regex_match '^datetime' satisfied Check basis: Debug timestamps must be wall-clock, not uptime, or the log is useless for correlation. The debug stream has its own canonical path so this control is not decided by the log stream's setting. The IOS default is uptime, so an absent directive fails.

Evidence

Canonical path	Observed	Source	Parser
logging.timestamps_debug	datetime msec	core-rtr-01.conf:6	cisco_ios_patterns@1

6: service timestamps debug datetime msec

2.2.7 Set 'logging source interface'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!] LOW SEVERITY

'logging.source_interface' is not configured Check basis: A stable source interface keeps syslog correlation working when a physical interface flaps. Presence is the control; whether it names a loopback is 2.4.x territory.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

Remediation

Note. Publisher's stated impact: Logging is an important process for an organization managing technology risk and establishing a consistent source of messages for the logging host is critical. The 'logging source interface loopback' command sets a consistent IP address to send messages to the logging host and enforces the logging process.

Bind logging to the loopback interface. {loopback_interface_number}

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#logging source-interface loopback

Source	CIS Cisco IOS 15 v4.1.1, control 2.2.7 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying	not rated by the publisher -- assess against this device's role before applying

2.3.1.1 Set 'ntp authenticate'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] MEDIUM SEVERITY

time.ntp.authentication eq True satisfied Check basis: Defaulted to false by the pack, so a config that never mentions 'ntp authenticate' is a decided finding.

Evidence

Canonical path	Observed	Source	Parser
time.ntp.authentication	yes	core-rtr-01.conf:40	cisco_ios_patterns@1

40: ntp authenticate

2.3.1.2 Set 'ntp authentication-key'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] MEDIUM SEVERITY

'time.ntp.key' is configured Check basis: An 'ntp authentication-key' must exist for NTP authentication to work.

Evidence

Canonical path	Observed	Source	Parser
time.ntp.key	md5	core-rtr-01.conf:41	cisco_ios_patterns@1

41: ntp authentication-key 1 md5 *** REDACTED ***

2.3.1.3 Set the 'ntp trusted-key'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] MEDIUM SEVERITY

'time.ntp.trusted_keys' is configured Check basis: A configured key is only honoured once it is listed as trusted, so 'ntp trusted-key' is a separate control and a separate fact.

Evidence

Canonical path	Observed	Source	Parser
time.ntp.trusted_keys	1	core-rtr-01.conf:42	cisco_ios_patterns@1

42: ntp trusted-key 1

2.3.1.4 Set 'key' for each 'ntp server'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

2.3.2 Set 'ip address' for 'ntp server'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] LOW SEVERITY

time.ntp.server regex_match '^\\d{1,3}(\\.\\d{1,3}){3}\$' satisfied Check basis: Each NTP server must be addressed by IP, not by name: name resolution at boot is exactly when the clock cannot be trusted. Absence of any NTP server fails - an unsynchronised clock invalidates every timestamp in the log.

Evidence

Canonical path	Observed	Source	Parser
time.ntp.server	10.0.0.50	core-rtr-01.conf:39	cisco_ios_patterns@1

39: ntp server 10.0.0.50

2.4.1 Create a single 'interface loopback'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!] LOW SEVERITY

no fact satisfies interface.name regex_match '^loopback' Check basis: Quantifier 'any' over the interface names is how "at least one loopback exists" is expressed without a dedicated condition type: the control passes as soon as one interface is named Loopback.

Evidence

Canonical path	Observed	Source	Parser
interface.name	Vlan1	core-rtr-01.conf:54-57	cisco_ios_patterns@1
interface.name	Vlan99	core-rtr-01.conf:59-61	cisco_ios_patterns@1
interface.name	GigabitEthernet0/1	core-rtr-01.conf:63-66	cisco_ios_patterns@1

```
54: interface Vlan1
```

```
59: interface Vlan99
```

```
63: interface GigabitEthernet0/1
```

Remediation

Note. These commands are templates, not ready to paste: replace <loopback_ip_address>, <number> with values for this device first.

Note. One or more commands run in config-if mode. The published fix does not include the command that enters it, so select the correct target (interface, line or instance) for this device before applying them.

Note. Publisher's stated impact: Organizations should plan and establish 'loopback interfaces' for the enterprise network. Loopback interfaces enable critical network information such as OSPF Router IDs and provide termination points for routing protocol sessions.

Define and configure one loopback interface. <loopback_subnet_mask>

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#interface loopback <number> ← substitute first
2	config-if	test-fixture-sw01(config-if)#ip address <loopback_ip_address> ← substitute first

Source	CIS Cisco IOS 15 v4.1.1, control 2.4.1 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying	not rated by the publisher -- assess against this device's role before applying

2.4.2 Set AAA 'source-interface'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!] LOW SEVERITY

'aaa.source_interface' is not configured Check basis: A stable AAA source address is what lets the TACACS+ or RADIUS server recognise the device across interface failures.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

Remediation

Note. These commands are templates, not ready to paste: replace {group_name} with values for this device first.

Note. Publisher's stated impact: Organizations should design and implement authentication, authorization, and accounting (AAA) services for effective monitoring of enterprise network devices. Binding AAA services to the source-interface loopback enables these services.

Bind AAA services to the loopback interface. {loopback_interface_number} or tacacs+)#ip tacacs source-interface {loopback_interface_number}

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#ip radius source-interface loopback
2	config	test-fixture-sw01(config)#aaa group server tacacs+ {group_name} hostname(config-sg- ← substitute first

Source	CIS Cisco IOS 15 v4.1.1, control 2.4.2 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying	not rated by the publisher -- assess against this device's role before applying

2.4.3 Set 'ntp source' to Loopback Interface

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!] LOW SEVERITY

no evidence at 'time.ntp.source' Check basis: The control names the loopback specifically, so the interface name is matched rather than merely checking that 'ntp source' is set.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

Remediation

Note. These commands are templates, not ready to paste: replace {loopback_interface_number} with values for this device first.

Note. Publisher's stated impact: Organizations should plan and implement network time protocol (NTP) services to establish official time for all enterprise network devices. Setting 'ntp source loopback' enforces the proper IP address for NTP services.

Bind the NTP service to the loopback interface.

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#ntp source loopback {loopback_interface_number} ← substitute first
Source		CIS Cisco IOS 15 v4.1.1, control 2.4.3 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying		not rated by the publisher -- assess against this device's role before applying

2.4.4 Set 'ip tftp source-interface' to the Loopback Interface

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!] LOW SEVERITY

no evidence at 'file.tftp_source_interface' Check basis: As 2.4.3, for TFTP.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

Remediation

Note. Publisher's stated impact: Organizations should plan and implement trivial file transfer protocol (TFTP) services in the enterprise by setting 'tftp source-interface loopback', which enables the TFTP servers to identify routers and authenticate requests by IP address.

Bind the TFTP client to the loopback interface. {loopback_interface_number}

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#ip tftp source-interface loopback
Source		CIS Cisco IOS 15 v4.1.1, control 2.4.4 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying		not rated by the publisher -- assess against this device's role before applying

3.1.1 Set 'no ip source-route'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] MEDIUM SEVERITY

routing.source_routing eq False satisfied Check basis: Source routing lets a sender dictate the path and is enabled by default; only an explicit 'no ip source-route' passes.

Evidence

Canonical path	Observed	Source	Parser
routing.source_routing	no	core-rtr-01.conf:92	cisco_ios_patterns@1

92: no ip source-route

3.1.2 Set 'no ip proxy-arp'

CIS · CIS Cisco IOS 15 v4.1.1

[!] FAIL

[!!] MEDIUM SEVERITY

3 of 3 block(s) violate the condition: interface Vlan1, interface Vlan99, interface GigabitEthernet0/1 Check basis: Proxy ARP is per-interface and on by default, so the check runs once per interface and the pack's per-instance default supplies the fact for interfaces that never mention it - which is what makes the evidence name the exact interfaces to remediate. Loopback and Null interfaces are skipped because proxy ARP on them cannot be exploited; a finding there would be noise that trains the reader to ignore the control.

Evidence

Canonical path	Observed	Source	Parser
interface.proxy_arp	not present in configuration	core-rtr-01.conf:54-57	cisco_ios_patterns@1
interface.proxy_arp	not present in configuration	core-rtr-01.conf:59-61	cisco_ios_patterns@1
interface.proxy_arp	not present in configuration	core-rtr-01.conf:63-66	cisco_ios_patterns@1

54: interface Vlan1 <no explicit setting: proxy ARP is enabled by default on IOS routed interfaces>

59: interface Vlan99 <no explicit setting: proxy ARP is enabled by default on IOS routed interfaces>

63: interface GigabitEthernet0/1 <no explicit setting: proxy ARP is enabled by default on IOS routed interfaces>

Remediation

Note. These commands are templates, not ready to paste: replace {interface} with values for this device first.

Note. One or more commands run in config-if mode. The published fix does not include the command that enters it, so select the correct target (interface, line or instance) for this device before applying them.

Note. Publisher's stated impact: Organizations should plan and implement network policies to ensure unnecessary services are explicitly disabled. The 'ip proxy-arp' feature effectively breaks the LAN security perimeter and should be disabled.

Disable proxy ARP on all interfaces.

#	Mode	Command as it appears on this device
1	config	test-fixture-sw01(config)#interface {interface} ← substitute first
2	config-if	test-fixture-sw01(config-if)#no ip proxy-arp

Source	CIS Cisco IOS 15 v4.1.1, control 3.1.2 — CIS_Cisco_IOS_15_Benchmark_v4.1.1_ARCHIVE.pdf
Risk of applying	not rated by the publisher -- assess against this device's role before applying

3.1.3 Set 'no interface tunnel'

CIS · CIS Cisco IOS 15 v4.1.1

[+] PASS

[!] LOW SEVERITY

interface.name regex_not_match '^tunnel' satisfied Check basis: No interface may be a tunnel. Expressed over interface.name rather than interface.tunnel because a tunnel interface that declares no source, destination or mode still exists and still needs reporting.

Evidence

Canonical path	Observed	Source	Parser
interface.name	Vlan1	core-rtr-01.conf:54-57	cisco_ios_patterns@1
interface.name	Vlan99	core-rtr-01.conf:59-61	cisco_ios_patterns@1
interface.name	GigabitEthernet0/1	core-rtr-01.conf:63-66	cisco_ios_patterns@1

54: interface Vlan1

59: interface Vlan99

63: interface GigabitEthernet0/1

3.1.4 Set 'ip verify unicast source reachable-via'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

3.2.1 Set 'ip access-list extended' to Forbid Private Source Addresses from External Networks

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

3.2.2 Set inbound 'ip access-group' on the External Interface

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

3.3.1.1 Set 'key chain'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

3.3.1.2 Set 'key'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

3.3.1.3 Set 'key-string'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

3.3.1.4 Set 'address-family ipv4 autonomous-system'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

3.3.1.5 Set 'af-interface default'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

3.3.1.6 Set 'authentication key-chain'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTAPPLICABLE

[!] MEDIUM SEVERITY

'routing.eigrp.process' is not configured on this device, so the control does not apply Check basis: Scoped by requires_paths to devices actually running EIGRP; a device without an EIGRP process reports notapplicable rather than being credited with a pass for a protocol it does not run.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

3.3.1.7 Set 'authentication mode md5'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTAPPLICABLE

[!] MEDIUM SEVERITY

'routing.eigrp.process' is not configured on this device, so the control does not apply Check basis: Every EIGRP authentication mode must be md5. The EIGRP process path is the precondition, and the authentication path is a separate fact emitted only by an authentication line - so a bare 'router eigrp' fails rather than asserting its own compliance.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

3.3.1.8 Set 'ip authentication key-chain eigrp'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

3.3.1.9 Set 'ip authentication mode eigrp'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

3.3.2.1 Set 'authentication message-digest' for OSPF area

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTAPPLICABLE

[!] MEDIUM SEVERITY

'routing.ospf.process' is not configured on this device, so the control does not apply Check basis: At least one OSPF area must require message-digest authentication. Quantifier 'any' because a device may carry both authenticated and unauthenticated areas and the control asks that the feature be in use; per-area enforcement is 3.3.2.2, which needs interface-level OSPF facts the pack does not yet emit (docs/GAPS.md).

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

3.3.2.2 Set 'ip ospf message-digest-key md5'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

3.3.3.1 Set 'key chain'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

3.3.3.2 Set 'key'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

3.3.3.3 Set 'key-string'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

3.3.3.4 Set 'ip rip authentication key-chain'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTAPPLICABLE

[!] MEDIUM SEVERITY

'routing.rip.process' is not configured on this device, so the control does not apply Check basis: Scoped to devices running RIP. The RIP process and RIP authentication are separate canonical paths precisely so that the existence of the process cannot assert the existence of the authentication.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

3.3.3.5 Set 'ip rip authentication mode' to 'md5'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTAPPLICABLE

[!] MEDIUM SEVERITY

'routing.rip.process' is not configured on this device, so the control does not apply Check basis: RIP authentication must be md5, not the cleartext default.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

3.3.4.1 Set 'neighbor password'

CIS · CIS Cisco IOS 15 v4.1.1

[] NOTAPPLICABLE

[!!] MEDIUM SEVERITY

'routing.bgp.asn' is not configured on this device, so the control does not apply Check basis: Scoped to devices running BGP. Presence of a neighbour password is what the control asks for; the pack records the neighbour address as the value so the evidence names which session carries authentication.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215662 The Cisco router must be configured to limit the number of concurrent management sessions to an organization-defined number.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-10; CCI CCI-000054

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215667 The Cisco router must be configured to enforce approved authorizations for controlling the flow of management information within the device based on control policies.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04, MA-04(04); ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001368, CCI-004192

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215668 The Cisco router must be configured to enforce the limit of three consecutive invalid logon attempts, after which time it must lock out the user account from accessing the device for 15 minutes.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-07; ISO 27001 A.8.5; CCI CCI-000044

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215669 The Cisco router must be configured to display the Standard Mandatory DoD Notice and Consent Banner before granting access to the device.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-08; ISO 27001 A.8.5; CCI CCI-000048

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215670 The Cisco device must be configured to audit all administrator activity.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-02(04), AC-06(09), AU-03(01), AU-10, AU-12; ISO 27001 A.8.15; CCI CCI-000018, CCI-000135, CCI-000166, CCI-000172, CCI-001403, CCI-001404, CCI-001405, CCI-002130, CCI-002234

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215672 The Cisco router must produce audit records containing information to establish when (date and time) the events occurred.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-03; ISO 27001 A.5.28, A.8.15; CCI CCI-000131

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215673 The Cisco router must produce audit records containing information to establish where the events occurred.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-03; ISO 27001 A.5.28, A.8.15; CCI CCI-000132

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215675 The Cisco router must be configured to protect audit information from unauthorized modification.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-09; ISO 27001 A.5.33, A.8.15; CCI CCI-000163

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215676 The Cisco router must be configured to protect audit information from unauthorized deletion.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-09; ISO 27001 A.5.33, A.8.15; CCI CCI-000164

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215677 The Cisco router must be configured to limit privileges to change the software resident within software libraries.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-05(06); CCI CCI-001499

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215678 The Cisco router must be configured to prohibit the use of all unnecessary and nonsecure functions and services.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-07; ISO 27001 A.8.19; CCI CCI-000382

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215679 The Cisco router must be configured with only one local account to be used as the account of last resort in the event the authentication server is unavailable.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-02, AC-02(07); ISO 27001 A.5.16, A.5.18, A.8.2; CCI CCI-001358, CCI-002111

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215681 The Cisco router must be configured to enforce a minimum 15-character password length.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-05(01); CCI CCI-004066

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215682 The Cisco router must be configured to enforce password complexity by requiring that at least one uppercase character be used.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-05(01); CCI CCI-004066

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215683 The Cisco router must be configured to enforce password complexity by requiring that at least one lowercase character be used.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-05(01); CCI CCI-004066

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215684 The Cisco router must be configured to enforce password complexity by requiring that at least one numeric character be used.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-05(01); CCI CCI-004066

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215685 The Cisco router must be configured to enforce password complexity by requiring that at least one special character be used.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-05(01); CCI CCI-004066

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215686 The Cisco router must be configured to require that when a password is changed, the characters are changed in at least eight of the positions within the password.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-05(01); CCI CCI-004066

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215687 The Cisco router must only store cryptographic representations of passwords.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-05(01), SC-28(03); CCI CCI-004062, CCI-004910

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215688 The Cisco router must be configured to terminate all network connections associated with device management after five minutes of inactivity.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-10; ISO 27001 A.8.20; CCI CCI-001133

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215691 The Cisco router must be configured to allocate audit record storage capacity in accordance with organization-defined audit record storage requirements.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-04; ISO 27001 A.8.6; CCI CCI-001849

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215692 The Cisco router must be configured to generate an alert for all audit failure events.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-05(02), AU-09; ISO 27001 A.5.33, A.8.15; CCI CCI-001858, CCI-003831

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215693 The Cisco router must be configured to synchronize its clock with the primary and secondary time sources using redundant authoritative time sources.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-08, SC-45, SC-45(01), SC-45(02); ISO 27001 A.8.17; CCI CCI-001889, CCI-001890, CCI-004922, CCI-004923, CCI-004928

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215696 The Cisco router must be configured to authenticate SNMP messages using a FIPS-validated Keyed-Hash Message Authentication Code (HMAC).

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-03(01); CCI CCI-001967

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215697 The Cisco router must be configured to encrypt SNMP messages using a FIPS 140-2 approved algorithm.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-17(02); CCI CCI-000068

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215698 The Cisco router must be configured to authenticate Network Time Protocol (NTP) sources using authentication with FIPS-compliant algorithms.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-03(01); CCI CCI-001967

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215699 The Cisco router must be configured to use FIPS-validated Keyed-Hash Message Authentication Code (HMAC) to protect the integrity of remote maintenance sessions.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-02(08), MA-04(06); CCI CCI-001941, CCI-002890

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215700 The Cisco router must be configured to implement cryptographic mechanisms to protect the confidentiality of remote maintenance sessions.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 MA-04(06); CCI CCI-003123

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215701 The Cisco router must be configured to protect against known types of denial-of-service (DoS) attacks by employing organization-defined security safeguards.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215704 The Cisco router must be configured to generate audit records when successful/unsuccessful logon attempts occur.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-12; ISO 27001 A.8.15; CCI CCI-000172

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215709 The Cisco router must be configured to use at least two authentication servers for the purpose of authenticating users prior to granting administrative access.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06(01); CCI CCI-000370

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215710 The Cisco router must be configured to back up the configuration when changes occur.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06, CP-09; ISO 27001 A.5.29, A.5.33, A.8.13, A.8.9; CCI CCI-000366, CCI-000537

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-215711 The Cisco router must be configured to obtain its public key certificates from an appropriate certificate policy through an approved service provider.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-17; ISO 27001 A.8.24; CCI CCI-001159, CCI-004909

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220136 The Cisco router must be configured to send log data to at least two syslog servers for the purpose of forwarding alerts to the administrators and the ISSO.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-04(01); CCI CCI-001851

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220137 The Cisco router must be running an IOS release that is currently supported by Cisco Systems.

DISA_STIG · Cisco IOS Router NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06; ISO 27001 A.8.9; CCI CCI-000366

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216551 The Cisco router must be configured to enforce approved authorizations for controlling the flow of information within the network based on organization-defined information flow control policies.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001368

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216555 The Cisco router must be configured to enable routing protocol authentication using FIPS 198-1 algorithms with keys not exceeding 180 days of lifetime.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04(17), IA-07; CCI CCI-000803, CCI-002205

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216556 The Cisco router must be configured to have all inactive interfaces disabled.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001414

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216559 The Cisco router must not be configured to have any zero-touch deployment feature enabled when connected to an operational network.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216560 The Cisco router must be configured to protect against or limit the effects of denial-of-service (DoS) attacks by employing control plane protection.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05, SC-07; ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097, CCI-002385, CCI-004866

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216563 The Cisco router must be configured to have Gratuitous ARP disabled on all external interfaces.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216564 The Cisco router must be configured to have IP directed broadcast disabled on all interfaces.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216565 The Cisco router must be configured to have Internet Control Message Protocol (ICMP) unreachable messages disabled on all external interfaces.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216566 The Cisco router must be configured to have Internet Control Message Protocol (ICMP) mask reply messages disabled on all external interfaces.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216567 The Cisco router must be configured to have Internet Control Message Protocol (ICMP) redirect messages disabled on all external interfaces.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216568 The Cisco router must be configured to log all packets that have been dropped at interfaces via an ACL.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-03; ISO 27001 A.5.28, A.8.15; CCI CCI-000134

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216569 The Cisco router must be configured to produce audit records containing information to establish where the events occurred.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-03; ISO 27001 A.5.28, A.8.15; CCI CCI-000132

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216570 The Cisco router must be configured to produce audit records containing information to establish the source of the events.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-03; ISO 27001 A.5.28, A.8.15; CCI CCI-000133

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216571 The Cisco router must be configured to disable the auxiliary port unless it is connected to a secured modem providing encryption and authentication.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001414

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216572 The Cisco perimeter router must be configured to deny network traffic by default and allow network traffic by exception.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(05); CCI CCI-001109

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216573 The Cisco perimeter router must be configured to enforce approved authorizations for controlling the flow of information between interconnected networks in accordance with applicable policy.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001414

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216574 The Cisco perimeter router must be configured to only allow incoming communications from authorized sources to be routed to authorized destinations.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216575 The Cisco perimeter router must be configured to block inbound packets with source Bogon IP address prefixes.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216576 The Cisco perimeter router must be configured to protect an enclave connected to an approved gateway by using an inbound filter that only permits packets with destination addresses within the sites address space.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001414

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216577 The Cisco perimeter router must be configured to not be a Border Gateway Protocol (BGP) peer to an approved gateway service provider.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001414

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216578 The Cisco perimeter router must be configured to not redistribute static routes to an approved gateway service provider into BGP, an IGP peering with the NIPRNet, or other autonomous systems.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001414

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216580 The Cisco perimeter router must be configured to filter traffic destined to the enclave in accordance with the guidelines contained in DoD Instruction 8551.1.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07; ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216581 The Cisco perimeter router must be configured to filter ingress traffic at the external interface on an inbound direction.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07; ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216582 The Cisco perimeter router must be configured to filter egress traffic at the internal interface on an inbound direction.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07; ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216584 The Cisco perimeter router must be configured to have Link Layer Discovery Protocol (LLDP) disabled on all external interfaces.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216585 The Cisco perimeter router must be configured to have Cisco Discovery Protocol (CDP) disabled on all external interfaces.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216586 The Cisco perimeter router must be configured to have Proxy ARP disabled on all external interfaces.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216587 The Cisco perimeter router must be configured to block all outbound management traffic.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07; ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216588 The Cisco out-of-band management (OOBM) gateway router must be configured to transport management traffic to the Network Operations Center (NOC) via dedicated circuit, MPLS/VPN service, or IPsec tunnel.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07, SC-07(29); ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097, CCI-004891

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216589 The Cisco out-of-band management (OOBM) gateway router must be configured to forward only authorized management traffic to the Network Operations Center (NOC).

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07; ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216590 The Cisco out-of-band management (OOBM) gateway router must be configured to have separate IGP instances for the managed network and management network.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001414

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216591 The Cisco out-of-band management (OOBM) gateway router must be configured to not redistribute routes between the management network routing domain and the managed network routing domain.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001414

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216592 The Cisco out-of-band management (OOBM) gateway router must be configured to block any traffic destined to itself that is not sourced from the OOBM network or the Network Operations Center (NOC).

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07; ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216593 The Cisco router must be configured to only permit management traffic that ingresses and egresses the out-of-band management (OOBM) interface.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07; ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216594 The Cisco router providing connectivity to the Network Operations Center (NOC) must be configured to forward all in-band management traffic via an IPsec tunnel.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07; ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216597 The Cisco BGP router must be configured to reject inbound route advertisements for any Bogon prefixes.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001368

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216598 The Cisco BGP router must be configured to reject inbound route advertisements for any prefixes belonging to the local autonomous system (AS).

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001368

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216599 The Cisco BGP router must be configured to reject inbound route advertisements from a customer edge (CE) router for prefixes that are not allocated to that customer.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001368

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216600 The Cisco BGP router must be configured to reject outbound route advertisements for any prefixes that do not belong to any customers or the local autonomous system (AS).

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001368

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216601 The Cisco BGP router must be configured to reject outbound route advertisements for any prefixes belonging to the IP core.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07; ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216602 The Cisco BGP router must be configured to reject route advertisements from BGP peers that do not list their autonomous system (AS) number as the first AS in the AS_PATH attribute.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04(08); CCI CCI-000032

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216603 The Cisco BGP router must be configured to reject route advertisements from CE routers with an originating AS in the AS_PATH attribute that does not belong to that customer.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04(08); CCI CCI-000032

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216604 The Cisco BGP router must be configured to use the maximum prefixes feature to protect against route table flooding and prefix de-aggregation attacks.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216605 The Cisco BGP router must be configured to limit the prefix size on any inbound route advertisement to /24 or the least significant prefixes issued to the customer.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216606 The Cisco BGP router must be configured to use its loopback address as the source address for iBGP peering sessions.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-47; CCI CCI-004931

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216607 The Cisco MPLS router must be configured to use its loopback address as the source address for LDP peering sessions.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-47; CCI CCI-004931

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216608 The Cisco MPLS router must be configured to synchronize IGP and LDP to minimize packet loss when an IGP adjacency is established prior to LDP peers completing label exchange.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06; ISO 27001 A.8.9; CCI CCI-000366

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216609 The MPLS router with RSVP-TE enabled must be configured with message pacing to adjust maximum burst and maximum number of RSVP messages to an output queue based on the link speed and input queue size of adjacent core routers.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05(02); ISO 27001 A.8.6; CCI CCI-001095

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216610 The Cisco MPLS router must be configured to have TTL Propagation disabled.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06; ISO 27001 A.8.9; CCI CCI-000366

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216611 The Cisco PE router must be configured to have each Virtual Routing and Forwarding (VRF) instance bound to the appropriate physical or logical interfaces to maintain traffic separation between all MPLS L3VPNs.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-47; CCI CCI-004931

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216612 The Cisco PE router must be configured to have each Virtual Routing and Forwarding (VRF) instance with the appropriate Route Target (RT).

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-47; CCI CCI-004931

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216613 The Cisco PE router must be configured to have each VRF with the appropriate Route Distinguisher (RD).

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-47; CCI CCI-004931

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216614 The Cisco PE router providing MPLS Layer 2 Virtual Private Network (L2VPN) services must be configured to authenticate targeted Label Distribution Protocol (LDP) sessions used to exchange virtual circuit (VC) information using a FIPS-approved message authentication code algorithm.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-03; CCI CCI-001958

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216615 The Cisco PE router providing MPLS Virtual Private Wire Service (VPWS) must be configured to have the appropriate virtual circuit identification (VC ID) for each attachment circuit.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-47; CCI CCI-004931

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216616 The Cisco PE router must be configured to block any traffic that is destined to IP core infrastructure.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07; ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216617 The Cisco PE router must be configured with Unicast Reverse Path Forwarding (uRPF) loose mode enabled on all CE-facing interfaces.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07; ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216619 The Cisco PE router must be configured to enforce a Quality-of-Service (QoS) policy to provide preferred treatment for mission-critical applications.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05(02); ISO 27001 A.8.6; CCI CCI-001095

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216620 The Cisco P router must be configured to enforce a Quality-of-Service (QoS) policy to provide preferred treatment for mission-critical applications.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05(02); ISO 27001 A.8.6; CCI CCI-001095

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216621 The Cisco PE router must be configured to enforce a Quality-of-Service (QoS) policy to limit the effects of packet flooding denial-of-service (DoS) attacks.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05(02); ISO 27001 A.8.6; CCI CCI-001095

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216622 The Cisco multicast router must be configured to disable Protocol Independent Multicast (PIM) on all interfaces that are not required to support multicast routing.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001414

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216623 The Cisco multicast router must be configured to bind a Protocol Independent Multicast (PIM) neighbor filter to interfaces that have PIM enabled.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001414

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216624 The Cisco multicast edge router must be configured to establish boundaries for administratively scoped multicast traffic.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001414

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216625 The Cisco multicast Rendezvous Point (RP) router must be configured to limit the multicast forwarding cache so that its resources are not saturated by managing an overwhelming number of Protocol Independent Multicast (PIM) and Multicast Source Discovery Protocol (MSDP) source-active entries.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216626 The Cisco multicast Rendezvous Point (RP) router must be configured to filter Protocol Independent Multicast (PIM) Register messages received from the Designated Router (DR) for any undesirable multicast groups and sources.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001414

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216627 The Cisco multicast Rendezvous Point (RP) router must be configured to filter Protocol Independent Multicast (PIM) Join messages received from the Designated Router (DR) for any undesirable multicast groups.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001414

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216628 The Cisco multicast Rendezvous Point (RP) must be configured to rate limit the number of Protocol Independent Multicast (PIM) Register messages.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216629 The Cisco multicast Designated Router (DR) must be configured to filter the Internet Group Management Protocol (IGMP) and Multicast Listener Discovery (MLD) Report messages to allow hosts to join only multicast groups that have been approved by the organization.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216630 The Cisco multicast Designated Router (DR) must be configured to filter the Internet Group Management Protocol (IGMP) and Multicast Listener Discovery (MLD) Report messages to allow hosts to join a multicast group only from sources that have been approved by the organization.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216631 The Cisco multicast Designated Router (DR) must be configured to limit the number of mroute states resulting from Internet Group Management Protocol (IGMP) and Multicast Listener Discovery (MLD) Host Membership Reports.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216632 The Cisco multicast Designated Router (DR) must be configured to set the shortest-path tree (SPT) threshold to infinity to minimize source-group (S, G) state within the multicast topology where Any Source Multicast (ASM) is deployed.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216633 The Cisco Multicast Source Discovery Protocol (MSDP) router must be configured to only accept MSDP packets from known MSDP peers.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216634 The Cisco Multicast Source Discovery Protocol (MSDP) router must be configured to authenticate all received MSDP packets.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-03; CCI CCI-001958

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216635 The Cisco Multicast Source Discovery Protocol (MSDP) router must be configured to filter received source-active multicast advertisements for any undesirable multicast groups and sources.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001368

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216636 The Cisco Multicast Source Discovery Protocol (MSDP) router must be configured to filter source-active multicast advertisements to external MSDP peers to avoid global visibility of local-only multicast sources and groups.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001368

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216637 The Cisco Multicast Source Discovery Protocol (MSDP) router must be configured to limit the amount of source-active messages it accepts on a per-peer basis.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001368

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216638 The Cisco Multicast Source Discovery Protocol (MSDP) router must be configured to use a loopback address as the source address when originating MSDP traffic.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-47; CCI CCI-004931

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216989 The Cisco perimeter router must be configured to restrict it from accepting outbound IP packets that contain an illegitimate address in the source address field via egress filter or by enabling Unicast Reverse Path Forwarding (uRPF).

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05(01); CCI CCI-001094

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216990 The Cisco perimeter router must be configured to block all packets with any IP options.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216991 The Cisco BGP router must be configured to enable the Generalized TTL Security Mechanism (GTSM).

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216992 The Cisco BGP router must be configured to use a unique key for each autonomous system (AS) that it peers with.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04(17); CCI CCI-002205

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-216993 The Cisco PE router must be configured to drop all packets with any IP options.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-229030 The Cisco router must be configured to have Cisco Express Forwarding enabled.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06; ISO 27001 A.8.9; CCI CCI-000366

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-230038 The Cisco router must be configured to advertise a hop limit of at least 32 in Router Advertisement messages for IPv6 stateless auto-configuration deployments.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06; ISO 27001 A.8.9; CCI CCI-000366

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-230041 The Cisco router must not be configured to use IPv6 Site Local Unicast addresses.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06; ISO 27001 A.8.9; CCI CCI-000366

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-230044 The Cisco perimeter router must be configured to suppress Router Advertisements on all external IPv6-enabled interfaces.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06; ISO 27001 A.8.9; CCI CCI-000366

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-230047 The Cisco perimeter router must be configured to drop IPv6 undetermined transport packets.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-230050 The Cisco perimeter router must be configured drop IPv6 packets with a Routing Header type 0, 1, or 3–255.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-230145 The Cisco perimeter router must be configured to drop IPv6 packets containing a Hop-by-Hop header with invalid option type values.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-230149 The Cisco perimeter router must be configured to drop IPv6 packets containing a Destination Option header with invalid option type values.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-230152 The Cisco perimeter router must be configured to drop IPv6 packets containing an extension header with the Endpoint Identification option.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-230155 The Cisco perimeter router must be configured to drop IPv6 packets containing the NSAP address option within Destination Option header.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-230158 The Cisco perimeter router must be configured to drop IPv6 packets containing a Hop-by-Hop or Destination Option extension header with an undefined option type.

DISA_STIG · Cisco IOS Router RTR Security Technical Implementation Guide V3R4

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220623 The Cisco switch must uniquely identify and authenticate all network-connected endpoint devices before establishing any connection.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-03; CCI CCI-000778, CCI-001958

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220624 The Cisco switch must authenticate all VLAN Trunk Protocol (VTP) messages with a hash function using the most secured cryptographic algorithm available.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-07; CCI CCI-000803

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220625 The Cisco switch must manage excess bandwidth to limit the effects of packet-flooding types of denial-of-service (DoS) attacks.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05, SC-05(02); ISO 27001 A.8.6; CCI CCI-001095, CCI-004866

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220629 The Cisco switch must have Root Guard enabled on all switch ports connecting to access layer switches.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220630 The Cisco switch must have Bridge Protocol Data Unit (BPDU) Guard enabled on all user-facing or untrusted access switch ports.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220631 The Cisco switch must have Spanning Tree Protocol (STP) Loop Guard enabled.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220632 The Cisco switch must have Unknown Unicast Flood Blocking (UUFB) enabled.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220633 The Cisco switch must have DHCP snooping for all user VLANs to validate DHCP messages from untrusted sources.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220634 The Cisco switch must have IP Source Guard enabled on all user-facing or untrusted access switch ports.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220635 The Cisco switch must have Dynamic Address Resolution Protocol (ARP) Inspection (DAI) enabled on all user VLANs.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220636 The Cisco switch must have Storm Control configured on all host-facing switchports.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06; ISO 27001 A.8.9; CCI CCI-000366

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220637 The Cisco switch must have IGMP or MLD Snooping configured on all VLANs.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06; ISO 27001 A.8.9; CCI CCI-000366

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220638 The Cisco switch must implement Rapid Spanning Tree Protocol (STP) where VLANs span multiple switches with redundant links.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06; ISO 27001 A.8.9; CCI CCI-000366

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220639 The Cisco switch must enable Unidirectional Link Detection (UDLD) to protect against one-way connections.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06; ISO 27001 A.8.9; CCI CCI-000366

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220640 The Cisco switch must have all trunk links enabled statically.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06; ISO 27001 A.8.9; CCI CCI-000366

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220641 The Cisco switch must have all disabled switch ports assigned to an unused VLAN.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(29); CCI CCI-004891

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220642 The Cisco switch must not have the default VLAN assigned to any host-facing switch ports.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(29); CCI CCI-004891

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220643 The Cisco switch must have the default VLAN pruned from all trunk ports that do not require it.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(29); CCI CCI-004891

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220644 The Cisco switch must not use the default VLAN for management traffic.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-47; CCI CCI-004931

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220645 The Cisco switch must have all user-facing or untrusted ports configured as access switch ports.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(29); CCI CCI-004891

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220646 The Cisco switch must have the native VLAN assigned to an ID other than the default VLAN for all 802.1q trunk links.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(29); CCI CCI-004891

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220647 The Cisco switch must not have any switchports assigned to the native VLAN.

DISA_STIG · Cisco IOS Switch L2S Security Technical Implementation Guide V3R2

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(29); CCI CCI-004891

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220570 The Cisco switch must be configured to limit the number of concurrent management sessions to an organization-defined number.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-10; CCI CCI-000054

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220575 The Cisco switch must be configured to enforce approved authorizations for controlling the flow of management information within the device based on control policies.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04, MA-04(04); ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001368, CCI-004192

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220576 The Cisco switch must be configured to enforce the limit of three consecutive invalid logon attempts, after which time it must lock out the user account from accessing the device for 15 minutes.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-07; ISO 27001 A.8.5; CCI CCI-000044

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220577 The Cisco switch must be configured to display the Standard Mandatory DoD Notice and Consent Banner before granting access to the device.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-08; ISO 27001 A.8.5; CCI CCI-000048

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220578 The Cisco device must be configured to audit all administrator activity.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-02(04), AC-06(09), AU-03(01), AU-10, AU-12; ISO 27001 A.8.15; CCI CCI-000018, CCI-000135, CCI-000166, CCI-000172, CCI-001403, CCI-001404, CCI-001405, CCI-002130, CCI-002234

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220580 The Cisco switch must produce audit records containing information to establish when (date and time) the events occurred.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-03; ISO 27001 A.5.28, A.8.15; CCI CCI-000131

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220581 The Cisco switch must produce audit records containing information to establish where the events occurred.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-03; ISO 27001 A.5.28, A.8.15; CCI CCI-000132

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220583 The Cisco switch must be configured to protect audit information from unauthorized modification.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-09; ISO 27001 A.5.33, A.8.15; CCI CCI-000163

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220584 The Cisco switch must be configured to protect audit information from unauthorized deletion.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-09; ISO 27001 A.5.33, A.8.15; CCI CCI-000164

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220585 The Cisco switch must be configured to limit privileges to change the software resident within software libraries.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-05(06); CCI CCI-001499

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220586 The Cisco switch must be configured to prohibit the use of all unnecessary and non-secure functions and services.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-07; ISO 27001 A.8.19; CCI CCI-000382

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220587 The Cisco switch must be configured with only one local account to be used as the account of last resort in the event the authentication server is unavailable.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-02, AC-02(07); ISO 27001 A.5.16, A.5.18, A.8.2; CCI CCI-001358, CCI-002111

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220589 The Cisco switch must be configured to enforce a minimum 15-character password length.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-05(01); CCI CCI-000205, CCI-004066

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220590 The Cisco switch must be configured to enforce password complexity by requiring that at least one uppercase character be used.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-05(01); CCI CCI-000192, CCI-004066

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220591 The Cisco switch must be configured to enforce password complexity by requiring that at least one lowercase character be used.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-05(01); CCI CCI-000193, CCI-004066

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220592 The Cisco switch must be configured to enforce password complexity by requiring that at least one numeric character be used.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-05(01); CCI CCI-000194, CCI-004066

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220593 The Cisco switch must be configured to enforce password complexity by requiring that at least one special character be used.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-05(01); CCI CCI-001619, CCI-004066

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220594 The Cisco switch must be configured to require that when a password is changed, the characters are changed in at least eight of the positions within the password.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-05(01); CCI CCI-000195, CCI-004066

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220595 The Cisco switch must only store cryptographic representations of passwords.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-05(01), SC-28(03); CCI CCI-000196, CCI-004062, CCI-004910

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220596 The Cisco switch must be configured to terminate all network connections associated with device management after five minutes of inactivity.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-10; ISO 27001 A.8.20; CCI CCI-001133

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220599 The Cisco switch must be configured to allocate audit record storage capacity in accordance with organization-defined audit record storage requirements.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-04; ISO 27001 A.8.6; CCI CCI-001849

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220600 The Cisco switch must be configured to generate an alert for all audit failure events.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-05(02), AU-09; ISO 27001 A.5.33, A.8.15; CCI CCI-001858, CCI-003831

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220601 The Cisco switch must be configured to synchronize its clock with the primary and secondary time sources using redundant authoritative time sources.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-08, AU-08(02), SC-45, SC-45(01), SC-45(02); ISO 27001 A.8.17; CCI CCI-001889, CCI-001890, CCI-001893, CCI-004922, CCI-004923, CCI-004928

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220604 The Cisco switch must be configured to authenticate SNMP messages using a FIPS-validated Keyed-Hash Message Authentication Code (HMAC).

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-03(01); CCI CCI-001967

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220605 The Cisco switch must be configured to encrypt SNMP messages using a FIPS 140-2 approved algorithm.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-17(02); CCI CCI-000068

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220606 The Cisco switch must be configured to authenticate Network Time Protocol (NTP) sources using authentication with FIPS-compliant algorithms.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-03(01); CCI CCI-001967

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220607 The Cisco switch must be configured to use FIPS-validated Keyed-Hash Message Authentication Code (HMAC) to protect the integrity of remote maintenance sessions.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-02(08), MA-04(06); CCI CCI-001941, CCI-002890

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220608 The Cisco switch must be configured to implement cryptographic mechanisms to protect the confidentiality of remote maintenance sessions.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 MA-04(06); CCI CCI-003123

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220609 The Cisco switch must be configured to protect against known types of denial-of-service (DoS) attacks by employing organization-defined security safeguards.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220612 The Cisco switch must be configured to generate audit records when successful/unsuccessful logon attempts occur.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-12; ISO 27001 A.8.15; CCI CCI-000172

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220617 The Cisco switch must be configured to use at least two authentication servers to authenticate users prior to granting administrative access.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06(01); CCI CCI-000370

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220618 The Cisco switch must be configured to support organizational requirements to conduct backups of the configuration when changes occur.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06, CP-09; ISO 27001 A.5.29, A.5.33, A.8.13, A.8.9; CCI CCI-000366, CCI-000537

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220619 The Cisco switch must be configured to obtain its public key certificates from an appropriate certificate policy through an approved service provider.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-17; ISO 27001 A.8.24; CCI CCI-001159, CCI-004909

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220620 The Cisco switch must be configured to send log data to at least two central log servers for the purpose of forwarding alerts to the administrators and the information system security officer (ISSO).

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-04(01); CCI CCI-001851

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220621 The Cisco switch must be running an IOS release that is currently supported by Cisco Systems.

DISA_STIG · Cisco IOS Switch NDM Security Technical Implementation Guide V3R8

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06, SI-02; ISO 27001 A.6.8, A.8.32, A.8.8, A.8.9; CCI CCI-000366, CCI-002605

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220419 The Cisco switch must be configured to enforce approved authorizations for controlling the flow of information within the network based on organization-defined information flow control policies.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001368

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220423 The Cisco switch must be configured to enable routing protocol authentication using FIPS 198-1 algorithms with keys not exceeding 180 days of lifetime.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04(17), IA-07; CCI CCI-000803, CCI-002205

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220424 The Cisco switch must be configured to have all inactive Layer 3 interfaces disabled.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001414

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220427 The Cisco switch must not be configured to have any zero-touch deployment feature enabled when connected to an operational network.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220428 The Cisco switch must be configured to protect against or limit the effects of denial-of-service (DoS) attacks by employing control plane protection.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05, SC-07; ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097, CCI-002385, CCI-004866

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220431 The Cisco switch must be configured to have gratuitous ARP disabled on all external interfaces.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220432 The Cisco switch must be configured to have IP directed broadcast disabled on all interfaces.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220433 The Cisco switch must be configured to have Internet Control Message Protocol (ICMP) unreachable messages disabled on all external interfaces.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220434 The Cisco switch must be configured to have Internet Control Message Protocol (ICMP) mask reply messages disabled on all external interfaces.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220435 The Cisco switch must be configured to have Internet Control Message Protocol (ICMP) redirect messages disabled on all external interfaces.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220436 The Cisco switch must be configured to log all packets that have been dropped at interfaces via an access control list (ACL).

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-03; ISO 27001 A.5.28, A.8.15; CCI CCI-000134

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220437 The Cisco switch must be configured to produce audit records containing information to establish where the events occurred.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-03; ISO 27001 A.5.28, A.8.15; CCI CCI-000132

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220438 The Cisco switch must be configured to produce audit records containing information to establish the source of the events.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AU-03; ISO 27001 A.5.28, A.8.15; CCI CCI-000133

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220439 The Cisco switch must be configured to disable the auxiliary port unless it is connected to a secured modem providing encryption and authentication.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001414

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220440 The Cisco perimeter switch must be configured to deny network traffic by default and allow network traffic by exception.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(05); CCI CCI-001109

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220441 The Cisco perimeter switch must be configured to enforce approved authorizations for controlling the flow of information between interconnected networks in accordance with applicable policy.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001414

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220442 The Cisco perimeter switch must be configured to only allow incoming communications from authorized sources to be routed to authorized destinations.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220443 The Cisco perimeter switch must be configured to block inbound packets with source Bogon IP address prefixes.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220445 The Cisco perimeter switch must be configured to filter traffic destined to the enclave in accordance with the guidelines contained in DoD Instruction 8551.1.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07; ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220446 The Cisco perimeter switch must be configured to filter ingress traffic at the external interface on an inbound direction.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07; ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220447 The Cisco perimeter switch must be configured to filter egress traffic at the internal interface on an inbound direction.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07; ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220449 The Cisco perimeter switch must be configured to have Link Layer Discovery Protocol (LLDP) disabled on all external interfaces.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220450 The Cisco perimeter switch must be configured to have Cisco Discovery Protocol (CDP) disabled on all external interfaces.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220451 The Cisco perimeter switch must be configured to have Proxy ARP disabled on all external interfaces.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220452 The Cisco perimeter switch must be configured to block all outbound management traffic.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07; ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220453 The Cisco switch must be configured to only permit management traffic that ingresses and egresses the out-of-band management (OOBM) interface.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07, SC-07(29); ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097, CCI-004891

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220454 The Cisco PE switch providing MPLS Layer 2 Virtual Private Network (L2VPN) services must be configured to authenticate targeted Label Distribution Protocol (LDP) sessions used to exchange virtual circuit (VC) information using a FIPS-approved message authentication code algorithm.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 IA-03; CCI CCI-001958

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220455 The Cisco PE switch must be configured to block any traffic that is destined to the IP core infrastructure.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07; ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220456 The Cisco PE switch must be configured with Unicast Reverse Path Forwarding (uRPF) loose mode enabled on all CE-facing interfaces.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07; ISO 27001 A.5.14, A.8.16, A.8.20, A.8.22, A.8.23; CCI CCI-001097

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220458 The Cisco PE switch must be configured to enforce a Quality-of-Service (QoS) policy to provide preferred treatment for mission-critical applications.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05(02); ISO 27001 A.8.6; CCI CCI-001095

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220459 The Cisco P switch must be configured to enforce a Quality-of-Service (QoS) policy to provide preferred treatment for mission-critical applications.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05(02); ISO 27001 A.8.6; CCI CCI-001095

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220460 The Cisco switch must be configured to enforce a Quality-of-Service (QoS) policy to limit the effects of packet flooding denial-of-service (DoS) attacks.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05(02); ISO 27001 A.8.6; CCI CCI-001095

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220461 The Cisco multicast switch must be configured to disable Protocol Independent Multicast (PIM) on all interfaces that are not required to support multicast routing.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001414

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220462 The Cisco multicast switch must be configured to bind a Protocol Independent Multicast (PIM) neighbor filter to interfaces that have PIM enabled.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001414

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220463 The Cisco multicast edge switch must be configured to establish boundaries for administratively scoped multicast traffic.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 AC-04; ISO 27001 A.5.14, A.8.22, A.8.23; CCI CCI-001414

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220464 The Cisco multicast Designated switch (DR) must be configured to filter the Internet Group Management Protocol (IGMP) and Multicast Listener Discovery (MLD) Report messages to allow hosts to join only multicast groups that have been approved by the organization.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220465 The Cisco multicast Designated switch (DR) must be configured to filter the Internet Group Management Protocol (IGMP) and Multicast Listener Discovery (MLD) Report messages to allow hosts to join a multicast group only from sources that have been approved by the organization.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220466 The Cisco multicast Designated switch (DR) must be configured to limit the number of mroute states resulting from Internet Group Management Protocol (IGMP) and Multicast Listener Discovery (MLD) Host Membership Reports.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220467 The Cisco multicast Designated switch (DR) must be configured to set the shortest-path tree (SPT) threshold to infinity to minimize source-group (S, G) state within the multicast topology where Any Source Multicast (ASM) is deployed.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05; CCI CCI-002385

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220471 The Cisco perimeter switch must be configured to restrict it from accepting outbound IP packets that contain an illegitimate address in the source address field via egress filter or by enabling Unicast Reverse Path Forwarding (uRPF).

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!!!] HIGH SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-05(01); CCI CCI-001094

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220472 The Cisco perimeter switch must be configured to block all packets with any IP options.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-220473 The Cisco PE switch must be configured to ignore or drop all packets with any IP options.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-237749 The Cisco switch must be configured to have Cisco Express Forwarding enabled.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06; ISO 27001 A.8.9; CCI CCI-000366

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-237751 The Cisco switch must be configured to advertise a hop limit of at least 32 in Switch Advertisement messages for IPv6 stateless auto-configuration deployments.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] LOW SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06; ISO 27001 A.8.9; CCI CCI-000366

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-237755 The Cisco switch must not be configured to use IPv6 Site Local Unicast addresses.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06; ISO 27001 A.8.9; CCI CCI-000366

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-237758 The Cisco perimeter switch must be configured to suppress Router Advertisements on all external IPv6-enabled interfaces.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 CM-06; ISO 27001 A.8.9; CCI CCI-000366

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-237761 The Cisco perimeter switch must be configured to drop IPv6 undetermined transport packets.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-237763 The Cisco perimeter switch must be configured drop IPv6 packets with a Routing Header type 0, 1, or 3-255.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-237765 The Cisco perimeter switch must be configured to drop IPv6 packets containing a Hop-by-Hop header with invalid option type values.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-237771 The Cisco perimeter switch must be configured to drop IPv6 packets containing a Destination Option header with invalid option type values.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-237773 The Cisco perimeter switch must be configured to drop IPv6 packets containing an extension header with the Endpoint Identification option.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-237775 The Cisco perimeter switch must be configured to drop IPv6 packets containing the NSAP address option within Destination Option header.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

V-237777 The Cisco perimeter switch must be configured to drop IPv6 packets containing a Hop-by-Hop or Destination Option extension header with an undefined option type.

DISA_STIG · Cisco IOS Switch RTR Security Technical Implementation Guide V3R3

[] NOTCHECKED

[!] MEDIUM SEVERITY

No automated check is mapped to this control yet. It requires manual review against the benchmark's check text.

Also satisfies: NIST SP 800-53 SC-07(11); CCI CCI-002403

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

4.1 ISO/IEC 27001:2022 4.1

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

4.2 ISO/IEC 27001:2022 4.2

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

4.3 ISO/IEC 27001:2022 4.3

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

4.4 ISO/IEC 27001:2022 4.4

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

5.1 ISO/IEC 27001:2022 5.1

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

5.2 ISO/IEC 27001:2022 5.2

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

5.3 ISO/IEC 27001:2022 5.3

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

6.1.1 ISO/IEC 27001:2022 6.1.1

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

6.1.2 ISO/IEC 27001:2022 6.1.2

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

6.1.3 ISO/IEC 27001:2022 6.1.3

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

6.2 ISO/IEC 27001:2022 6.2

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

7.1 ISO/IEC 27001:2022 7.1

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

7.2 ISO/IEC 27001:2022 7.2

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

7.3 ISO/IEC 27001:2022 7.3

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

7.4 ISO/IEC 27001:2022 7.4

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

7.5.1 ISO/IEC 27001:2022 7.5.1

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

7.5.2 ISO/IEC 27001:2022 7.5.2

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

7.5.3 ISO/IEC 27001:2022 7.5.3

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

8.1 ISO/IEC 27001:2022 8.1

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

8.2 ISO/IEC 27001:2022 8.2

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

8.3 ISO/IEC 27001:2022 8.3

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

9.1 ISO/IEC 27001:2022 9.1

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

9.2 ISO/IEC 27001:2022 9.2

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

9.2.1 ISO/IEC 27001:2022 9.2.1

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

9.2.2 ISO/IEC 27001:2022 9.2.2

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

9.3.1 ISO/IEC 27001:2022 9.3.1

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

9.3.2 ISO/IEC 27001:2022 9.3.2

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

9.3.3 ISO/IEC 27001:2022 9.3.3

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

10.1 ISO/IEC 27001:2022 10.1

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

10.2 ISO/IEC 27001:2022 10.2

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.1 ISO/IEC 27001:2022 A.5.1

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.2 ISO/IEC 27001:2022 A.5.2

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.3 ISO/IEC 27001:2022 A.5.3

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.4 ISO/IEC 27001:2022 A.5.4

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.5 ISO/IEC 27001:2022 A.5.5

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.6 ISO/IEC 27001:2022 A.5.6

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.7 ISO/IEC 27001:2022 A.5.7

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.8 ISO/IEC 27001:2022 A.5.8

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.9 ISO/IEC 27001:2022 A.5.9

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.10 ISO/IEC 27001:2022 A.5.10

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.11 ISO/IEC 27001:2022 A.5.11

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.12 ISO/IEC 27001:2022 A.5.12

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.13 ISO/IEC 27001:2022 A.5.13

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.14 ISO/IEC 27001:2022 A.5.14

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.15 ISO/IEC 27001:2022 A.5.15

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.16 ISO/IEC 27001:2022 A.5.16

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.17 ISO/IEC 27001:2022 A.5.17

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.18 ISO/IEC 27001:2022 A.5.18

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.19 ISO/IEC 27001:2022 A.5.19

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.20 ISO/IEC 27001:2022 A.5.20

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.21 ISO/IEC 27001:2022 A.5.21

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.22 ISO/IEC 27001:2022 A.5.22

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.23 ISO/IEC 27001:2022 A.5.23

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.24 ISO/IEC 27001:2022 A.5.24

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.25 ISO/IEC 27001:2022 A.5.25

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.26 ISO/IEC 27001:2022 A.5.26

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.27 ISO/IEC 27001:2022 A.5.27

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.28 ISO/IEC 27001:2022 A.5.28

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.29 ISO/IEC 27001:2022 A.5.29

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.30 ISO/IEC 27001:2022 A.5.30

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.31 ISO/IEC 27001:2022 A.5.31

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.32 ISO/IEC 27001:2022 A.5.32

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.33 ISO/IEC 27001:2022 A.5.33

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.34 ISO/IEC 27001:2022 A.5.34

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.35 ISO/IEC 27001:2022 A.5.35

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.36 ISO/IEC 27001:2022 A.5.36

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.5.37 ISO/IEC 27001:2022 A.5.37

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.6.1 ISO/IEC 27001:2022 A.6.1

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.6.2 ISO/IEC 27001:2022 A.6.2

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.6.3 ISO/IEC 27001:2022 A.6.3

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.6.4 ISO/IEC 27001:2022 A.6.4

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.6.5 ISO/IEC 27001:2022 A.6.5

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.6.6 ISO/IEC 27001:2022 A.6.6

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.6.7 ISO/IEC 27001:2022 A.6.7

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.6.8 ISO/IEC 27001:2022 A.6.8

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.7.1 ISO/IEC 27001:2022 A.7.1

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.7.2 ISO/IEC 27001:2022 A.7.2

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.7.3 ISO/IEC 27001:2022 A.7.3

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.7.4 ISO/IEC 27001:2022 A.7.4

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.7.5 ISO/IEC 27001:2022 A.7.5

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.7.7 ISO/IEC 27001:2022 A.7.7

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.7.8 ISO/IEC 27001:2022 A.7.8

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.7.9 ISO/IEC 27001:2022 A.7.9

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.7.10 ISO/IEC 27001:2022 A.7.10

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.7.11 ISO/IEC 27001:2022 A.7.11

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.7.12 ISO/IEC 27001:2022 A.7.12

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.7.13 ISO/IEC 27001:2022 A.7.13

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.7.14 ISO/IEC 27001:2022 A.7.14

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.1 ISO/IEC 27001:2022 A.8.1

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.2 ISO/IEC 27001:2022 A.8.2

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.3 ISO/IEC 27001:2022 A.8.3

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.4 ISO/IEC 27001:2022 A.8.4

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.5 ISO/IEC 27001:2022 A.8.5

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.6 ISO/IEC 27001:2022 A.8.6

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.7 ISO/IEC 27001:2022 A.8.7

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.8 ISO/IEC 27001:2022 A.8.8

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.9 ISO/IEC 27001:2022 A.8.9

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.10 ISO/IEC 27001:2022 A.8.10

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.11 ISO/IEC 27001:2022 A.8.11

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.12 ISO/IEC 27001:2022 A.8.12

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.13 ISO/IEC 27001:2022 A.8.13

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.14 ISO/IEC 27001:2022 A.8.14

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.15 ISO/IEC 27001:2022 A.8.15

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.16 ISO/IEC 27001:2022 A.8.16

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.17 ISO/IEC 27001:2022 A.8.17

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.18 ISO/IEC 27001:2022 A.8.18

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.19 ISO/IEC 27001:2022 A.8.19

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.20 ISO/IEC 27001:2022 A.8.20

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.21 ISO/IEC 27001:2022 A.8.21

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.22 ISO/IEC 27001:2022 A.8.22

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.23 ISO/IEC 27001:2022 A.8.23

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.24 ISO/IEC 27001:2022 A.8.24

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.25 ISO/IEC 27001:2022 A.8.25

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.26 ISO/IEC 27001:2022 A.8.26

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.27 ISO/IEC 27001:2022 A.8.27

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.28 ISO/IEC 27001:2022 A.8.28

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.29 ISO/IEC 27001:2022 A.8.29

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.30 ISO/IEC 27001:2022 A.8.30

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.31 ISO/IEC 27001:2022 A.8.31

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.32 ISO/IEC 27001:2022 A.8.32

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

A.8.33 ISO/IEC 27001:2022 A.8.33

ISO_27001 · ISO/IEC 27001:2022 2022

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-01 Policy and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-02 Account Management

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-02(01) Automated System Account Management

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-02(02) Automated Temporary and Emergency Account Management

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-02(03) Disable Accounts

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-02(04) Automated Audit Actions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-02(05) Inactivity Logout

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-02(06) Dynamic Privilege Management

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-02(07) Privileged User Accounts

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-02(08) Dynamic Account Management

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-02(09) Restrictions on Use of Shared and Group Accounts

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-02(11) Usage Conditions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-02(12) Account Monitoring for Atypical Usage

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-02(13) Disable Accounts for High-risk Individuals

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-03 Access Enforcement

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-03(02) Dual Authorization

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-03(03) Mandatory Access Control

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-03(04) Discretionary Access Control

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-03(05) Security-relevant Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-03(07) Role-based Access Control

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-03(08) Revocation of Access Authorizations

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-03(09) Controlled Release

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-03(10) Audited Override of Access Control Mechanisms

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-03(11) Restrict Access to Specific Information Types

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-03(12) Assert and Enforce Application Access

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-03(13) Attribute-based Access Control

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-03(14) Individual Access

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-03(15) Discretionary and Mandatory Access Control

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04 Information Flow Enforcement

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(01) Object Security and Privacy Attributes

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(02) Processing Domains

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(03) Dynamic Information Flow Control

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(04) Flow Control of Encrypted Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(05) Embedded Data Types

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(06) Metadata

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(07) One-way Flow Mechanisms

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(08) Security and Privacy Policy Filters

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(09) Human Reviews

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(10) Enable and Disable Security or Privacy Policy Filters

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(11) Configuration of Security or Privacy Policy Filters

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(12) Data Type Identifiers

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(13) Decomposition into Policy-relevant Subcomponents

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(14) Security or Privacy Policy Filter Constraints

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(15) Detection of Unsanctioned Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(17) Domain Authentication

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(19) Validation of Metadata

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(20) Approved Solutions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(21) Physical or Logical Separation of Information Flows

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(22) Access Only

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(23) Modify Non-releasable Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(24) Internal Normalized Format

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(25) Data Sanitization

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(26) Audit Filtering Actions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(27) Redundant/Independent Filtering Mechanisms

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(28) Linear Filter Pipelines

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(29) Filter Orchestration Engines

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(30) Filter Mechanisms Using Multiple Processes

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(31) Failed Content Transfer Prevention

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-04(32) Process Requirements for Information Transfer

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-05 Separation of Duties

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-06 Least Privilege

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-06(01) Authorize Access to Security Functions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-06(02) Non-privileged Access for Nonsecurity Functions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-06(03) Network Access to Privileged Commands

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-06(04) Separate Processing Domains

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-06(05) Privileged Accounts

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-06(06) Privileged Access by Non-organizational Users

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-06(07) Review of User Privileges

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-06(08) Privilege Levels for Code Execution

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-06(09) Log Use of Privileged Functions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-06(10) Prohibit Non-privileged Users from Executing Privileged Functions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-07 Unsuccessful Logon Attempts

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-07(02) Purge or Wipe Mobile Device

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-07(03) Biometric Attempt Limiting

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-07(04) Use of Alternate Authentication Factor

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-08 System Use Notification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-09 Previous Logon Notification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-09(01) Unsuccessful Logons

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-09(02) Successful and Unsuccessful Logons

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-09(03) Notification of Account Changes

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-09(04) Additional Logon Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-10 Concurrent Session Control

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-11 Device Lock

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-11(01) Pattern-hiding Displays

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-12 Session Termination

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-12(01) User-initiated Logouts

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-12(02) Termination Message

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-12(03) Timeout Warning Message

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-14 Permitted Actions Without Identification or Authentication

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-16 Security and Privacy Attributes

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-16(01) Dynamic Attribute Association

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-16(02) Attribute Value Changes by Authorized Individuals

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-16(03) Maintenance of Attribute Associations by System

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-16(04) Association of Attributes by Authorized Individuals

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-16(05) Attribute Displays on Objects to Be Output

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-16(06) Maintenance of Attribute Association

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-16(07) Consistent Attribute Interpretation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-16(08) Association Techniques and Technologies

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-16(09) Attribute Reassignment — Regrading Mechanisms

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-16(10) Attribute Configuration by Authorized Individuals

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-17 Remote Access

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-17(01) Monitoring and Control

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-17(02) Protection of Confidentiality and Integrity Using Encryption

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-17(03) Managed Access Control Points

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-17(04) Privileged Commands and Access

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-17(06) Protection of Mechanism Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-17(09) Disconnect or Disable Access

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-17(10) Authenticate Remote Commands

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-18 Wireless Access

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-18(01) Authentication and Encryption

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-18(03) Disable Wireless Networking

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-18(04) Restrict Configurations by Users

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-18(05) Antennas and Transmission Power Levels

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-19 Access Control for Mobile Devices

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-19(04) Restrictions for Classified Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-19(05) Full Device or Container-based Encryption

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-20 Use of External Systems

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-20(01) Limits on Authorized Use

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-20(02) Portable Storage Devices — Restricted Use

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-20(03) Non-organizationally Owned Systems — Restricted Use

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-20(04) Network Accessible Storage Devices — Prohibited Use

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-20(05) Portable Storage Devices — Prohibited Use

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-21 Information Sharing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-21(01) Automated Decision Support

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-21(02) Information Search and Retrieval

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-22 Publicly Accessible Content

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-23 Data Mining Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-24 Access Control Decisions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-24(01) Transmit Access Authorization Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-24(02) No User or Process Identity

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AC-25 Reference Monitor

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AT-01 Policy and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AT-02 Literacy Training and Awareness

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AT-02(01) Practical Exercises

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AT-02(02) Insider Threat

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AT-02(03) Social Engineering and Mining

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AT-02(04) Suspicious Communications and Anomalous System Behavior

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AT-02(05) Advanced Persistent Threat

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AT-02(06) Cyber Threat Environment

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AT-03 Role-based Training

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AT-03(01) Environmental Controls

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AT-03(02) Physical Security Controls

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AT-03(03) Practical Exercises

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AT-03(05) Processing Personally Identifiable Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AT-04 Training Records

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AT-06 Training Feedback

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-01 Policy and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-02 Event Logging

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-03 Content of Audit Records

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-03(01) Additional Audit Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-03(03) Limit Personally Identifiable Information Elements

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-04 Audit Log Storage Capacity

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-04(01) Transfer to Alternate Storage

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-05 Response to Audit Logging Process Failures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-05(01) Storage Capacity Warning

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-05(02) Real-time Alerts

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-05(03) Configurable Traffic Volume Thresholds

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-05(04) Shutdown on Failure

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-05(05) Alternate Audit Logging Capability

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-06 Audit Record Review, Analysis, and Reporting

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-06(01) Automated Process Integration

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-06(03) Correlate Audit Record Repositories

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-06(04) Central Review and Analysis

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-06(05) Integrated Analysis of Audit Records

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-06(06) Correlation with Physical Monitoring

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-06(07) Permitted Actions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-06(08) Full Text Analysis of Privileged Commands

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-06(09) Correlation with Information from Nontechnical Sources

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-07 Audit Record Reduction and Report Generation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-07(01) Automatic Processing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-08 Time Stamps

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-09 Protection of Audit Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-09(01) Hardware Write-once Media

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-09(02) Store on Separate Physical Systems or Components

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-09(03) Cryptographic Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-09(04) Access by Subset of Privileged Users

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-09(05) Dual Authorization

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-09(06) Read-only Access

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-09(07) Store on Component with Different Operating System

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-10 Non-repudiation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-10(01) Association of Identities

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-10(02) Validate Binding of Information Producer Identity

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-10(03) Chain of Custody

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-10(04) Validate Binding of Information Reviewer Identity

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-11 Audit Record Retention

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-11(01) Long-term Retrieval Capability

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-12 Audit Record Generation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-12(01) System-wide and Time-correlated Audit Trail

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-12(02) Standardized Formats

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-12(03) Changes by Authorized Individuals

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-12(04) Query Parameter Audits of Personally Identifiable Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-13 Monitoring for Information Disclosure

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-13(01) Use of Automated Tools

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-13(02) Review of Monitored Sites

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-13(03) Unauthorized Replication of Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-14 Session Audit

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-14(01) System Start-up

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-14(03) Remote Viewing and Listening

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-16 Cross-organizational Audit Logging

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-16(01) Identity Preservation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-16(02) Sharing of Audit Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

AU-16(03) Disassociability

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-01 Policy and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-02 Control Assessments

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-02(01) Independent Assessors

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-02(02) Specialized Assessments

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-02(03) Leveraging Results from External Organizations

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-03 Information Exchange

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-03(06) Transfer Authorizations

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-03(07) Transitive Information Exchanges

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-05 Plan of Action and Milestones

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-05(01) Automation Support for Accuracy and Currency

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-06 Authorization

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-06(01) Joint Authorization — Intra-organization

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-06(02) Joint Authorization — Inter-organization

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-07 Continuous Monitoring

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-07(01) Independent Assessment

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-07(03) Trend Analyses

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-07(04) Risk Monitoring

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-07(05) Consistency Analysis

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-07(06) Automation Support for Monitoring

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-08 Penetration Testing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-08(01) Independent Penetration Testing Agent or Team

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-08(02) Red Team Exercises

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-08(03) Facility Penetration Testing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-09 Internal System Connections

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CA-09(01) Compliance Checks

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-01 Policy and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-02 Baseline Configuration

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-02(02) Automation Support for Accuracy and Currency

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-02(03) Retention of Previous Configurations

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-02(06) Development and Test Environments

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-02(07) Configure Systems and Components for High-risk Areas

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-03 Configuration Change Control

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-03(01) Automated Documentation, Notification, and Prohibition of Changes

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-03(02) Testing, Validation, and Documentation of Changes

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-03(03) Automated Change Implementation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-03(04) Security and Privacy Representatives

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-03(05) Automated Security Response

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-03(06) Cryptography Management

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-03(07) Review System Changes

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-03(08) Prevent or Restrict Configuration Changes

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-04 Impact Analyses

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-04(01) Separate Test Environments

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-04(02) Verification of Controls

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-05 Access Restrictions for Change

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-05(01) Automated Access Enforcement and Audit Records

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-05(04) Dual Authorization

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-05(05) Privilege Limitation for Production and Operation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-05(06) Limit Library Privileges

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-06 Configuration Settings

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-06(01) Automated Management, Application, and Verification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-06(02) Respond to Unauthorized Changes

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-07 Least Functionality

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-07(01) Periodic Review

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-07(02) Prevent Program Execution

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-07(03) Registration Compliance

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-07(04) Unauthorized Software — Deny-by-exception

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-07(05) Authorized Software — Allow-by-exception

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-07(06) Confined Environments with Limited Privileges

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-07(07) Code Execution in Protected Environments

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-07(08) Binary or Machine Executable Code

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-07(09) Prohibiting The Use of Unauthorized Hardware

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-08 System Component Inventory

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-08(01) Updates During Installation and Removal

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-08(02) Automated Maintenance

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-08(03) Automated Unauthorized Component Detection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-08(04) Accountability Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-08(06) Assessed Configurations and Approved Deviations

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-08(07) Centralized Repository

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-08(08) Automated Location Tracking

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-08(09) Assignment of Components to Systems

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-09 Configuration Management Plan

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-09(01) Assignment of Responsibility

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-10 Software Usage Restrictions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-10(01) Open-source Software

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-11 User-installed Software

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-11(02) Software Installation with Privileged Status

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-11(03) Automated Enforcement and Monitoring

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-12 Information Location

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-12(01) Automated Tools to Support Information Location

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-13 Data Action Mapping

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CM-14 Signed Components

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-01 Policy and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-02 Contingency Plan

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-02(01) Coordinate with Related Plans

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-02(02) Capacity Planning

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-02(03) Resume Mission and Business Functions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-02(05) Continue Mission and Business Functions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-02(06) Alternate Processing and Storage Sites

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-02(07) Coordinate with External Service Providers

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-02(08) Identify Critical Assets

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-03 Contingency Training

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-03(01) Simulated Events

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-03(02) Mechanisms Used in Training Environments

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-04 Contingency Plan Testing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-04(01) Coordinate with Related Plans

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-04(02) Alternate Processing Site

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-04(03) Automated Testing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-04(04) Full Recovery and Reconstitution

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-04(05) Self-challenge

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-06 Alternate Storage Site

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-06(01) Separation from Primary Site

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-06(02) Recovery Time and Recovery Point Objectives

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-06(03) Accessibility

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-07 Alternate Processing Site

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-07(01) Separation from Primary Site

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-07(02) Accessibility

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-07(03) Priority of Service

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-07(04) Preparation for Use

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-07(06) Inability to Return to Primary Site

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-08 Telecommunications Services

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-08(01) Priority of Service Provisions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-08(02) Single Points of Failure

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-08(03) Separation of Primary and Alternate Providers

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-08(04) Provider Contingency Plan

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-08(05) Alternate Telecommunication Service Testing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-09 System Backup

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-09(01) Testing for Reliability and Integrity

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-09(02) Test Restoration Using Sampling

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-09(03) Separate Storage for Critical Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-09(05) Transfer to Alternate Storage Site

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-09(06) Redundant Secondary System

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-09(07) Dual Authorization for Deletion or Destruction

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-09(08) Cryptographic Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-10 System Recovery and Reconstitution

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-10(02) Transaction Recovery

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-10(04) Restore Within Time Period

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-10(06) Component Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-11 Alternate Communications Protocols

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-12 Safe Mode

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

CP-13 Alternative Security Mechanisms

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-01 Policy and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-02 Identification and Authentication (Organizational Users)

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-02(01) Multi-factor Authentication to Privileged Accounts

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-02(02) Multi-factor Authentication to Non-privileged Accounts

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-02(05) Individual Authentication with Group Authentication

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-02(06) Access to Accounts —separate Device

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-02(08) Access to Accounts — Replay Resistant

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-02(10) Single Sign-on

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-02(12) Acceptance of PIV Credentials

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-02(13) Out-of-band Authentication

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-03 Device Identification and Authentication

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-03(01) Cryptographic Bidirectional Authentication

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-03(03) Dynamic Address Allocation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-03(04) Device Attestation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-04 Identifier Management

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-04(01) Prohibit Account Identifiers as Public Identifiers

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-04(04) Identify User Status

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-04(05) Dynamic Management

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-04(06) Cross-organization Management

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-04(08) Pairwise Pseudonymous Identifiers

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-04(09) Attribute Maintenance and Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-05 Authenticator Management

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-05(01) Password-based Authentication

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-05(02) Public Key-based Authentication

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-05(05) Change Authenticators Prior to Delivery

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-05(06) Protection of Authenticators

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-05(07) No Embedded Unencrypted Static Authenticators

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-05(08) Multiple System Accounts

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-05(09) Federated Credential Management

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-05(10) Dynamic Credential Binding

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-05(12) Biometric Authentication Performance

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-05(13) Expiration of Cached Authenticators

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-05(14) Managing Content of PKI Trust Stores

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-05(15) GSA-approved Products and Services

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-05(16) In-person or Trusted External Party Authenticator Issuance

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-05(17) Presentation Attack Detection for Biometric Authenticators

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-05(18) Password Managers

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-06 Authentication Feedback

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-07 Cryptographic Module Authentication

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-08 Identification and Authentication (Non-organizational Users)

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-08(01) Acceptance of PIV Credentials from Other Agencies

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-08(02) Acceptance of External Authenticators

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-08(04) Use of Defined Profiles

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-08(05) Acceptance of PIV-I Credentials

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-08(06) Disassociability

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-09 Service Identification and Authentication

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-10 Adaptive Authentication

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-11 Re-authentication

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-12 Identity Proofing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-12(01) Supervisor Authorization

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-12(02) Identity Evidence

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-12(03) Identity Evidence Validation and Verification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-12(04) In-person Validation and Verification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-12(05) Address Confirmation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-12(06) Accept Externally-proofed Identities

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-13 Identity Providers and Authorization Servers

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-13(01) Protection of Cryptographic Keys

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-13(02) Verification of Identity Assertions and Access Tokens

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IA-13(03) Token Management

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-01 Policy and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-02 Incident Response Training

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-02(01) Simulated Events

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-02(02) Automated Training Environments

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-02(03) Breach

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-03 Incident Response Testing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-03(01) Automated Testing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-03(02) Coordination with Related Plans

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-03(03) Continuous Improvement

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-04 Incident Handling

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-04(01) Automated Incident Handling Processes

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-04(02) Dynamic Reconfiguration

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-04(03) Continuity of Operations

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-04(04) Information Correlation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-04(05) Automatic Disabling of System

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-04(06) Insider Threats

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-04(07) Insider Threats — Intra-organization Coordination

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-04(08) Correlation with External Organizations

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-04(09) Dynamic Response Capability

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-04(10) Supply Chain Coordination

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-04(11) Integrated Incident Response Team

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-04(12) Malicious Code and Forensic Analysis

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-04(13) Behavior Analysis

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-04(14) Security Operations Center

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-04(15) Public Relations and Reputation Repair

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-05 Incident Monitoring

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-05(01) Automated Tracking, Data Collection, and Analysis

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-06 Incident Reporting

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-06(01) Automated Reporting

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-06(02) Vulnerabilities Related to Incidents

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-06(03) Supply Chain Coordination

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-07 Incident Response Assistance

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-07(01) Automation Support for Availability of Information and Support

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-07(02) Coordination with External Providers

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-08 Incident Response Plan

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-08(01) Breaches

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-09 Information Spillage Response

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-09(02) Training

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-09(03) Post-spill Operations

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

IR-09(04) Exposure to Unauthorized Personnel

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-01 Policy and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-02 Controlled Maintenance

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-02(02) Automated Maintenance Activities

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-03 Maintenance Tools

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-03(01) Inspect Tools

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-03(02) Inspect Media

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-03(03) Prevent Unauthorized Removal

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-03(04) Restricted Tool Use

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-03(05) Execution with Privilege

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-03(06) Software Updates and Patches

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-04 Nonlocal Maintenance

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-04(01) Logging and Review

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-04(03) Comparable Security and Sanitization

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-04(04) Authentication and Separation of Maintenance Sessions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-04(05) Approvals and Notifications

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-04(06) Cryptographic Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-04(07) Disconnect Verification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-05 Maintenance Personnel

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-05(01) Individuals Without Appropriate Access

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-05(02) Security Clearances for Classified Systems

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-05(03) Citizenship Requirements for Classified Systems

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-05(04) Foreign Nationals

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-05(05) Non-system Maintenance

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-06 Timely Maintenance

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-06(01) Preventive Maintenance

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-06(02) Predictive Maintenance

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-06(03) Automated Support for Predictive Maintenance

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MA-07 Field Maintenance

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-01 Policy and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-02 Media Access

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-03 Media Marking

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-04 Media Storage

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-04(02) Automated Restricted Access

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-05 Media Transport

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-05(03) Custodians

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-06 Media Sanitization

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-06(01) Review, Approve, Track, Document, and Verify

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-06(02) Equipment Testing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-06(03) Nondestructive Techniques

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-06(07) Dual Authorization

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-06(08) Remote Purging or Wiping of Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-07 Media Use

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-07(02) Prohibit Use of Sanitization-resistant Media

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-08 Media Downgrading

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-08(01) Documentation of Process

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-08(02) Equipment Testing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-08(03) Controlled Unclassified Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

MP-08(04) Classified Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-01 Policy and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-02 Physical Access Authorizations

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-02(01) Access by Position or Role

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-02(02) Two Forms of Identification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-02(03) Restrict Unescorted Access

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-03 Physical Access Control

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-03(01) System Access

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-03(02) Facility and Systems

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-03(03) Continuous Guards

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-03(04) Lockable Casings

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-03(05) Tamper Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-03(07) Physical Barriers

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-03(08) Access Control Vestibules

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-04 Access Control for Transmission

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-05 Access Control for Output Devices

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-05(02) Link to Individual Identity

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-06 Monitoring Physical Access

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-06(01) Intrusion Alarms and Surveillance Equipment

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-06(02) Automated Intrusion Recognition and Responses

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-06(03) Video Surveillance

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-06(04) Monitoring Physical Access to Systems

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-08 Visitor Access Records

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-08(01) Automated Records Maintenance and Review

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-08(03) Limit Personally Identifiable Information Elements

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-09 Power Equipment and Cabling

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-09(01) Redundant Cabling

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-09(02) Automatic Voltage Controls

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-10 Emergency Shutoff

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-11 Emergency Power

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-11(01) Alternate Power Supply — Minimal Operational Capability

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-11(02) Alternate Power Supply — Self-contained

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-12 Emergency Lighting

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-12(01) Essential Mission and Business Functions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-13 Fire Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-13(01) Detection Systems — Automatic Activation and Notification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-13(02) Suppression Systems — Automatic Activation and Notification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-13(04) Inspections

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-14 Environmental Controls

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-14(01) Automatic Controls

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-14(02) Monitoring with Alarms and Notifications

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-15 Water Damage Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-15(01) Automation Support

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-16 Delivery and Removal

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-17 Alternate Work Site

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-18 Location of System Components

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-19 Information Leakage

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-19(01) National Emissions Policies and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-20 Asset Monitoring and Tracking

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-21 Electromagnetic Pulse Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-22 Component Marking

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PE-23 Facility Location

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PL-01 Policy and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PL-02 System Security and Privacy Plans

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PL-04 Rules of Behavior

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PL-04(01) Social Media and External Site/Application Usage Restrictions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PL-07 Concept of Operations

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PL-08 Security and Privacy Architectures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PL-08(01) Defense in Depth

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PL-08(02) Supplier Diversity

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PL-09 Central Management

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PL-10 Baseline Selection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PL-11 Baseline Tailoring

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-01 Information Security Program Plan

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-02 Information Security Program Leadership Role

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-03 Information Security and Privacy Resources

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-04 Plan of Action and Milestones Process

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-05 System Inventory

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-05(01) Inventory of Personally Identifiable Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-06 Measures of Performance

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-07 Enterprise Architecture

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-07(01) Offloading

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-08 Critical Infrastructure Plan

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-09 Risk Management Strategy

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-10 Authorization Process

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-11 Mission and Business Process Definition

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-12 Insider Threat Program

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-13 Security and Privacy Workforce

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-14 Testing, Training, and Monitoring

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-15 Security and Privacy Groups and Associations

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-16 Threat Awareness Program

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-16(01) Automated Means for Sharing Threat Intelligence

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-17 Protecting Controlled Unclassified Information on External Systems

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-18 Privacy Program Plan

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-19 Privacy Program Leadership Role

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-20 Dissemination of Privacy Program Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-20(01) Privacy Policies on Websites, Applications, and Digital Services

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-21 Accounting of Disclosures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-22 Personally Identifiable Information Quality Management

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-23 Data Governance Body

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-24 Data Integrity Board

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-25 Minimization of Personally Identifiable Information Used in Testing, Training, and Research

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-26 Complaint Management

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-27 Privacy Reporting

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-28 Risk Framing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-29 Risk Management Program Leadership Roles

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-30 Supply Chain Risk Management Strategy

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-30(01) Suppliers of Critical or Mission-essential Items

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-31 Continuous Monitoring Strategy

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PM-32 Purposing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PS-01 Policy and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PS-02 Position Risk Designation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PS-03 Personnel Screening

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PS-03(01) Classified Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PS-03(02) Formal Indoctrination

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PS-03(03) Information Requiring Special Protective Measures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PS-03(04) Citizenship Requirements

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PS-04 Personnel Termination

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PS-04(01) Post-employment Requirements

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PS-04(02) Automated Actions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PS-05 Personnel Transfer

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PS-06 Access Agreements

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PS-06(02) Classified Information Requiring Special Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PS-06(03) Post-employment Requirements

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PS-07 External Personnel Security

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PS-08 Personnel Sanctions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PS-09 Position Descriptions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-01 Policy and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-02 Authority to Process Personally Identifiable Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-02(01) Data Tagging

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-02(02) Automation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-03 Personally Identifiable Information Processing Purposes

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-03(01) Data Tagging

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-03(02) Automation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-04 Consent

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-04(01) Tailored Consent

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-04(02) Just-in-time Consent

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-04(03) Revocation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-05 Privacy Notice

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-05(01) Just-in-time Notice

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-05(02) Privacy Act Statements

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-06 System of Records Notice

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-06(01) Routine Uses

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-06(02) Exemption Rules

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-07 Specific Categories of Personally Identifiable Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-07(01) Social Security Numbers

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-07(02) First Amendment Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

PT-08 Computer Matching Requirements

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-01 Policy and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-02 Security Categorization

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-02(01) Impact-level Prioritization

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-03 Risk Assessment

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-03(01) Supply Chain Risk Assessment

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-03(02) Use of All-source Intelligence

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-03(03) Dynamic Threat Awareness

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-03(04) Predictive Cyber Analytics

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-05 Vulnerability Monitoring and Scanning

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-05(02) Update Vulnerabilities to Be Scanned

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-05(03) Breadth and Depth of Coverage

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-05(04) Discoverable Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-05(05) Privileged Access

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-05(06) Automated Trend Analyses

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-05(08) Review Historic Audit Logs

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-05(10) Correlate Scanning Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-05(11) Public Disclosure Program

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-06 Technical Surveillance Countermeasures Survey

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-07 Risk Response

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-08 Privacy Impact Assessments

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-09 Criticality Analysis

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

RA-10 Threat Hunting

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-01 Policy and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-02 Allocation of Resources

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-03 System Development Life Cycle

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-03(01) Manage Preproduction Environment

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-03(02) Use of Live or Operational Data

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-03(03) Technology Refresh

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-04 Acquisition Process

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-04(01) Functional Properties of Controls

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-04(02) Design and Implementation Information for Controls

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-04(03) Development Methods, Techniques, and Practices

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.
No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-04(05) System, Component, and Service Configurations

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.
No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-04(06) Use of Information Assurance Products

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.
No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-04(07) NIAP-approved Protection Profiles

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.
No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-04(08) Continuous Monitoring Plan for Controls

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.
No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-04(09) Functions, Ports, Protocols, and Services in Use

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.
No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-04(10) Use of Approved PIV Products

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-04(11) System of Records

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-04(12) Data Ownership

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-05 System Documentation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08 Security and Privacy Engineering Principles

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(01) Clear Abstractions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(02) Least Common Mechanism

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(03) Modularity and Layering

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(04) Partially Ordered Dependencies

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(05) Efficiently Mediated Access

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(06) Minimized Sharing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(07) Reduced Complexity

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(08) Secure Evolvability

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(09) Trusted Components

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(10) Hierarchical Trust

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(11) Inverse Modification Threshold

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(12) Hierarchical Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(13) Minimized Security Elements

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(14) Least Privilege

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(15) Predicate Permission

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(16) Self-reliant Trustworthiness

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(17) Secure Distributed Composition

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(18) Trusted Communications Channels

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(19) Continuous Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(20) Secure Metadata Management

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(21) Self-analysis

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(22) Accountability and Traceability

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(23) Secure Defaults

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(24) Secure Failure and Recovery

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(25) Economic Security

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(26) Performance Security

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(27) Human Factored Security

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(28) Acceptable Security

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(29) Repeatable and Documented Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(30) Procedural Rigor

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(31) Secure System Modification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(32) Sufficient Documentation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-08(33) Minimization

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-09 External System Services

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-09(01) Risk Assessments and Organizational Approvals

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-09(02) Identification of Functions, Ports, Protocols, and Services

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-09(03) Establish and Maintain Trust Relationship with Providers

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-09(04) Consistent Interests of Consumers and Providers

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-09(05) Processing, Storage, and Service Location

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-09(06) Organization-controlled Cryptographic Keys

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-09(07) Organization-controlled Integrity Checking

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-09(08) Processing and Storage Location — U.S. Jurisdiction

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-10 Developer Configuration Management

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-10(01) Software and Firmware Integrity Verification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-10(02) Alternative Configuration Management Processes

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-10(03) Hardware Integrity Verification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-10(04) Trusted Generation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-10(05) Mapping Integrity for Version Control

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-10(06) Trusted Distribution

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-10(07) Security and Privacy Representatives

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-11 Developer Testing and Evaluation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-11(01) Static Code Analysis

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-11(02) Threat Modeling and Vulnerability Analyses

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-11(03) Independent Verification of Assessment Plans and Evidence

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-11(04) Manual Code Reviews

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-11(05) Penetration Testing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-11(06) Attack Surface Reviews

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-11(07) Verify Scope of Testing and Evaluation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-11(08) Dynamic Code Analysis

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-11(09) Interactive Application Security Testing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-15 Development Process, Standards, and Tools

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-15(01) Quality Metrics

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-15(02) Security and Privacy Tracking Tools

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-15(03) Criticality Analysis

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-15(05) Attack Surface Reduction

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-15(06) Continuous Improvement

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-15(07) Automated Vulnerability Analysis

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-15(08) Reuse of Threat and Vulnerability Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-15(10) Incident Response Plan

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-15(11) Archive System or Component

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-15(12) Minimize Personally Identifiable Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-15(13) Logging Syntax

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-16 Developer-provided Training

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-17 Developer Security and Privacy Architecture and Design

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-17(01) Formal Policy Model

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-17(02) Security-relevant Components

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-17(03) Formal Correspondence

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-17(04) Informal Correspondence

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-17(05) Conceptually Simple Design

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-17(06) Structure for Testing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-17(07) Structure for Least Privilege

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-17(08) Orchestration

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-17(09) Design Diversity

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-20 Customized Development of Critical Components

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-21 Developer Screening

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-22 Unsupported System Components

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-23 Specialization

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SA-24 Design For Cyber Resiliency

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-01 Policy and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-02 Separation of System and User Functionality

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-02(01) Interfaces for Non-privileged Users

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-02(02) Disassociability

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-03 Security Function Isolation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-03(01) Hardware Separation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-03(02) Access and Flow Control Functions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-03(03) Minimize Nonsecurity Functionality

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-03(04) Module Coupling and Cohesiveness

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-03(05) Layered Structures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-04 Information in Shared System Resources

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-04(02) Multilevel or Periods Processing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-05 Denial-of-service Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-05(01) Restrict Ability to Attack Other Systems

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-05(02) Capacity, Bandwidth, and Redundancy

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-05(03) Detection and Monitoring

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-06 Resource Availability

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07 Boundary Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(03) Access Points

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(04) External Telecommunications Services

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(05) Deny by Default — Allow by Exception

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(07) Split Tunneling for Remote Devices

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(08) Route Traffic to Authenticated Proxy Servers

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(09) Restrict Threatening Outgoing Communications Traffic

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(10) Prevent Exfiltration

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(11) Restrict Incoming Communications Traffic

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(12) Host-based Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(13) Isolation of Security Tools, Mechanisms, and Support Components

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(14) Protect Against Unauthorized Physical Connections

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(15) Networked Privileged Accesses

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(16) Prevent Discovery of System Components

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(17) Automated Enforcement of Protocol Formats

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(18) Fail Secure

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(19) Block Communication from Non-organizationally Configured Hosts

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(20) Dynamic Isolation and Segregation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(21) Isolation of System Components

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(22) Separate Subnets for Connecting to Different Security Domains

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(23) Disable Sender Feedback on Protocol Validation Failure

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(24) Personally Identifiable Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(25) Unclassified National Security System Connections

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(26) Classified National Security System Connections

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(27) Unclassified Non-national Security System Connections

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(28) Connections to Public Networks

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-07(29) Separate Subnets to Isolate Functions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-08 Transmission Confidentiality and Integrity

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-08(01) Cryptographic Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-08(02) Pre- and Post-transmission Handling

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-08(03) Cryptographic Protection for Message Externals

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-08(04) Conceal or Randomize Communications

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-08(05) Protected Distribution System

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-10 Network Disconnect

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-11 Trusted Path

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-11(01) Irrefutable Communications Path

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-12 Cryptographic Key Establishment and Management

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-12(01) Availability

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-12(02) Symmetric Keys

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-12(03) Asymmetric Keys

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-12(06) Physical Control of Keys

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-13 Cryptographic Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-15 Collaborative Computing Devices and Applications

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-15(01) Physical or Logical Disconnect

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-15(03) Disabling and Removal in Secure Work Areas

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-15(04) Explicitly Indicate Current Participants

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-16 Transmission of Security and Privacy Attributes

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-16(01) Integrity Verification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-16(02) Anti-spoofing Mechanisms

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-16(03) Cryptographic Binding

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-17 Public Key Infrastructure Certificates

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-18 Mobile Code

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-18(01) Identify Unacceptable Code and Take Corrective Actions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-18(02) Acquisition, Development, and Use

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-18(03) Prevent Downloading and Execution

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-18(04) Prevent Automatic Execution

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-18(05) Allow Execution Only in Confined Environments

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-20 Secure Name/Address Resolution Service (Authoritative Source)

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-20(02) Data Origin and Integrity

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-21 Secure Name/Address Resolution Service (Recursive or Caching Resolver)

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-22 Architecture and Provisioning for Name/Address Resolution Service

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-23 Session Authenticity

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-23(01) Invalidate Session Identifiers at Logout

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-23(03) Unique System-generated Session Identifiers

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-23(05) Allowed Certificate Authorities

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-24 Fail in Known State

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-25 Thin Nodes

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-26 Decoys

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-27 Platform-independent Applications

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-28 Protection of Information at Rest

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-28(01) Cryptographic Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-28(02) Offline Storage

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-28(03) Cryptographic Keys

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-29 Heterogeneity

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-29(01) Virtualization Techniques

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-30 Concealment and Misdirection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-30(02) Randomness

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-30(03) Change Processing and Storage Locations

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-30(04) Misleading Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-30(05) Concealment of System Components

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-31 Covert Channel Analysis

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-31(01) Test Covert Channels for Exploitability

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-31(02) Maximum Bandwidth

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-31(03) Measure Bandwidth in Operational Environments

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-32 System Partitioning

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-32(01) Separate Physical Domains for Privileged Functions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-34 Non-modifiable Executable Programs

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-34(01) No Writable Storage

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-34(02) Integrity Protection on Read-only Media

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-35 External Malicious Code Identification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-36 Distributed Processing and Storage

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-36(01) Polling Techniques

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-36(02) Synchronization

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-37 Out-of-band Channels

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-37(01) Ensure Delivery and Transmission

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-38 Operations Security

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-39 Process Isolation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-39(01) Hardware Separation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-39(02) Separate Execution Domain Per Thread

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-40 Wireless Link Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-40(01) Electromagnetic Interference

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-40(02) Reduce Detection Potential

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-40(03) Imitative or Manipulative Communications Deception

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-40(04) Signal Parameter Identification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-41 Port and I/O Device Access

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-42 Sensor Capability and Data

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-42(01) Reporting to Authorized Individuals or Roles

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-42(02) Authorized Use

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-42(04) Notice of Collection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-42(05) Collection Minimization

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-43 Usage Restrictions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-44 Detonation Chambers

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-45 System Time Synchronization

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-45(01) Synchronization with Authoritative Time Source

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-45(02) Secondary Authoritative Time Source

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-46 Cross Domain Policy Enforcement

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-47 Alternate Communications Paths

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-48 Sensor Relocation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-48(01) Dynamic Relocation of Sensors or Monitoring Capabilities

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-49 Hardware-enforced Separation and Policy Enforcement

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-50 Software-enforced Separation and Policy Enforcement

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SC-51 Hardware-based Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-01 Policy and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-02 Flaw Remediation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-02(02) Automated Flaw Remediation Status

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-02(03) Time to Remediate Flaws and Benchmarks for Corrective Actions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-02(04) Automated Patch Management Tools

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-02(05) Automatic Software and Firmware Updates

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-02(06) Removal of Previous Versions of Software and Firmware

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-02(07) Root Cause Analysis

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-03 Malicious Code Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-03(04) Updates Only by Privileged Users

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-03(06) Testing and Verification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-03(08) Detect Unauthorized Commands

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-03(10) Malicious Code Analysis

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04 System Monitoring

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(01) System-wide Intrusion Detection System

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(02) Automated Tools and Mechanisms for Real-time Analysis

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(03) Automated Tool and Mechanism Integration

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(04) Inbound and Outbound Communications Traffic

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(05) System-generated Alerts

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(07) Automated Response to Suspicious Events

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(09) Testing of Monitoring Tools and Mechanisms

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(10) Visibility of Encrypted Communications

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(11) Analyze Communications Traffic Anomalies

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(12) Automated Organization-generated Alerts

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(13) Analyze Traffic and Event Patterns

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(14) Wireless Intrusion Detection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(15) Wireless to Wireline Communications

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(16) Correlate Monitoring Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(17) Integrated Situational Awareness

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(18) Analyze Traffic and Covert Exfiltration

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(19) Risk for Individuals

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(20) Privileged Users

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(21) Probationary Periods

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(22) Unauthorized Network Services

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(23) Host-based Devices

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(24) Indicators of Compromise

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-04(25) Optimize Network Traffic Analysis

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-05 Security Alerts, Advisories, and Directives

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-05(01) Automated Alerts and Advisories

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-06 Security and Privacy Function Verification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-06(02) Automation Support for Distributed Testing

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-06(03) Report Verification Results

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-07 Software, Firmware, and Information Integrity

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-07(01) Integrity Checks

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-07(02) Automated Notifications of Integrity Violations

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-07(03) Centrally Managed Integrity Tools

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-07(05) Automated Response to Integrity Violations

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-07(06) Cryptographic Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-07(07) Integration of Detection and Response

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-07(08) Auditing Capability for Significant Events

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-07(09) Verify Boot Process

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-07(10) Protection of Boot Firmware

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-07(12) Integrity Verification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-07(15) Code Authentication

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-07(16) Time Limit on Process Execution Without Supervision

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-07(17) Runtime Application Self-protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-08 Spam Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-08(02) Automatic Updates

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-08(03) Continuous Learning Capability

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-10 Information Input Validation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-10(01) Manual Override Capability

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-10(02) Review and Resolve Errors

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-10(03) Predictable Behavior

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-10(04) Timing Interactions

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-10(05) Restrict Inputs to Trusted Sources and Approved Formats

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-10(06) Injection Prevention

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-11 Error Handling

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-12 Information Management and Retention

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-12(01) Limit Personally Identifiable Information Elements

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-12(02) Minimize Personally Identifiable Information in Testing, Training, and Research

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-12(03) Information Disposal

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-13 Predictable Failure Prevention

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-13(01) Transferring Component Responsibilities

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-13(03) Manual Transfer Between Components

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-13(04) Standby Component Installation and Notification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-13(05) Failover Capability

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-14 Non-persistence

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-14(01) Refresh from Trusted Sources

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-14(02) Non-persistent Information

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-14(03) Non-persistent Connectivity

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-15 Information Output Filtering

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-16 Memory Protection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-17 Fail-safe Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-18 Personally Identifiable Information Quality Operations

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-18(01) Automation Support

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-18(02) Data Tags

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-18(03) Collection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-18(04) Individual Requests

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-18(05) Notice of Correction or Deletion

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-19 De-identification

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-19(01) Collection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-19(02) Archiving

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-19(03) Release

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-19(04) Removal, Masking, Encryption, Hashing, or Replacement of Direct Identifiers

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-19(05) Statistical Disclosure Control

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-19(06) Differential Privacy

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-19(07) Validated Algorithms and Software

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-19(08) Motivated Intruder

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-20 Tainting

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-21 Information Refresh

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-22 Information Diversity

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SI-23 Information Fragmentation

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-01 Policy and Procedures

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-02 Supply Chain Risk Management Plan

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-02(01) Establish SCRM Team

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-03 Supply Chain Controls and Processes

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-03(01) Diverse Supply Base

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-03(02) Limitation of Harm

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-03(03) Sub-tier Flow Down

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-04 Provenance

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-04(01) Identity

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.
No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-04(02) Track and Trace

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.
No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-04(03) Validate as Genuine and Not Altered

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.
No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-04(04) Supply Chain Integrity — Pedigree

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.
No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-05 Acquisition Strategies, Tools, and Methods

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.
No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-05(01) Adequate Supply

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.
No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-05(02) Assessments Prior to Selection, Acceptance, Modification, or Update

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-06 Supplier Assessments and Reviews

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-06(01) Testing and Analysis

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-07 Supply Chain Operations Security

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-08 Notification Agreements

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-09 Tamper Resistance and Detection

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-09(01) Multiple Stages of System Development Life Cycle

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-10 Inspection of Systems or Components

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-11 Component Authenticity

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-11(01) Anti-counterfeit Training

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-11(02) Configuration Control for Component Service and Repair

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-11(03) Anti-counterfeit Scanning

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

SR-12 Component Disposal

NIST_800_53 · NIST SP 800-53 Revision 5 Rev 5.2.0

[] NOTCHECKED

[?] UNKNOWN SEVERITY

No automated technical control on this device maps to this control through the published crosswalk, so it requires manual assessment.

No canonical fact was recorded for this control, so this verdict cannot be traced to a configuration line.

Verification

These values are printed in full and unabbreviated. Recompute the record hash over the ledger row's canonical JSON, or verify the signature against the published Ed25519 public key, to confirm this report describes an unaltered audit. The findings and the canonical facts they were read from are embedded in this PDF as attachments.

Ledger sequence	12
Previous record hash	9d6bbb818e6eae1ae628e6c325a2f2152aae17a2eee40103304114067da16391
Record hash	590319a029f7d206b71185a5ed9375aef3b2d85079f08e2477c7bcb91f590f00
Merkle root over findings	4b9176c88e3412d370cfea96dad727ff0ec195b8993d1d895865095344e81334
Ed25519 signature	bf34dd7e588130ca4b4df961c5bd6436b114fdc99c4f32ba01afe2dcec4ad5d70a4f6357cdb89d48db9317222c276d4b2ebd21e32cc960a0a48688e0dc19e04