
SOULPLEX / PRODUCT + ENGINEERING


Soulplex


V1.1 · DESIGN + ROUTING SPECIFICATION

Don't build another profile. Teach your twin.

A visual, agentic onboarding journey with precise answers, blinded fidelity checks, owner-controlled memory and safe exits.







EXACT USER COPY + SELECTION IDs · CONDITIONAL ROUTES · PRIVACY + MINDS GATES · QA ACCEPTANCE

22 OCTOBER 2026 / DEVELOPER HANDOFF

A shorter beginning. A smarter twin.

The questionnaire is still the structured source of truth. The difference is how the member experiences it.

5
initial preference screens

3
tiny blinded challenges

4
questions asked in context

What the member sees

A warm AI-twin welcome, quick choices or short guided chat, image-based scenes, an early preview, tiny challenges and a transparent privacy review.

Target: first private preview in under 2 minutes. This is a design target, not measured performance.

What the system stores

Existing Q01–Q09 IDs, stable option enums, three independently locked calibration scenarios, versioned consent, and separate owner-fact vs simulated-episode memory.

No automatic interpretation of skipped answers, no personality score inferred from one virtual date.

The user should feel: **“This twin is learning to represent me.”**
Not: “I'm completing another dating-app questionnaire.”

IMPLEMENTATION NOTE

Quick taps and Talk to my twin MUST produce the exact same structured schema. No LLM-generated hard filtering, orientation inference or automatic private-data disclosure.

One journey, not nine forms.

This is the route the app should follow. Contextual coaching happens later, inside experiences.

01 Welcome, privacy notice + age verification
Choose quick taps or talk-to-twin mode

↓

02 Matching essentials
Q01–Q04 · optional answers remain unknown

↓

03 Choose a first scene
Q05 · six illustrated scene choices

↓

04 Private twin preview
Owner-editable, not autonomous or fidelity-scored

↓

05 3 blinded twin challenges
CAL02 → CAL01 → CAL03, response locked before reveal

↓

06 Facts + permissions
Per-fact scopes, matching, dates, memory, external processing


↓

07 Readiness gate
Private-only / local-only / authorized virtual exploration


AVAILABLE AT EVERY APPROPRIATE STEP: Back · Save and exit · Resume. “Skip for now” is only shown for optional questions.

Meet the twin. Make it yours.


Reference mockups for the frontend team: mobile-first, warm and concise. Images are illustrative, not screenshots from deployed Soulplex.



01 · Meet your twin



02 · Set eligible choices




03 · Choose your scene


Each answer uses a tap. The twin gives brief, fact-grounded feedback. Free typing remains optional, never the default.

Show the learning. Keep control.


Every twin choice is observable, corrigible and tied to a specific permission.




04 · Preview



05 · Twin challenge



06 · Correct response



07 · Permissions

MOCKUP LIMITATION

The comparison screen is an interaction mockup; the live frontend must lock the AI answer independently before showing it to the owner. The mockup selected switches are for illustration only; all actual permission toggles default OFF.

Q01 — Who could feel right for you?

Intro: “First, the basics. I will only explore mutually eligible people.”

Q01 REQUIRED match_preferences

Part A · My gender (private)

STORED OPTION ID	EXACT USER-FACING LABEL
`woman`	Woman
`man`	Man
`nonbinary`	Non-binary
`self_described`	I describe my gender another way
`prefer_not`	Prefer not to say

Part B · Genders I'd like to meet

STORED OPTION ID	EXACT USER-FACING LABEL
`men`	Men
`women`	Women
`nonbinary`	Non-binary people
`self_described`	People who self-describe their gender
`any`	Open to all genders

IMPLEMENTATION NOTE

Exactly one self-identified gender value; gender preferences are multi-select except Open to all genders, which is exclusive. Identity and eligibility are not inferred from name, appearance, ethnicity, location, or another social account.

CONTINUE → remaining Q01 fields · BACK → mode selection · SAVE AND EXIT → draft

Q01 — Age and geography

These complete the same Q01 record; they are not additional personality questions.

Age preference

From **18** to **100**, two sliders or accessible numeric inputs.

Validation: 18 ≤ min ≤ max ≤ 100. No hidden preset.

Age preference never replaces the user's actual adult age verification.

City

User-selected city via autocomplete; no automatic street location or inference.

Required before matching. Cross-city discovery requires explicit selection.

Where should your twin look?

STORED OPTION ID	EXACT USER-FACING LABEL
`10km`	Within 10 km
`25km`	Within 25 km
`city`	Same city
`uae`	Anywhere in the UAE
`nearby`	Open to nearby cities

Storage: `match_preferences` · **Skip:** No · **Source:** owner · compound required

IMPLEMENTATION NOTE

At least one partner gender, one valid age range, one distance option and one city are needed for reciprocal matching. “Prefer not to say” on personal gender may limit matching, but cannot trigger inference or covert exclusion.

VALID NEXT → Q02 · INVALID → inline field-level repair · SKIP → unavailable

Intent + dealbreakers

Two quick stages. Hard filters only where a direction is explicit and valid.

Q02 REQUIRED relationship_intent

Q02 · What kind of connection are you open to?

STORED OPTION ID	EXACT USER-FACING LABEL
`long_term`	A serious, long-term relationship
`marriage_minded`	A long-term relationship with marriage in mind
`open_to_serious`	Getting to know someone, open to something serious
`exploring`	I am still figuring it out

Storage: `relationship_intent` · **Skip:** No · **Source:** owner

Q03 OPTIONAL dealbreakers

Q03 · Anything that is a definite no?

STORED OPTION ID	EXACT USER-FACING LABEL
`smoking`	A match who smokes
`long_distance`	A long-distance relationship
`intent`	Different relationship intentions
`relocation`	A match who expects me to relocate
`schedules`	Strongly conflicting schedules
`pets`	Incompatible pet preferences
`other`	Something else (describe privately)
`none`	None for now

Storage: `dealbreakers` · **Skip:** Yes → unanswered · **Source:** owner

IMPLEMENTATION NOTE

Q03: select a maximum of three. “None for now” is exclusive and means explicitly no dealbreakers; SKIP means unanswered. “Other” opens optional private text (max 140 characters), with manual rule approval before it becomes a hard filter.

Q04 — What would make you look twice?

Twin voice: “Which three qualities would really matter to you? There isn’t a right mix.”

Q04 OPTIONAL partner_values

STORED OPTION ID	EXACT USER-FACING LABEL
kindness	Kindness
honesty	Honesty
humor	Humor
reliability	Reliability
emotional_maturity	Emotional maturity
curiosity	Curiosity
ambition	Ambition
independence	Independence
shared_values	A similar outlook on life
other	Something else

Storage: partner_values · **Skip:** Yes → unanswered · **Source:** owner · choose up to three

IMPLEMENTATION NOTE


The “shared_values” stable option ID is retained; the user-facing copy becomes “A similar outlook on life” for clarity. “Other” opens optional short text (max 100 characters). Values are soft matching preferences, not a psychological verdict.

NEXT → Q05 illustrated venues · SKIP → unanswered · SAVE AND EXIT → draft

Q05 — Choose your first scene


Twin voice: “Where would you feel most yourself? We can always explore somewhere else later.”

Q05 · OPTIONAL · date_comfort



quiet_cafe

A quiet café




park

A walk in the park




bookshop

A bookshop or gallery




activity

A fun activity



dinner

Dinner somewhere comfortable



flexible

Surprise me - I am flexible

Storage: `date_comfort` · **Skip:** Yes → unanswered · **Source:** owner · single select, optional

IMPLEMENTATION NOTE

Do not ask dietary or environment restrictions in the initial signup. Keep the existing sub-fields and IDs, but request them optionally only when a scene needs them. “Skip” is unknown, not “Surprise me”.

NEXT / SKIP → TWIN_PREVIEW · BACK → Q04 · SAVE AND EXIT → draft

Give feedback, not fake insight.

The first preview is a lightweight mirror of approved selections, never a claim that the model has discovered the member's true personality. A privacy notice is shown before personal questions.

Quick taps

One decision per compact screen. Optional "Why?" drawer when choosing "It depends" or "Other". Short twin acknowledgment after each.

User can switch presentation modes without losing answers.

Talk to my twin

One succinct prompt at a time; map the response to stable structured options and ask the member to confirm. No inferred gender, age, orientation, values or dealbreakers.

No endless open-ended chat; offer choices and Save and exit.

MEMBER: "A quiet café."
TWIN: "You chose a relaxed setting. I'll treat that as your starting preference, if you approve."

NOT ALLOWED: "You must be introverted and emotionally mature."
This incorrectly infers psychological traits from a venue preference.

IMPLEMENTATION NOTE

If inference requires an external provider, first check explicit consent and documented vendor readiness. Otherwise show a clearly labelled private, illustrative preview and do not count it as an independent calibration result.

Make the twin answer independently.

The game-like UI does not change the scientific integrity requirement. A processing gate runs before any actual model request.

01	**Owner selects privately**	Store withheld answer + optional why in restricted evaluation vault.
02	**Twin gets the same scene**	Agent sees only previously approved context, not the owner's current answer.
03	**Freeze agent response**	Lock action, summary, context version, provider/agent ID and timestamp.
04	**Show side-by-side**	Owner chooses Yes / Somewhat / No; optional correction follows.
05	**Approve or forget**	A correction is only a proposed memory. Evaluate on NEW unseen scenes.


Three challenges ≠ personality accuracy.
They provide an engaging onboarding calibration and expose misrepresentation. Rigorous fidelity measurement requires fresh held-out scenarios later.

NO SILENT MOCK FALLBACK

A model/vendor error must not quietly substitute a deterministic fixture and pass the fidelity check. Use DRAFT_NO_AUTONOMY with an explicit “not completed” message.

Challenge 01 — The café mix-up

Stable scenario ID: CAL02 · first in presentation order.



The waiter brings a drink you did not order. What would you usually do?

STORED OPTION ID	EXACT USER-FACING LABEL
`correct`	Politely ask for the correct order
`keep`	Keep it if it seems fine
`ask`	Ask the waiter what options are available
`depends`	It depends on the mistake


IMPLEMENTATION NOTE

Optional “What matters most in that situation?” when choosing It depends; free text can be skipped. After LOCK_OWNER_CHOICE, freeze the twin decision independently. Owner can review, correct, save and exit.

LOCK OWNER CHOICE → CAL02_TWIN → CAL02_REVIEW → CAL01_OWNER

Challenge 02 — The late arrival

Stable scenario ID: CAL01 · second in presentation order.



You arrive for a first coffee date. The other person is 15 minutes late and has not updated you. What would you naturally do?

STORED OPTION ID	EXACT USER-FACING LABEL
`check`	Send a friendly check-in
`wait`	Wait a little longer
`boundary`	Say that updates and punctuality matter to me
`leave`	Leave if there is still no update
`depends`	It depends

IMPLEMENTATION NOTE

This measures a specific hypothetical choice, not actual patience or temperament. “It depends” invites optional context only. A correction after lock creates a new owner-answer version and invalidates the old comparison.

LOCK OWNER CHOICE → CAL01_TWIN → CAL01_REVIEW → CAL03_OWNER

Challenge 03 — Your boundary

Stable scenario ID: CAL03 · last in presentation order.



Someone you are just meeting asks a question that feels too personal. What would you say?

STORED OPTION ID	EXACT USER-FACING LABEL
`boundary`	I would rather not discuss that yet
`brief`	Give a brief answer and move on
`redirect`	Change the subject
`why`	Ask why they want to know
`depends`	It depends

IMPLEMENTATION NOTE

“It depends” offers optional “What would shape your response?”. Never infer trauma, diagnoses, relationship history or any private fact based on this choice.

LOCK OWNER CHOICE → CAL03_TWIN → CAL03_REVIEW → FACT_REVIEW

Make “Not like me” a good outcome.

The goal is honest feedback, not congratulating the model.

Owner rating

- Yes, that feels like me
- Somewhat - I would do it differently
- No - not like me

One owner rating required after a successfully locked twin response. Optional explanation and correction; no coercion.

What the system does

Yes: record representation feedback; do not derive new personal facts.

Somewhat: open optional correction proposal; keep distinct from canonical memory.

No: mark review needed; never silently mark the twin “ready”.

When users stop

USER/SYSTEM EVENT	ROUTE AND EFFECT
Finish this later	DRAFT_NO_AUTONOMY. Preserve answers, stop pending twin tasks.
Twin provider offline	Explicit error + retry later. No fake independently generated response.
Correction submitted	Owner approval required; next trial must use an unseen scenario.

READINESS RULES

After three owner-reviewed challenges, proceed to FACT_REVIEW then permissions. A single disagreement need not permanently block the member, but unresolved critical impersonation / privacy risk does block outbound autonomy.

Ask when the answer becomes useful.

Original IDs, original option values. These are NOT initial signup screens.

Q06 OPTIONAL communication_style

Q06 · Before the first introduction

Twin: “How do you like a first conversation to flow?”

Trigger: pre_introduction · Can skip without penalty.

STORED OPTION ID	EXACT USER-FACING LABEL
`thoughtful`	Thoughtful conversations, even if less frequent
`frequent`	Frequent check-ins and conversations
`in_person`	I connect best in person
`light_playful`	Light, playful conversations at first
`depends`	It depends on the person

Q07 OPTIONAL disagreement_style

Q07 · After a relevant disagreement

Twin: “Something came up. How would you normally handle it?”

Trigger: post_conflict_feedback · A simulated disagreement alone does not prove an owner trait.

STORED OPTION ID	EXACT USER-FACING LABEL
`ask`	Ask questions to understand their perspective
`direct`	Express my point of view directly
`reflect`	Take a moment to think before responding
`common_ground`	Look for common ground
`depends`	It depends on the situation

PROGRESSIVE DISCLOSURE

If a member skips these coach cards, keep the corresponding field unanswered. Do not treat agent actions as an owner response. BACK returns to the surrounding experience; no separate mandatory questionnaire detour.

The date negotiates; the owner stays in charge.

Optional coaching appears just before the relevant decision, not at registration.

Q08 OPTIONAL planning_style

Q08 · Before virtual date negotiation

Twin: “Would you rather make a plan or keep things spontaneous?”

STORED OPTION ID	EXACT USER-FACING LABEL
`spontaneous`	I love spontaneous plans
`plan`	I prefer making plans in advance
`mix`	A healthy mix of both
`depends`	It depends on the situation

Q09 OPTIONAL bill_preference

Q09 · Before the café bill

Twin: “When the bill comes, what would feel comfortable?”

STORED OPTION ID	EXACT USER-FACING LABEL
`split`	Suggesting we split the bill
`offer`	Offering to pay
`treated`	Accepting when the other person offers
`flexible`	Deciding together
`depends`	It depends on the situation

IMPLEMENTATION NOTE

Do not turn bill etiquette into morality or a generosity rating. With Q09 unknown, the twin may ask/negotiate preferences but must not claim the owner always pays, expects to be treated, or prefers a split. Virtual currency only; real spending requires explicit separate human approval.

Let the environment ask the next useful thing.

Q05 retains its optional subfields, but the UI reveals them only when needed.

Scene-specific optional preference choices

STORED GROUP	EXACT CHOICES	DISPLAY TRIGGER
Environment	I prefer quieter places · I enjoy lively places · No preference	When a venue is selected
Food preference	Vegetarian · Vegan · Halal food · No restriction to mention · Prefer not to say	Before café ordering
Avoid foods	Optional text, max 100 characters	Before ordering; never infer allergy/health

Why this improves fidelity

Bad experience

Ask detailed meal and payment questions long before the member sees any dating experience, increasing fatigue without context.

Better experience

When the café visit becomes relevant, the twin can ask one specific preference and explain how it will use it.

STORAGE RULE

Even a contextual question is owner-provided data, not a generated inference. Store origin=owner; scope separately. No dietary, religion, medical or other sensitive assumptions.

Permission is a choice, not a bundled checkbox.

Every optional sharing/processing toggle defaults OFF. The owner can preview a private twin without authorizing autonomous matching. Earlier notice and calibration processing gates are separate from these purpose-specific permissions.

- ○ **I have read how Soulplex uses my answers and can manage them later.**
  notice_ack · DEFAULT OFF
- ○ **Use my approved matching preferences to find mutually eligible members.**
  allow_matching · DEFAULT OFF
- ○ **Allow my twin to participate in virtual conversations and experiences within my boundaries.**
  allow_virtual_interactions · DEFAULT OFF
- ○ **Share only the individual facts I mark as shareable with matched twins.**
  allow_shareable_facts · DEFAULT OFF
- ○ **Remember my twin's simulated experiences to improve future virtual interactions.**
  allow_episode_memory · DEFAULT OFF
- ○ **Allow approved, minimal information to be processed by the external Minds provider.**
  allow_external_minds · DEFAULT OFF
- ○ **Use my optional feedback for product-evaluation research.**
  allow_research_feedback · DEFAULT OFF

IMPLEMENTATION NOTE

A notice acknowledgement is not blanket consent. Capture purpose, legal basis, notice version, vendor identity, subprocessors, transfer disclosures and erasure/retention policy in deployment-specific documentation. External Minds processing stays disabled for real people until vendor contracts and deletion controls are approved.

A member approves each shareable fact.

Permissions are granular by fact, not just a single “My twin can share things” switch.

Fact card example

“I prefer a quiet café for a first virtual meeting.”

Keep private | Use inside my twin | May tell an eligible twin | Edit | Delete

Storage classes must stay separate

CLASS	REQUIRED ENFORCEMENT
Owner fact	Member-provided and individually approved; can be private or explicitly shareable
Agent episode	What the twin did in a simulated experience; not evidence of how the human acts
Interpretation proposal	Possible meaning of an episode; never promoted to owner fact without confirmation
Withheld test response	Calibration-only vault; never inside current agent prompt before decision lock

EXTERNAL LIFECYCLE

Revocation stops future authorized processing immediately inside Soulplex. Deletion or revocation in a third-party Mind must display pending vs verified status truthfully; do not claim external erasure until confirmed.

Every way out has a clear destination.

No dark patterns. A member can leave, change answers or keep a private twin without authorizing outbound agents.

CONTROL	BACKEND OUTCOME
NEXT	Validate, save answer revision, follow state graph
BACK	Preserve choices; if editing a submitted calibration answer, invalidate prior comparison and version it
SKIP	Only Q03–Q05 in initial flow; Q06–Q09 contextual; store unanswered, not None
SAVE_AND_EXIT	Persist draft and exact resume state; prevent new autonomous tasks
EXIT_WITHOUT_SAVING	Confirm discard only unsaved local edits; keep previous server-saved answers
RESUME	Return to next incomplete step; recheck age/consent/version
FINISH_LATER	Leave calibration pending; private preview only, no autonomous activity
PRIVATE_ONLY	Decline autonomous permissions; keep local/private twin controls available

IMPLEMENTATION NOTE

Do not display a generic “Skip” on required Q01/Q02. No skippable answer can be treated as a personality flaw or cause hidden ranking penalties. A paused member can still access privacy and deletion settings.

A deterministic state machine, not UI assumptions.

All routes execute server-side guards; frontend navigation never grants authority by itself.

TRANSITION	GUARD/BEHAVIOR
WELCOME → PRIVACY_NOTICE → AGE_VERIFY → MODE_SELECT	Notice precedes age/data collection; underage exits; both modes share schema
Q01 → Q02 → Q03 → Q04 → Q05	Q01–Q02 required; remaining questions can be skipped
Q05 → TWIN_PREVIEW → CAL_INTRO → CAL_PROCESSING_GATE	No model call without approved processor authorization
CAL02_OWNER → _TWIN → _REVIEW	Owner answer withheld before agent response locked
CAL01_OWNER → _TWIN → _REVIEW	Second independent scenario
CAL03_OWNER → _TWIN → _REVIEW	Third independent scenario
FACT_REVIEW → PERMISSIONS_REVIEW	Fact scopes and purpose-specific consents
READINESS_GATE → TWIN_READY	All requirements passed
READINESS_GATE → LOCAL_ONLY / PRIVATE_TWIN_ONLY	Provider or permission not approved
Any permitted step → SAVE_AND_EXIT	DRAFT_NO_AUTONOMY, resume later

SECURITY

Do not automatically queue an external Minds interaction when only a private preview is available. If a provider cannot legally/technically process real user data, route to LOCAL_ONLY. Synthetic investor demo remains separately labelled.

APIs, versions and audit boundaries.

These are recommended endpoint contracts, not claims of existing implementation.

ENDPOINT	BEHAVIOR
GET /onboarding/schema	Return versioned v1.1 questions, stable IDs, modes, conditional routes
PUT /onboarding/answers/:id	Save structured owner choice; versioned permission scope; honor skip semantics
POST /onboarding/preview	Create private non-scored preview from approved local context
POST /calibration/:id/owner	Save owner answer in evaluation-only vault
POST /calibration/:id/run	Blind twin execution, subject to provider authorization and current consent
POST /calibration/:id/review	Store owner rating; correction remains unapproved proposal
PUT /privacy/permissions	Per-purpose and per-fact updates; invalidate stale agent contexts
POST /twin/authorize	Check verification, calibration, current consents, provider readiness
POST /privacy/revoke	Stop new work, cancel queued jobs, trigger erasure workflow
GET /privacy/delete-status	Requested / acknowledged / verified / exception states

IMPLEMENTATION NOTE

Every answer must include stable ID, option IDs, source=owner, status=answered/skipped, timestamp, schema version and privacy version. Calibrations additionally need scenario version, prompt hash, model and agent IDs, frozen output, owner rating and lock timestamp.

Keep existing IDs. Change only the experience.

The changes in v1.1 are additive: you can migrate old answers without pretending they were collected in the new UI.

Compatibility contract

CHANGE	RULE
Q01–Q09	Unchanged stable field IDs; same stored option values
CAL01–CAL03	Unchanged scenario IDs; presentation order becomes CAL02, CAL01, CAL03
Q03.smoking	UI label clarified; persisted enum still smoking
Q04.shared_values	UI label clarified; persisted enum still shared_values
Q06–Q09	Original fields retained, but routed to contextual micro-coaching
Q05 optional subfields	Retained, collected only when scenes need them
Versioning	Save schema_version=1.1.0 on new answers; preserve old source and approvals

Example answer record

```
{
 "field_id": "Q05", "option_ids": ["quiet_cafe"],
 "source": "owner", "status": "answered",
 "schema_version": "1.1.0",
 "permission_scope": "private",
 "answer_version": 1
}
```

MIGRATION SAFETY

Future model changes must never retroactively change the owner's stated preference. Only a new confirmed user edit may update canonical owner facts.

Measure fidelity, not a flattering score.

The three signup challenges check readiness and uncover errors; they do not establish scientific validity.

METRIC	HOW TO EVALUATE
Owner-recognized choices	Rate on NEW held-out social situations; display denominator and uncertainty
Agreement on meaningful actions	Compare independent owner action with frozen twin action; allow defensible multiple responses
Explanation grounding	Audit claims against explicitly approved owner facts or true scene state
Correction lift	Test on unseen examples with/without approved corrections, similar difficulty
Appropriate uncertainty	Count cases where twin asks or abstains rather than inventing preferences
Privacy-critical disclosures	Zero in the predefined adversarial test set; incidents require investigation
Onboarding completion	Drop-off by screen/ID, median time to preview, Save/Resume behavior
Consent comprehension	Test whether users understand what is shared and where it is processed

Suggested pilot experiments

A/B test v1 form layout against v1.1 Twin Studio. Compare completion and comprehension, then independently measure fidelity improvement on unseen cases.

What must work before investor staging.

Automated checks should include UI, backend, model-context inspection and failure states.

ID	PASS CRITERION
QA-01	Q01,Q02 mandatory; adult verification distinct from preferred partner age
QA-02	Tap and chat modes produce the same stable option IDs; no free-text implicit hard filter
QA-03	Q03 skip is unanswered while explicit None is selected none
QA-04	Q03 smoking label specifies that the member does not want a match who smokes
QA-05	Q04 max 3 options and Other length constraints
QA-06	Q05 visual venue cards include all six options, no inferred dietary attributes
QA-07	Q06-09 absent from initial signup; appear at appropriate event and remain skippable
QA-08	Scenario presentation order CAL02,CAL01,CAL03 while IDs preserved
QA-09	Agent prompt excludes held-out owner answer and review at decision time
QA-10	Changing owner answer after lock invalidates old comparison and triggers versioning

TEST DATA

Run controlled tests with synthetic adult profiles; never expose real private dating answers in general-purpose logs or screenshots.

Privacy, failure modes, and release gate.

These tests are as important as the visual UX.

ID	PASS CRITERION
QA-11	Correction not silently added as personal fact
QA-12	Saving and resuming restores route without enabling queued agent activity
QA-13	No permission toggles prechecked; private by default
QA-14	No provider consent ⇒ no external calls; labelled local preview is unscored
QA-15	Vendor error ⇒ explicit incomplete state; no fixture masquerades as Minds
QA-16	Revocation kills future tasks, invalidates consent and starts external erasure workflow
QA-17	One human yes cannot release personal contact; score never gates mutual approval
QA-18	320px mobile screen and keyboard/screen-reader support; reduced motion available
QA-19	No personality percentages or inferred value judgements from fictional bill decisions
QA-20	Analytics logs contain no raw personal answers or private conversation by default
QA-21	Privacy notice shown before age verification and Q01; decline results in no personal collection
QA-22	Real calibration inference call cannot occur before first-party processing authorization or explicit external permission and approved vendor gate

Go-live decision

Investor fiction demo

May run in clearly labelled synthetic mode, subject to ordinary security and product QA. Fixture transcripts are NEVER called live Minds evidence.

Real-member autonomous Minds

Blocked until data-processing agreements, vendor deletion/retention, identity, current consent, moderation and permission enforcement are independently reviewed.

What your developer receives.

This specification is designed so design, frontend, backend, QA and legal reviewers have one common reference.

- ✓ Exact wording + option IDs for Q01–Q09
- ✓ Three approved challenge scenarios and alternate presentation order
- ✓ All state transitions, exits and save/resume rules
- ✓ Event triggers for deferred Q06–Q09
- ✓ Image-based scene choices and seven interface references
- ✓ Blinded answer-store and owner-calibration safeguards
- ✓ Per-fact privacy, external Minds authority gates and erasure truthfulness
- ✓ Endpoints, required audit fields and acceptance tests
- ✓ Machine-readable JSON and validation script

> The first promise Soulplex makes is not “We found your soulmate.”
> **It is: “Your twin knows what you've taught it - and you can correct it.”**

Reference source: Soulplex v1.0 20-page questionnaire and developer routing specification (22 October 2026). v1.1 preserves baseline option IDs and privacy principles while revising presentation and conditional stage order. This is an implementation specification, not a deployment claim, clinical instrument, compliance certification or observed user study.