

# 1 BASIC SQL SERVER 2016 ANALYSIS SERVICES BUILD GUIDE

## MANUAL STEP-BY-STEP BUILD

### PHASE 01 HYPER-V SETUP AND FILE STRUCTURE BUILD

#### Phase Objective

In this phase, you will enable enhanced mode in Hyper-V Manager, create two virtual switches, and build the file structure.

#### Phase Topics

In this phase, we will:


- Enable Enhanced Mode in Hyper-V
- Creating Virtual Switches
- Building the File Structure
- Download the ISOs of Server 2016 and SQL Server 2016 to the Created Directories

We use the same file structure for the licensed and evaluation software build, so some folders may be used in one and not the other.

#### Enabling Enhanced Mode in Hyper-V

##### *Task: Pin Hyper-V Manager to the Task Bar on Your Host PC*


1. Press **Windows** key and enter **Hyper**.
2. Right-click the **Hyper-V Manager** icon, then click **Pin to taskbar**.



3. Press **Esc** to return to the desktop.

### ***Task: Enable Enhanced Mode in Hyper-V***


1. Move down to the taskbar, and start **Hyper V Manager**.
2. When **Hyper-V Manager** opens, review the options available.




3. Navigate to the pane on the left, right-click the name of the local computer, and click **Hyper-V Settings**.




4. When **Hyper-V Settings** opens, move to the pane on the left, locate the **Server** section and click to select **Enhanced Session Mode Policy**.




5. Verify there is a check in the **Allow enhanced session mode** check box.



6. If changes were made, click **Apply**.
7. Move to the pane on the left, locate the **User** section and click to select **Enhanced Session Mode Policy**.



8. Verify there is a check in the **Use enhanced session mode** check box.



9. If changes were made, click **Apply**.
10. Click **OK**.


## Creating Virtual Switches

Virtual switches provide a way for a virtual machine to connect to a physical network. There are three types:


- External Network
- Internal Network
- Private Network

### *Task: Create Virtual Switches*


1. Navigate to the pane on the left, right-click the name of the local computer, and click **Virtual Switch Manager**.
2. When **Virtual Switch Manager** opens, select **New virtual network switch**.




3. Move to the **What type of virtual switch do you want to create** setting and click to select **Private**.
4. Click **Create Virtual Switch**.
5. Move to the **Name** text box and name the switch **VMPrivate** (or whatever you prefer).
6. Make sure it is connected to the **Private** network.
7. Click **Apply**.
8. Click **OK**.
9. Navigate to the pane on the left, right-click the name of the local computer, and click **Virtual Switch Manager**.




10. When **Virtual Switch Manager** opens, select **New virtual network switch**.



11. Move to the **What type of virtual switch do you want to create** setting and click to select **External**.
12. Click **Create Virtual Switch**.
13. Move to the **Name** text box and name the switch **VMExternal1** (or whatever you prefer).
14. Make sure it is connected to the **External** network, and that your physical Network Interface Card shows in the corresponding setting.
15. Place a check in the **Allow management operating system to share this network adapter**.



16. Click **Apply**.
17. In the **Apply Networking Changes** dialog box advising **This computer may lose its network connection while the changes are applied**, click **Yes**.



18. Click **OK**.

## Building the File Structure

### *Task: Build the File Structure*

1. Start **File Explorer**.
2. Navigate to **C:/**.
3. Create a new folder and name the folder **RonsNotes**.
4. Double-click to open **RonsNotes** folder, and create three more folders:
  - **ISOs**
  - **Labs**
  - **Script\_Folders**
5. Double-click to open **ISOs** folder, and create two more folders:
  - **Server2016**
  - **SQL2016**
6. Back out of the **ISOs** folder, and leave **File Explorer** open.


## Download the ISOs of Server 2016 and SQL Server 2016 to the Created Directories


### *Task: Download the ISOs of Server 2016 and SQL Server 2016 to the Created Directories, and the Needed Database Files*

In this task, we will download ISOs for the software we intend to install.


1. Switch back to **File Explorer** and verify you are still viewing **C:\RonsNotes**.
2. Double-click to open the **ISOs** folder, and notice you have two folders listed.

Name


 Server2016

 SQL2016

3. Start **Internet Explorer** or the browser of your choice.
4. Using the links provided below:
  - Download the installation files to the appropriate folder (shown above).
  - Download the database files and place them into a folder named **DB Backups**.
    - The files will download as .zip files, which will need to be unzipped within the **DB Backups** folder.








*You will need to register in order to download the required ISO files.*

- **Server 2016** – <https://www.microsoft.com/en-us/evalcenter/evaluate-windows-server-2016>
- **SQL Server 2016** - <https://www.microsoft.com/en-us/evalcenter/evaluate-sql-server-2016>




***SQL Server 2016 with SP1** has a slight change in procedures to get the ISO. If you instead intend to install SQL Server 2016 SP1, follow the steps below.*


1. Search for **SQL Server 2016 evaluation download**.  
<https://www.microsoft.com/en-us/sql-server/sql-server-downloads>.
2. Click **Download now**.




3. Fill out the registration document.
4. Click **Download now**.
5. Double click the downloaded EXE to start the process.




6. Select **Download Media**.




7. Leave **ISO** selected and download.



8. On success, Click **Open Folder**.



9. *Your ISO is available.*

☒  SQLServer2016SP1-FullSlipstream-x64-ENU.iso

10. *Close the downloader.*

11. *At the pop up click Yes.*

- **Adventure Works 2014** - <https://msftdbprodsamples.codeplex.com/releases/view/125550>
  - Adventure Works 2014 Full Database Backup.zip
  - Adventure Works DW 2014 Full Database Backup.zip
  - Adventure Works Multidimensional Model SQL 2014 Full Database Backups.zip

Upon completion, you will have the file structure built, and the downloaded ISOs placed into the proper locations, and the database files downloaded into the new **DB Backups** folder.

## PHASE 02 CREATE VIRTUAL MACHINES AND INSTALL SERVER 2016

### Phase Objective

This phase creates the virtual machine. First, we will create the Virtual Hard Drive (VHDX format), then we will install Server 2016. We are assuming you are using evaluation licenses. If not, proceed as is, then at the end, you can just convert to MSDN by changing your keys.

After creating the virtual machine, we will enable Guest Services, then install Server 2016.

### Phase Topics

- Creating the Virtual Machine
- Installing Windows Server 2016

### Creating the Virtual Machine


We will walk through configuring the virtual machine.




*It is important to note that the finalized folder structures created by Hyper-V Manager will be slightly different if you've run the PowerShell script version to create the virtual machines.*

**Task: Create Humongous Virtual Machine**

1. In **Hyper-V Manager**, right-click on the name of your server, and select **New | Virtual Machine ....**



2. When the **New Virtual Machine Wizard** opens, view the message in the **Before You Begin** section, then click **Next**.



3. Navigate to the **Name** text box and enter **Humongous**.
4. Place a check in the **Store the virtual machine in a different location** check box.

5. Click the corresponding **Browse...**

The screenshot shows the 'New Virtual Machine Wizard' window. The title bar says 'New Virtual Machine Wizard'. The main heading is 'Specify Name and Location'. On the left is a sidebar with steps: 'Before You Begin', 'Specify Name and Location' (highlighted), 'Specify Generation', 'Assign Memory', 'Configure Networking', 'Connect Virtual Hard Disk', 'Installation Options', and 'Summary'. The main area contains instructions: 'Choose a name and location for this virtual machine.' and 'The name is displayed in Hyper-V Manager. We recommend that you use a name that helps you easily identify this virtual machine, such as the name of the guest operating system or workload.' Below this, the 'Name' field contains 'Humongous'. A note states: 'You can create a folder or use an existing folder to store the virtual machine. If you don't select a folder, the virtual machine is stored in the default folder configured for this server.' There is a checked checkbox labeled 'Store the virtual machine in a different location!'. The 'Location' field contains 'C:\ProgramData\Microsoft\Windows\Hyper-V\' and a 'Browse...' button is to its right. A warning icon and text at the bottom state: 'If you plan to take checkpoints of this virtual machine, select a location that has enough free space. Checkpoints include virtual machine data and may require a large amount of space.' At the bottom right are buttons: '< Previous', 'Next >' (highlighted), 'Finish', and 'Cancel'.

6. In the **Select Folder** dialog box, navigate to **C:\RonsNotes**.
7. Within the **RonsNotes** folder, create a new folder named **VM\_Drives**.
8. Double-click to open **VM\_Drives** folder.
9. Within the **VM\_Drives** folder, create a new folder named **Humongous**.
10. Double-click to open **Humongous** folder.
11. Click **Select Folder**, then review your settings.

New Virtual Machine Wizard

### Specify Name and Location

**Before You Begin**

**Specify Name and Location**

Specify Generation

Assign Memory

Configure Networking

Connect Virtual Hard Disk

Installation Options

Summary

Choose a name and location for this virtual machine.


The name is displayed in Hyper-V Manager. We recommend that you use a name that helps you easily identify this virtual machine, such as the name of the guest operating system or workload.

Name:

You can create a folder or use an existing folder to store the virtual machine. If you don't select a folder, the virtual machine is stored in the default folder configured for this server.

☒ Store the virtual machine in a different location


Location:

 If you plan to take checkpoints of this virtual machine, select a location that has enough free space. Checkpoints include virtual machine data and may require a large amount of space.

< Previous   **Next >**   Finish   Cancel

12. Click **Next**.

13. In the **Specify Generation** dialog box, review the settings, then click **Next**.




14. In the **Assign Memory** dialog box, set the **Startup memory** to 4000MB.

15. Verify there is a check in the **Dynamic Memory** check box.

16. Click **Next**.


17. In the **Configure Networking** dialog box, move to the **Connection** setting, use the corresponding drop-down arrow and click to connect to the **VMExternal** adapter.



18. Click **Next**.
19. In the **Connect Virtual Hard Disk** dialog box, change the **Size** of the virtual hard disk to **80GB**.
20. Click **Next**.
21. In the **Installation Options** dialog box, review the settings and leave the radio button to **Install an operating system later** selected.
22. Click **Next**.




23. In the **Completing the New Virtual Machine Wizard** dialog box, review the settings, then click **Finish**.




24. In **Hyper-V Manager**, click to select **Humongous** virtual machine, then right-click the machine and select **Settings**....
25. When **Settings for Humongous ...** dialog box opens, review the options available.
26. Navigate to the pane on the left, then locate and click to select **Processor** tab.
27. Verify the **Number of virtual processors** is set to **4**.

28. If changes were made, click **Apply**.




29. Move back to the pane on the left and click to select **IDE Controller 0**.
30. Locate the **Select the type of drive you want to attach to the controller...** setting, click to select **DVD Drive**, then click **Add**.



31. Click the radio button to select an **Image file**, then click the corresponding **Browse....**
32. In the **Open** dialog box, navigate to **C:\RonsNotes\ISOs\Server2016** and double-click the installation ISO.

33. Back in **Settings for Humongous...** dialog box, review the settings.




34. Click **Apply**.

35. Move back to the pane on the left and click to select **DVD Drive** below **IDE Controller 1**.

36. Click the radio button to select an **Image file**, then click the corresponding **Browse...**

37. In the **Open** dialog box, navigate to **C:\RonsNotes\ISOs\SQL2016** and double-click the installation ISO.

38. Back in **Settings for Humongous...** dialog box, review the settings.



39. Click **Apply**.


40. Click **OK**.

## Installing Windows Server 2016


### *Task: Install Server 2016*

1. Right-click the virtual machine (**Humongous**), then click **Start**.
2. Again, right-click the virtual machine (**Humongous**), then click **Connect**.


3. In the **Windows Setup** dialog box, review the settings, then click **Next**.



4. Click **Install now**.




5. In the **Select the operating system you want to install** dialog box, click to select the second option **Windows Server 2016 Standard Evaluation (Desktop Experience)**.




6. Click **Next**.

7. Accept the license, then click **Next**.






8. In the **Which type of installation do you want** dialog box, click to select **Custom: Install Windows only (advanced)**.




9. When the **Where do you want to install Windows** dialog box opens, review the settings, then click **Next**.




10. Wait for installation to complete.
11. In the **Customize settings** prompt, move to the **Password** text box and enter **Passw0rd**, then reenter the same in the **Reenter password** text box.



*The 0 is numeric.*




12. Navigate to the lower-right and click **Finish**.

13. Log on to the virtual machine by utilizing the key sequence of **Ctrl+Alt+End**, or by clicking on the **Ctrl+Alt+Delete** icon (  ) in the toolbar.
14. Enter **Passw0rd** into the **Password** prompt to log in as **Administrator**.



15. Allow the virtual machine to fully start (wait for **Server Manager** to open).
16. You will see a prompt on the right asking **Do you want to allow your PC to be discoverable by other PCs and devices on this network**, click **Yes**.





*If the virtual machine remains black, then use Hyper-V Manager to shut it down, then restart it.*

*Optional step:*

- a. *You can run update on the virtual machine server. This will take a long time as you need to do it on all of them. We have tested this build with Server 2016 as-is, without any updates, and it all worked, but this is strictly your call.*
- b. *To run an update, open Server Manager, click to select Local Server, then click the corresponding hyperlink to search for and install updates.*

*Note. Until we connect these VMs to the internet they will not authenticate meaning you have ten days to get past that phase of the setup.*

17. Once Windows Server 2016 is installed successfully, switch to **Hyper-V Manager**, right-click the virtual machine (**Humongous**), then click **Shut Down...**
18. In the dialog box asking, **Are you sure you want to shut down the operating system in the selected virtual machines(s)**, click **Shut Down**.

## **PHASE 03 DOMAIN SETUP**

### **Phase Objective**

In this phase, we will copy files to the virtual machine, then configure the network adapters and build a domain.

### **Phase Topics**


- Enabling Integration Services
- Copying Files to the Individual Virtual Machines
- Renaming the Virtual Machine
- Creating the Domain
- Building out the Domain

### **Enabling Guest Services on the Virtual Machine**

#### ***Task: Enabling Guest Services on the Virtual Machine***

1. In **Hyper-V Manager**, click to select **Humongous**, then right-click the virtual machine and select **Settings...**
2. Move to the pane on the left, then locate and click to select **Integration Services** tab.

3. Verify there is a check in the **Guest services** check box.





4. If changes were made, click **Apply**.
5. Click **OK**.

## Renaming the Virtual Machine

### *Task: Renaming the Virtual Machine*

1. Switch to **Hyper-V Manager**.
2. Right-click **Humongous** virtual machine, then click **Start**.
3. Again, right-click **Humongous** virtual machine, then click **Connect**.
4. In **Connect to Humongous** dialog box, review the options available, then click **Connect**.




5. Log on to the virtual machine by utilizing the key sequence of **Ctrl+Alt+End**, or by clicking on the **Ctrl+Alt+Delete** icon (  ) in the toolbar.
6. Enter **Passw0rd** into the **Password** prompt to log in as **Administrator**.



7. Allow the virtual machine to fully start (wait for **Server Manager** to open).


8. When **Server Manager** opens, navigate to the pane on the left and click **Local Server**.




9. Locate the **Computer name** setting, note the current name, then click the corresponding link.



*Note: your computer name will not directly match the one shown below.*





10. In the **System Properties** dialog box, click **Change....**






11. When the **Computer Name/Domain Changes** dialog box opens, move to the **Computer name** text box and enter **Humongous**.



12. Click **OK**.
13. In the dialog box advising **You must restart your computer to apply these changes**, click **OK**.
14. Click **Close**.
15. In the dialog box advising **You must restart your computer to apply these changes**, click **Restart Now**.
16. Wait for the machine to reboot.
17. Log on to the virtual machine by utilizing the key sequence of **Ctrl+Alt+End**, or by clicking on the **Ctrl+Alt+Delete** icon (  ) in the toolbar.
18. Enter **PaSSw0rd** into the **Password** prompt to log in as **Administrator**. (*The 0 is numeric.*)
19. Allow the virtual machine to fully start (wait for **Server Manager** to open).
20. When **Server Manager** opens, navigate to the pane on the left and click **Local Server**.
21. Locate the **Computer name** setting and note the current name.




## Creating the Domain and Configuring the Forest


### Task: Creating the Domain

1. Switch back to **Humongous** virtual machine.

2. In **Server Manager**, navigate up to the menu in the upper-right and click **Manage | Add Roles and Features**.




3. In the **Add Roles and Features Wizard** dialog box, review the information given, then click **Next**.




4. In the **Select installation type** dialog box, review the options available, then leave **Role-based or feature-based installation** selected and click **Next**.


5. When the **Select destination server** dialog box opens, review the options available, then leave the settings as they are (**Humongous** selected) and click **Next**.




6. In the **Select server roles** dialog box, review the options available, then move to the **Roles** section and place a check in the **Active Directory Domain Services** check box.




7. When the **Add features that are required for Active Directory Domain Services** dialog box appears, verify there is a check in the **Include management tools (if applicable)** check box.




8. Click **Add Features**.
9. Move back to the **Roles** section and place a check in the **DNS Server** check box.



10. When the **Add features that are required for DNS Server** dialog box appears, verify there is a check in the **Include management tools (if applicable)** check box.




11. Click **Add Features**.
12. Click **Next**.
13. In the **Select features** dialog box, review the options available, then click **Next**.
14. When the **Active Directory Domain Services** dialog box appears, review the information given, then click **Next**.




15. In the **DNS Server** dialog box, review the information given, then click **Next**.
16. In the **Confirm installation selections** dialog box, review the settings.
17. Place a check in the **Restart the destination server automatically if required** check box.
18. In the **Add Roles and Features Wizard** dialog box asking **Do you want to allow automatic restarts**, click **Yes**.

19. Back in **Confirm installation selections** dialog box, click **Install**.




20. Upon success, you will see a message advising that **Installation succeeded on Humongous**, then click **Close**.




21. If the virtual machine does not reboot, manually reboot the machine.

### **Task: Configuring the Forest**

1. Once the machine comes back up from the reboot, back in **Server Manager**, notice a yellow warning in the upper-right.



2. Click the flag, then review the information given and click the **Promote this server to a domain controller** link.



3. In the **Deployment Configuration** dialog box, review the options available, then click the radio button to **Add a new forest**.



4. Move to the **Root domain name** text box and enter **RonsNotes.training.local**.

The screenshot shows the 'Active Directory Domain Services Configuration Wizard' window. The title bar reads 'Active Directory Domain Services Configuration Wizard'. The main window has a title 'Deployment Configuration'. On the left is a navigation pane with the following items: 'Deployment Configuration' (selected), 'Domain Controller Options', 'Additional Options', 'Paths', 'Review Options', 'Prerequisites Check', 'Installation', and 'Results'. The main area contains the following text: 'Select the deployment operation' followed by three radio buttons: 'Add a domain controller to an existing domain', 'Add a new domain to an existing forest', and 'Add a new forest' (which is selected and highlighted with a yellow background). Below this is the text 'Specify the domain information for this operation' followed by a text box labeled 'Root domain name:' containing the text 'RonsNotes.training.local'. In the top right corner, it says 'TARGET SERVER' and 'Humongous'. At the bottom of the window are four buttons: '< Previous', 'Next >', 'Install', and 'Cancel'. A link 'More about deployment configurations' is located at the bottom left of the main area.

5. Click **Next**.
6. In the **Domain Controller Options** dialog box, review the current settings.
7. Move to the **Password** text box and enter **Passw0rd**. (*The 0 is numeric.*)
8. Confirm **Passw0rd** in the **Confirm password** text box. (*The 0 is numeric.*)

Active Directory Domain Services Configuration Wizard

Domain Controller Options

TARGET SERVER  
Humongous

Deployment Configuration  
**Domain Controller Options**  
DNS Options  
Additional Options  
Paths  
Review Options  
Prerequisites Check  
Installation  
Results

Select functional level of the new forest and root domain

Forest functional level: Windows Server Technical Preview

Domain functional level: Windows Server Technical Preview

Specify domain controller capabilities

☒ Domain Name System (DNS) server

☒ Global Catalog (GC)

☐ Read only domain controller (RODC)

Type the Directory Services Restore Mode (DSRM) password

Password: .....


Confirm password: .....

[More about domain controller options](#)


< Previous Next > Install Cancel

9. Click **Next**.

10. In the **DNS Options** dialog box, review the information given, then click **Next**.




11. In the **Additional Options** dialog box, review the settings, then click **Next**.




12. In the **Paths** dialog box, review the settings, then click **Next**.

13. In the **Review Options** dialog box, review the settings then click **Next**.

14. In the **Prerequisites Check** dialog box, wait for the message to indicate that **All prerequisite checks passed successfully**, then click **Install**.



15. When the **Installation** dialog box appears, wait for installation to complete. Upon success, the virtual machine will restart.
16. When **Humongous** virtual machine starts back up, log on to the virtual machine by utilizing the key sequence of **Ctrl+Alt+End**, or by clicking on the **Ctrl+Alt+Delete** icon (  ) in the toolbar.
17. Enter **PaSSw0rd** into the **Password** prompt to log in as **Administrator**.




18. Allow the virtual machine to fully start (wait for **Server Manager** to open).
19. When **Server Manager** opens, navigate to the pane on the left and click **Local Server**.
20. Locate the **Domain** setting and note the current domain.




**Task: Create Student as Domain Administrator**


1. In **Humongous**, navigate up to the menu in the upper-right and click **Tools | Active Directory Users and Computers**.



2. When **Active Directory Users and Computers** opens, review the options available.




3. Move to the pane on the left and expand **RonsNotes.training.local**.



4. Click to select the **Users** folder.

5. Move to the section in the center, right-click **Administrator** and click **Copy....**




6. In the **Copy Object – User** dialog box, move to the **First name** text box and enter **Student**.
7. Navigate to the **User logon name** text box and enter **Student**.

A screenshot of the 'Copy Object - User' dialog box. The 'Create in:' field shows 'RonsNotes.training.local/Users'. The 'First name:' text box contains 'Student'. The 'Initials:' text box is empty. The 'Last name:' text box is empty. The 'Full name:' text box contains 'Student'. The 'User logon name:' text box contains 'Student'. The 'User logon name (pre-Windows 2000):' section has two text boxes: the first contains 'RONSNOTES\' and the second contains 'Student'. At the bottom, there are three buttons: '< Back', 'Next >', and 'Cancel'. The 'Next >' button is highlighted.

8. Click **Next**.
9. Move to the **Password** text box and enter **Passw0rd**. (*The 0 is numeric.*)
10. Move to the **Confirm password** text box and enter **Passw0rd**. (*The 0 is numeric.*)

11. Verify there is a check in the **Password never expires** check box.



Copy Object - User

Create in: RonsNotes.training.local/Users

Password: [masked]

Confirm password: [masked]

☐ User must change password at next logon

☐ User cannot change password

☒ Password never expires


☐ Account is disabled

< Back   Next >   Cancel

12. Click **Next**.
13. Click **Finish** and notice that **Student** is now listed at the bottom of the list.
14. Close **Active Directory Users and Computers**.
15. Press **Ctrl+Alt+End**.
16. Click **Sign out**.
17. Press **Ctrl+Alt+End**.
18. Navigate to the lower-left and click **Other user**.
19. Move to the **User name** text box and enter **Student**.




20. In the **Password** text box enter Passw0rd.




21. Allow the virtual machine to fully start (wait for **Server Manager** to open).

**Task: Turn Off the Firewall**

1. Connect to the virtual machine and log in as **Student**.
2. When **Server Manager** opens, move to the pane on the left and click **Local Server** tab.
3. Move to the **Properties** section in the center, locate the **Windows Firewall** setting and click the **Domain: On** link.



4. Navigate to the pane on the left and click **Turn Windows Firewall on or off**.





5. When **Customize settings for each type of network** opens, review the current settings.



### Customize settings for each type of network

You can modify the firewall settings for each type of network that you use.



#### Domain network settings

-  ☒ Turn on Windows Firewall
- ☐ Block all incoming connections, including those in the list of allowed apps
- ☐ Notify me when Windows Firewall blocks a new app
-  ☐ Turn off Windows Firewall (not recommended)

#### Private network settings

-  ☒ Turn on Windows Firewall
- ☐ Block all incoming connections, including those in the list of allowed apps
- ☐ Notify me when Windows Firewall blocks a new app
-  ☐ Turn off Windows Firewall (not recommended)

#### Public network settings

-  ☒ Turn on Windows Firewall
- ☐ Block all incoming connections, including those in the list of allowed apps
- ☐ Notify me when Windows Firewall blocks a new app
-  ☐ Turn off Windows Firewall (not recommended)

6. Click the radio button to **Turn off Windows Firewall** for all three network settings:
  - Domain
  - Private
  - Public

### Customize settings for each type of network

You can modify the firewall settings for each type of network that you use.

#### Domain network settings



☐ Turn on Windows Firewall

☐ Block all incoming connections, including those in the list of allowed apps

☐ Notify me when Windows Firewall blocks a new app



☒ Turn off Windows Firewall (not recommended)

#### Private network settings



☐ Turn on Windows Firewall

☐ Block all incoming connections, including those in the list of allowed apps

☐ Notify me when Windows Firewall blocks a new app



☒ Turn off Windows Firewall (not recommended)

#### Public network settings



☐ Turn on Windows Firewall

☐ Block all incoming connections, including those in the list of allowed apps

☐ Notify me when Windows Firewall blocks a new app




☒ Turn off Windows Firewall (not recommended)

7. Click **OK**.
8. Close **Control Panel**.


### **Task: Create Organizational Units**

1. Navigate up to the menu in the upper-right and click **Tools | Active Directory Users and Computers**.
2. When **Active Directory Users and Computers** opens, review the options available.
3. Move to the pane on the left and expand **RonsNotes.training.local**.

4. Right-click **RonsNotes.training.local**, then click **New | Organizational Unit**.




5. In the **New Object – Organizational Unit** dialog box, move to the **Name** text box and enter **RN\_Users**.




6. Review the remaining settings, then click **OK**.

7. Notice back in the pane on the left you now see **RN\_Users** listed.




8. Repeat the last three steps to create the following additional Organizational Units:


- Sharepoint\_Svrs
- SQL\_Svrs
- SQLDb




9. Click to select **RN\_Users**, then right-click **RN\_Users**, and click **New | Organizational Unit**.



10. In the **New Object – Organizational Unit** dialog box, move to the **Name** text box and enter **SP\_Approvers**.




11. Review the remaining settings, then click **OK**.
12. Notice back in the pane on the left you now see **SP\_Approvers** listed under **RN\_Users**.



13. Repeat the last three steps to create the following additional Organizational Units within the existing **RN\_Users** organizational unit:


- SP\_Designers
- SP\_Members
- SP\_Owners
- SP\_Visitors
- Svc\_Accounts






**Task: Adding Active Directory Users**

1. Click to select **SP\_Approvers**, then right-click **SP\_Approvers**, and click **New | User**.



2. In the **New Object – User** dialog box, move to the **First name** text box and enter **Approver\_Kate**.

3. Navigate to the **User logon name** text box and enter **Approver\_Kate**.



New Object - User

Create in: RonsNotes.training.local/RN\_Users/SP\_Approvers

First name: Approver\_Kate Initials:

Last name:

Full name: Approver\_Kate

User logon name: Approver\_Kate @RonsNotes.training.local

User logon name (pre-Windows 2000): RONSNOTES\ Approver\_Kate

< Back Next > Cancel

4. Click **Next**.
5. Move to the **Password** text box and enter **Passw0rd**. (*The 0 is numeric.*)
6. Move to the **Confirm password** text box and enter **Passw0rd**. (*The 0 is numeric.*)

7. Clear the check from the **User must change password at next logon**.
8. Verify there is a check in the **Password never expires** check box.

**New Object - User**

Create in: RonsNotes.training.local/RN\_Users/SP\_Approvers

Password: [dots]

Confirm password: [dots]

☐ User must change password at next logon


☐ User cannot change password

☒ Password never expires

☐ Account is disabled

< Back    Next >    Cancel

9. Click **Next**.
10. Click **Finish** and notice that **Approver\_Kate** is now listed in the center section.



11. Repeat the prior ten steps to create the following users in the corresponding places.

Location	Name
RN_Users / SP_Approvers	Approver_Kate (COMPLETED ABOVE)
RN_Users   SP_Designers	Designer_Bobbie
RN_Users   SP_Members	Member_Sam

RN_Users   SP_Owners	Owner_Ron
RN_Users   SP_Visitors	Visitor_Carlos
RN_Users   Svc_Accounts	SVC_Farm
RN_Users   Svc_Accounts	SVC_WebSvcAccount
RN_Users   Svc_Accounts	SVC_App
RN_Users   Svc_Accounts	SVC_Profile
RN_Users   Svc_Accounts	SVC_Search
RN_Users   Svc_Accounts	SVC_Installation
RN_Users   Svc_Accounts	SVC_Sync
RN_Users   Svc_Accounts	SVC_Content
RN_Users   Svc_Accounts	SVC_superReader
RN_Users   Svc_Accounts	SVC_Unattend
RN_Users   Svc_Accounts	SVC_DBA
SQLDb	SQLDb

12. Close **Active Directory Users and Computers**.

13. Minimize **Humongous**.

## PHASE 04 SETUP SQL SERVER


### Phase Objective

In this phase, we will set up SQL Server on the virtual machine. Phase Topics

- Install SQL Server 2016
- Install SQL Server Management Studio


### Task Install SQL Server 2016

1. In **Hyper-V Manager**, click to select **Humongous**, then right-click the virtual machine and select **Start**. (If it isn't already started.)
2. Double-click the **Humongous** virtual machine, then click **Connect**.
3. At the logon screen, click **Other user** in the lower-left corner, then log in as **Student**.
4. Start **File Explorer**.
5. Navigate to the pane on the left and click to select **This PC**.



6. Double-click **E:\** drive.

▼ Devices and drives (4)




7. When the list of files appears, locate and double-click **Setup.exe**.


Name	Date modified	Type
1033_ENU_LP	5/3/2016 4:05 PM	File folder
redist	5/3/2016 4:10 PM	File folder
resources	5/3/2016 4:10 PM	File folder
Tools	5/3/2016 4:10 PM	File folder
x64	5/3/2016 4:10 PM	File folder
autorun	2/9/2016 7:38 PM	Setup Information
MedialInfo	4/30/2016 9:13 PM	XML Document
setup	4/30/2016 9:12 AM	Application
setup.exe.config	2/9/2016 7:34 PM	CONFIG File
SqlSetupBootstrapper.dll	4/30/2016 9:12 AM	Application extens...
sqmapi.dll	4/30/2016 9:12 AM	Application extens...

8. In the **User Account Control** dialog box, click **Yes**.


9. In the **SQL Server Installation Center** dialog box, review the options available.



10. Navigate to the pane on the left and click **Installation**.
11. Click the link for a **New SQL Server stand-alone installation or add features to an existing installation**.




12. In the **Microsoft Update** dialog box, click **Next**.





*If you encounter a Product Updates dialog box, click Next.*

13. When the **Install Rules** dialog box opens, ignore the **Computer domain controller Warning**, then click **Next**.






14. In the **Product Key** dialog box, verify **Evaluation** is selected, then click **Next**.

The screenshot shows the 'SQL Server 2016 Setup' window with the 'Product Key' tab selected. The left sidebar lists various setup steps, with 'Product Key' highlighted. The main area contains instructions on how to validate the installation by entering a 25-character key. Two options are presented: 'Specify a free edition' (selected) and 'Enter the product key'. The 'Specify a free edition' option has a dropdown menu currently showing 'Evaluation'. The 'Enter the product key' option has an empty text field with a placeholder for a 25-character key. At the bottom right, there are three buttons: '< Back', 'Next >', and 'Cancel'.

15. In the **License Terms** dialog box, place a check in the **I accept the license terms** check box and click **Next**.

16. In the **Feature Selection** dialog box, place a check in the following check boxes:

- Database Engine Services
- Analysis Services
- Reporting Services – Native
- Client Tools Connectivity
- Integration Services
- Client Tools Backwards Compatibility
- Client Tools SDK
- Documentation Components



17. Click **Next**.
18. In the **Instance Configuration** dialog box, leave the **Default instance** settings as they are, and click **Next**.

☒ **Default instance**  
☐ **Named instance:**

---

**Instance ID:**

---

**SQL Server directory:**

**Analysis Services directory:**

**Reporting Services directory:**

19. In the **Server Configuration** dialog box, move to the **SQL Server Analysis Services** row, click into the empty **Account Name** text box, use the corresponding drop-down arrow, then click <<**Browse...**>>.
20. In the **Select Users, Computers, Service Accounts, or Groups** dialog box, move to the **Enter the object names to select** text box and enter **SQLDb**.

Select Users, Computers, Service Accounts, or Groups

Select this object type:  
 Users, Service Accounts, Groups, or Built-in security principals  
 Object Types...

From this location:  
 Entire Directory  
 Locations...

Enter the object names to select (examples):  
 SQLDb  
 Check Names

Advanced... OK Cancel

21. Click **Check Names** and notice **SQLDb** is now underlined.
22. Click **OK**.
23. Click into the corresponding empty **Password** text box and enter **Passw0rd**.



*In Passw0rd, the 0 is numeric.*

Service Accounts Collation

Microsoft recommends that you use a separate account for each SQL Server service.

Service	Account Name	Password	Startup Type
SQL Server Agent	NT Service\SQLSERVERA...		Manual
SQL Server Database Engine	NT Service\MSSQLSERVER		Automatic
SQL Server Analysis Services	RonsNotes\SQLDb	Passw0rd	Automatic
SQL Server Reporting Services	NT Service\ReportServer		Automatic
SQL Server Integration Services 13.0	NT Service\MsDtsServer...		Automatic
SQL Server Browser	NT AUTHORITY\LOCAL ...		Disabled


☐ Grant Perform Volume Maintenance Task privilege to SQL Server Database Engine Service

This privilege enables instant file initialization by avoiding zeroing of data pages. This may lead to information disclosure by allowing deleted content to be accessed.

[Click here for details](#)

24. Click **Next**.
25. In the **Database Engine Configuration** dialog box, review the current settings.
26. Click **Add Current User**.
27. Notice you now see **RONSNOTES\Student (Student)** listed in the **Specify SQL Server administrators** text box.

28. Click **Add...**
29. In the **Select Users, Computers, Service Accounts, or Groups** dialog box, move to the **Enter the object names to select** text box and enter SQLDbA.




30. Click **Check Names** and notice SQLDbA is now underlined.
31. Click **OK**.

32. Notice you now see **RONSNOTES\SQLDbA (SQLDbA)** listed in the **Specify SQL Server administrators** text box.

*At this point you should show two administrators:*

- *RONSNOTES\Student (Student)*
- *RONSNOTES\SQLDbA (SQLDbA)*



33. Click **Next**.


34. In the **Analysis Service Configuration** dialog box, review the current settings.

35. Click **Add Current User**.

36. Notice you now see **RONSNOTES\Student (Student)** listed in the **Specify which users have administrative permissions for Analysis Services** text box.

37. Click **Add...**

38. In the **Select Users, Computers, Service Accounts, or Groups** dialog box, move to the **Enter the object names to select** text box and enter **SQLDb**.
39. Click **Check Names** and notice **SQLDb** is now underlined.
40. Click **OK**.
41. Notice you now see **RONSNOTES\SQLDb (SQLDb)** listed in the **Specify which users have administrative permissions for Analysis Services** text box.  
*At this point you should show two administrators:*
  - *RONSNOTES\Student (Student)*
  - *RONSNOTES\SQLDb (SQLDb)*



42. Click **Next**.

43. In the **Reporting Services Configuration** dialog box, review the settings, then click **Next**.

Reporting Services Native Mode

☒ Install and configure.  
Installs and configures the report server in native mode. The report server is operational after setup completes.

☐ Install only.  
Installs the report server files. After installation, use Reporting Services Configuration Manager to configure the report server for native mode.

Reporting Services SharePoint Integrated Mode


☐ Install only.  
Installs the report server files. After installation use SharePoint Central Administration to complete the configuration. Verify the SQL Server Reporting Services service is started and create at least one SQL Server Reporting Services service application. For more information, click Help.

44. Click **Next**.
45. In the **Ready to Install** dialog box, click **Install**.
46. Upon **Success**, click **Close**.
47. Using **Hyper-V Manager**, shut down and restart the VM.
48. Double-click the VM to connect.
49. Open **File Explorer** and double-click the drive containing **SQL2016\_x64\_ENU**.
50. Double-click **setup**.


Name	Date modified	Type
1033_ENU_LP	5/3/2016 4:05 PM	File folder
redist	5/3/2016 4:10 PM	File folder
resources	5/3/2016 4:10 PM	File folder
Tools	5/3/2016 4:10 PM	File folder
x64	5/3/2016 4:10 PM	File folder
autorun	2/9/2016 7:38 PM	Setup Information
MedialInfo	4/30/2016 9:13 PM	XML Document
setup	4/30/2016 9:12 AM	Application
setup.exe.config	2/9/2016 7:34 PM	CONFIG File
SqlSetupBootstrapper.dll	4/30/2016 9:12 AM	Application extens...
sqmapi.dll	4/30/2016 9:12 AM	Application extens...

51. In the **User Account Control** dialog box, click **Yes**.
52. In **SQL Server Installation Center**, click **Installation** tab.

53. Click the link for a **New SQL Server stand-alone installation or add features to an existing installation**.




54. In the **Microsoft Update** dialog box, click **Next**.








- If you encounter a Product Updates dialog box, click Next.*
55. When the **Install Rules** dialog box opens, ignore the **Computer domain controller** Warning, then click **Next**.




56. In the **Installation Type** dialog box, click **Next**.



57. In the **Product Key** dialog box, click **Next**.

58. In the **License Terms** dialog box, place a check in the **I accept the license terms** check box and click **Next**.

59. In the **Feature Selection** dialog box, place a check in the **Analysis Services** check box.



60. Click **Next**.

61. In the **Instance Configuration** dialog box, move to the **Named instance** text box and enter **Tabular**.

62. In the **Instance ID** text box, enter **TABULAR** and then click **Next**.

☐ Default instance

☒ Named instance:


Tabular

Instance ID:

TABULAR

Analysis Services directory: C:\Program Files\Microsoft SQL Server\MSAS13.TABULAR

63. In the **Server Configuration** dialog box, navigate to the **SQL Server Analysis Services** row and in the **Account Name** text box enter **RonsNotes\Student**.
64. Move to the Password text box and enter **Passw0rd** (the 0 is numeric).



**Server Configuration**  
Specify the service accounts and collation configuration.


Global Rules  
Microsoft Update  
Product Updates  
Install Setup Files  
Install Rules  
Installation Type  
Product Key  
License Terms

Service Accounts Collation

Microsoft recommends that you use a separate account for each SQL Server service.

Service	Account Name	Password	Startup Type
SQL Server Analysis Services	RonsNotes\Student	••••••••	Automatic
SQL Server Browser	NT AUTHORITY\LOCAL...		Automatic

65. Click **Next**.
66. In the **Analysis Services Configuration** dialog box, click the **Tabular Mode** radio button.
67. Click **Add Current User**.



**Analysis Services Configuration**  
Specify Analysis Services server modes, administrators, and data directories.

Global Rules  
Microsoft Update  
Product Updates  
Install Setup Files  
Install Rules  
Installation Type  
Product Key  
License Terms  
Feature Selection  
Feature Rules  
Instance Configuration  
Server Configuration  
**Analysis Services Configuration**  
Feature Configuration Rules  
Ready to Install  
Installation Progress  
Complete

Server Configuration Data Directories

Server Mode:  
☐ Multidimensional and Data Mining Mode  
☒ **Tabular Mode**  
☐ PowerPivot Mode

Specify which users have administrative permissions for Analysis Services.

RonsNotes\Student (Student)	Analysis Services administrators have unrestricted access to Analysis Services.

Add Current User Add... Remove


< Back **Next >** Cancel

68. Click **Next**.
69. In the **Ready to Install** dialog box, click **Install**.
70. Upon **Success**, click **Close**.
71. Using **Hyper-V Manager**, shut down and restart the VM.
72. Double-click the VM to connect.
73. Open **File Explorer** and double-click the drive containing **SQL2016\_x64\_ENU**.
74. Double-click **setup**.


75. In the **User Account Control** dialog box, click **Yes**.
76. In **SQL Server Installation Center**, click **Installation** tab.

**Task: Install SQL Server Management Studio**

1. Switch to **Server Manager**.
2. Navigate to the pane on the left and click to select the **Local Server** tab.
3. Locate the **IE Enhanced Security Configuration** setting and click the corresponding **On** link.




4. Click the **Off** radio button for both **Administrators** and **Users**.




5. Click **OK**.
6. Switch back to the **SQL Server Installation Center**, move to the pane on the left and click **Installation**.
7. Click **Install SQL Server Management Tools** link.




*If you receive the Internet Explorer settings dialog box, move the radio button to Don't use recommended settings and click OK.*



8. Click the **Download SQL Server Management Studio (Current release for production use)** link.
9. In the prompt below asking **Do you want to run or save SSMS-Setup-ENU.exe**, click **Save** (just in case).
10. Wait for the download to complete.
11. Once the download completes, move to the **SSMS-Setup-ENU.exe download has completed** prompt, and click **Run**.
12. In the **Welcome** dialog box, review the information, then click **Install**.




13. Once the installation completes, you will see a **Restart required in order to complete setup** dialog box, then click **Restart**.




14. When the virtual machine comes back up, click **Other user** in the lower-left corner, then log in as **Student**.
15. Press the **Windows** key, then enter **SQL**.
16. Right-click **Microsoft SQL Server Management Studio**, then click **Pin to taskbar**.
17. Press **Esc** to return to desktop view.

18. Right-click the **Microsoft SQL Server Management Studio** icon in the taskbar, right-click the new **SQL Server Management Studio** icon showing, and click **Run as administrator**.




19. In the **User Account Control** dialog box, click **Yes**.  
20. In the **Connect to Server** dialog box, review the current settings, then click **Connect**.




21. Minimize **Microsoft SQL Server Management Studio**.  
22. Switch to your host machine and navigate to the downloaded database backup files (**DB Backups** folder).  
23. Right-click the **DB Backups** folder, then click **Copy**.  
24. Switch to **Humongous** virtual machine.  
25. Open **File Explorer** and navigate to **C:\**.  
26. Paste in the **DB Backups** folder.  
27. Double-click to open **DB Backups** folder.  
28. Open a new instance of **File Explorer**, navigate to **C:\Program Files\Microsoft SQL Server\MSSQL13.MSSQLSERVER\MSSQL\Backup**.



29. In the **you don't currently have permission to access this folder** dialog box, click **Continue**.
30. Back in **DB Backups** folder, double-click to open the **Adventure Works 2014 Full Database Backup** folder.
31. Click to select **AdventureWorks2014.bak**, then right-click the file and click **Copy**.
32. Paste the files in **C:\Program Files\Microsoft SQL Server\MSSQL13.MSSQLSERVER\MSSQL\Backup**.
33. Switch back to **DB Backups** folder, double-click to open the **Adventure Works DW 2014 Full Database Backup** folder.
34. Click to select **AdventureworksDW2014.bak**, then right-click the file and click **Copy**.
35. Paste the files in **C:\Program Files\Microsoft SQL Server\MSSQL13.MSSQLSERVER\MSSQL\Backup**.
36. Switch back to **Microsoft SQL Server Management Studio**, navigate to the **Object Explorer** pane, right-click **Databases** and click **Restore Database ...**.




37. In the **Restore Database** dialog box, click the **Device** radio button and the corresponding ellipses.




38. In the **Select backup devices** dialog box, click **Add**.

39. In the **Locate Backup File - HUMONGOUS** dialog box, notice both files are listed.




40. Double-click **AdventureWorks2014.bak** and in the **Select backup devices** dialog box, click **OK**.




41. In the **Restore Database-AdventureWorks2014** dialog box, click **OK**.
42. In the dialog box stating **Database 'AdventureWorks2014' restored successfully**, click **OK**.
43. Move back to **Microsoft SQL Server Management Studio**, navigate to the **Object Explorer** pane, right-click **Databases** and click **Restore Database ...**.
44. In the **Restore Database** dialog box, click the **Device** radio button and the corresponding ellipses.
45. In the **Select backup devices** dialog box, click **Add**.
46. In the **Locate Backup File - HUMONGOUS** dialog box, double-click **AdventureWorksDW2014**.


47. In the **Select backup devices** dialog box, click **OK**.
48. In the **Restore Database-AdventureWorksDW2014** dialog box, click **OK**.
49. In the dialog box stating **Database 'AdventureWorksDW2014' restored successfully**, click **OK**.
50. In the **Object Explorer** pane, expand **Databases** folder and notice you now see both databases listed.




51. In a new instance of **File Explorer**, navigate to **C:\Program Files\Microsoft SQL Server\MSAS13.MSSQLSERVER\OLAP\Backup**.
52. In the **You don't currently have permission to access this folder** dialog box, click **Continue**.
53. Back in **C:\DB Backups**, double-click the **Adventure Works Multidimensional Model SQL 2014 Full Database Backups** folder.
54. Right-click **AdventureWorksDW2014Multidimensional-EE.abf** and click **Copy**.
55. Paste the file into **C:\Program Files\Microsoft SQL Server\MSAS13.MSSQLSERVER\OLAP\Backup**.
56. Switch back to **Microsoft SQL Server Management Studio** and in the **Object Explorer** pane, click **Connect**.
57. In the drop-down, click **Analysis Services...**




58. In the **Connect to Server** dialog box, click **Connect**.
59. In the **Object Explorer** pane, locate the **Databases** folder under **Humongous (Microsoft Analysis Services)**, right-click and click **Restore...**




60. In the **Restore Database** dialog box, move to the **Restore Source** section and click the corresponding **Browse....**




61. In the **Locate Database Files** dialog box, expand the first folder listed, double-click **AdventureWorksDW2014Multidimensional-EE.abf** and click **OK**.



62. Back in the **Restore Database** dialog box, click **OK**.  
63. Upon completion (this may take some time), right-click **Databases** under **Humongous (Microsoft Analysis Services)**, and click **Refresh**.  
64. Expand **Databases** under **Humongous (Microsoft Analysis Services)**, expand **AdventureWorksDW2014Multidimensional-EE.abf** and expand **Cubes**.  
65. Notice **Adventure Works** is listed.



66.  
67. In the **Object Explorer** pane on the left, expand **Security** folder.  
68. Right-click **Logins** and click **New Login....**



69. In the **Login - New** dialog box, click **Search....**

**Login - New**

Select a page

- General
- Server Roles
- User Mapping
- Securables
- Status

Script Help

Login name:  **Search...**

☒ Windows authentication  
☐ SQL Server authentication

Password:   
 Confirm password:   
☐ Specify old password  
 Old password:   
☒ Enforce password policy  
☒ Enforce password expiration  
☒ User must change password at next login

☐ Mapped to certificate   
☐ Mapped to asymmetric key   
☐ Map to Credential  **Add**

Mapped Credentials

Credential	Provider

**Remove**

Default database:   
 Default language:

**OK** **Cancel**

70. In the **Select User, Service Account, or Group** dialog box, click **Advanced...**

**Select User, Service Account, or Group**

Select this object type:

**Object Types...**

From this location:


**Locations...**

Enter the object name to select (examples):


**Check Names**

**Advanced...** **OK** **Cancel**

71. Click **Locations...**



72. In the **Locations** dialog box, verify **Entire Directory** is selected, then click **OK**.



73. In the **Select User, Service Account, or Group** dialog box, move to the **Starts with** setting and enter SVC\_Farm into the corresponding text box.

Select User, Service Account, or Group

Select this object type:  
 User or Built-in security principal

From this location:  
 Entire Directory

Common Queries

Name: Starts with SVC\_Farm

Description: Starts with

☐ Disabled accounts

☐ Non expiring password

Days since last logon:

Find Now

Stop

OK

Cancel

Name	In Folder	E-Mail Address
SVC_Farm	RonsNotes.traini...	

74. Click **Find Now**.

75. Notice you now see **SVC\_Farm** listed below in the **Search results**.

Search results:

Name	In Folder	E-Mail Address
SVC_Farm	RonsNotes.traini...	

76. Click **OK**.

77. Back in the **Select User, Service Account, or Group** dialog box, review the results.

Select User, Service Account, or Group

Select this object type:  
 User or Built-in security principal

From this location:  
 Entire Directory

Enter the object name to select (examples):  
 SVC\_Farm

Check Names

Advanced...

OK

Cancel

78. Click **OK**.
79. Back in the **Login – New** dialog box, review the results, then click **OK**.

**Login - New**

Select a page: General, Server Roles, User Mapping, Securables, Status

Script Help

Login name: RONSNOTES\SVC\_Fam Search...

☒ Windows authentication  
☐ SQL Server authentication

Password:   
Confirm password:   
☐ Specify old password  
Old password:

☒ Enforce password policy  
☒ Enforce password expiration  
☒ User must change password at next login

☐ Mapped to certificate   
☐ Mapped to asymmetric key   
☐ Map to Credential  Add

Mapped Credentials

Credential	Provider
------------	----------

Remove

Default database: master  
Default language: <default>

OK Cancel

80. Repeat the prior twelve steps to create a login for **SVC\_Installation**.


Search results:

Name	In Folder	E-Mail Address
SVC_Installation	RonsNotes.training.local/RN_Users/Svc_Accounts	

81. Move back to the **Object Explorer** pane on the left and expand **Logins** folder.




82. Right-click **RONSNOTES\SVC\_Farm** and click **Properties**.




83. When the **Login Properties – RONSNOTES\SVC\_Farm** dialog box opens, review the settings and options available.

84. Move to the pane on the left and click **Server Roles**.

85. Navigate to the **Server roles** setting and place a check in both the **dbcreator** and **securityadmin** check boxes.



86. Click **OK**.  
87. Repeat the last five steps for **SVC\_Installation**.




88. Close **SSMS**.  
89. Restart the virtual machine.  
90. When the virtual machine comes back up, log on as **Student**.  
91. Open **File Explorer** and double-click the drive containing **SQL2016\_x64\_ENU**.  
92. Double-click **setup**.  
93. In the **User Account Control** dialog box, click **Yes**.  
94. In **SQL Server Installation Center**, click **Installation** tab.

### **Task: Install SQL Server Data Tools**

1. Click **Install SQL Server Data Tools** link.




*If you receive the Internet Explorer settings dialog box, move the radio button to **Don't use recommended settings** and click **OK**.*




2. Click the **Download SQL Server Data Tools (Current release for production use)** link.
3. Click **Download SQL Server Data Tools**.
4. In the prompt below asking **Do you want to run or save SSDTSetup.exe**, click **Save** (just in case).
5. Wait for the download to complete.
6. Once the download completes, move to the **SSDTSetup.exe download has completed** prompt, and click **Run**.


7. In the **Install tools for these SQL Server features** dialog box, review the information and click **Next**.



8. In the **Microsoft Software License Terms** dialog box, place a check in the **I agree to the license terms and conditions** check box.
9. Click **Install**.



10. In the **Setup Successful** dialog box, click **Restart**.



11. When the virtual machine comes back up, click **Other user** in the lower-left corner, then log in as **Student**.
12. Press the **Windows** key, then enter **SQL Server Data**.
13. Right-click **SQL Server Data Tools 2015**, then click **Pin to taskbar**.
14. Press **Esc** to return to desktop view.

**Task: Microsoft Office Professional Plus 2013**



*Excel is optional and only used in one series of labs.*

1. Download and install Microsoft Office Professional Plus 2013 or higher.  
<https://www.microsoft.com/en-us/evalcenter/evaluate-office-professional-plus-2013>
2. Once installation completes, start **Excel 2013**.
3. When **Excel 2013** opens, click **Blank workbook**.
4. Navigate to the menu and click **FILE | Options**.
5. When **Excel Options** dialog box opens, navigate to the pane on the left and click **Add-Ins**.
6. Move down to the **Manage** setting, use the corresponding drop-down arrow and click to select **COM Add-ins**.
7. Click **Go...**
8. In the **COM Add-Ins** dialog box, locate the **Microsoft Office PowerPivot for Excel 2013** setting and place a check in the corresponding check box.
9. Click **OK**.
10. Close **Excel 2013**.

**Lab Files**

Switch to your host machine, navigate to the downloaded/cloned repository files, then copy the **Lab Files** folder and paste it into **C:\** drive on the **Humongous** virtual machine.