

FALCUTÉ DES SCIENCES ET TECHNOLOGIES (FST)

TROISIÈME ANNÉE

Rapport du travail de Laboratoire NO

Cours : Systèmes

Étudiante : Roobentia SENECAL

Professeur : Ismaël SAINT AMOUR

LE 23 OCTOBRE 2026


OBJECTIF DE CE TD

- **Comprendre les concepts de base de Git (système de gestion de versions).**
- **Savoir utiliser Git pour gérer un projet localement.**
- **Découvrir GitHub et apprendre à collaborer sur un dépôt distant**


TRAVAUX DIRIGÉS

- **Reproduire une série de tâches.**
- **Créer un nouveau dépôt sur GitHub.**


1) Vérification de la version Git installée sur le PC.




2) Connexion à mon compte GitHub




3) Configuration de Git





4) Affichage de la liste des fichiers et dossiers avec la commande :ls





5) Création d’un dossier , Dossier crée, et d’ autres démarches parce que j’ ai enregitrée mon dossier sur mon desktop avec onedrive






MINGW64:/c/Users/HP Elite Book/Onedrive/Desktop
new
new.py
ntuser.dat.LOG1
ntuser.dat.LOG2
ntuser.ini
HP Elite Book@DESKTOP-3VC2CJO MINGW64 ~
$ cd Desktop
bash: cd: Desktop: No such file or directory
HP Elite Book@DESKTOP-3VC2CJO MINGW64 ~
$ mkdir projet-git
HP Elite Book@DESKTOP-3VC2CJO MINGW64 ~
$ pwd
/c/Users/HP Elite Book
HP Elite Book@DESKTOP-3VC2CJO MINGW64 ~
$ mkdir projet-git
mkdir: cannot create directory 'projet-git': File exists
HP Elite Book@DESKTOP-3VC2CJO MINGW64 ~
$ cd Onedrive/Desktop
HP Elite Book@DESKTOP-3VC2CJO MINGW64 ~/Onedrive/Desktop
$ mkdir projet-git
HP Elite Book@DESKTOP-3VC2CJO MINGW64 ~/Onedrive/Desktop
$ git init
Initialized empty Git repository in C:/Users/HP Elite Book/OneDrive/Desktop/.git/
HP Elite Book@DESKTOP-3VC2CJO MINGW64 ~/Onedrive/Desktop (master)


projet-git



MINGW64:/c/Users/HP Elite Book/Onedrive/Desktop
HP Elite Book@DESKTOP-3VC2CJ0 MINGW64 ~/Onedrive/Desktop
$ mkdir projet-git
HP Elite Book@DESKTOP-3VC2CJ0 MINGW64 ~/Onedrive/Desktop
$ git init
Initialized empty Git repository in C:/Users/HP Elite Book/OneDrive/Desktop/.git/
HP Elite Book@DESKTOP-3VC2CJ0 MINGW64 ~/Onedrive/Desktop (master)
$ echo "Hello Git" > README.md
HP Elite Book@DESKTOP-3VC2CJ0 MINGW64 ~/Onedrive/Desktop (master)
$ git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it
HP Elite Book@DESKTOP-3VC2CJ0 MINGW64 ~/Onedrive/Desktop (master)
$ git commit -m "Premier commit avec PowerShell"
Author identity unknown
*** Please tell me who you are.
Run
git config --global user.email "you@example.com"
git config --global user.name "Your Name"
to set your account's default identity.
Omit --global to set the identity only in this repository.
fatal: unable to auto-detect email address (got 'HP Elite Book@DESKTOP-3VC2CJ0.(none)')
HP Elite Book@DESKTOP-3VC2CJ0 MINGW64 ~/Onedrive/Desktop (master)
$


MINGW64:/c/Users/HP Elite Book/Onedrive/Desktop
$ git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it
HP Elite Book@DESKTOP-3VC2CJ0 MINGW64 ~/Onedrive/Desktop (master)
$ git commit -m "Premier commit avec PowerShell"
Author identity unknown
*** Please tell me who you are.
Run
git config --global user.email "you@example.com"
git config --global user.name "Your Name"
to set your account's default identity.
Omit --global to set the identity only in this repository.
fatal: unable to auto-detect email address (got 'HP Elite Book@DESKTOP-3VC2CJ0.(none)')
HP Elite Book@DESKTOP-3VC2CJ0 MINGW64 ~/Onedrive/Desktop (master)
$ git config --global user.email "bentiasenecal@gmail.com"
HP Elite Book@DESKTOP-3VC2CJ0 MINGW64 ~/Onedrive/Desktop (master)
$ git config --global user.name "Roobentia"
HP Elite Book@DESKTOP-3VC2CJ0 MINGW64 ~/Onedrive/Desktop (master)
$ git commit -m "Premier commit avec PowerShell"
[master (root-commit) 5621c2e] Premier commit avec PowerShell
1 file changed, 1 insertion(+)
create mode 100644 README.md
HP Elite Book@DESKTOP-3VC2CJ0 MINGW64 ~/Onedrive/Desktop (master)
$



HP Elite Book@DESKTOP-3VC2CJ0 MINGW64 ~
$ git commit -m "Mon premier commit du projet"
fatal: not a git repository (or any of the parent directories): .git
HP Elite Book@DESKTOP-3VC2CJ0 MINGW64 ~
$ cd "OneDrive/Desktop/Projet Final"
HP Elite Book@DESKTOP-3VC2CJ0 MINGW64 ~/OneDrive/Desktop/Projet Final (master)
$ git commit -m "Mon premier commit du projet"
[master (root-commit) 7201de1] Mon premier commit du projet
7 files changed, 742 insertions(+)
create mode 100644 app.py
create mode 100644 instance/database.db
create mode 100644 static/style.css
create mode 100644 templates/candidates.html
create mode 100644 templates/index.html
create mode 100644 templates/profile.html
create mode 100644 templates/register.html
HP Elite Book@DESKTOP-3VC2CJ0 MINGW64 ~/OneDrive/Desktop/Projet Final (master)
$ git status
On branch master
nothing to commit, working tree clean
HP Elite Book@DESKTOP-3VC2CJ0 MINGW64 ~/OneDrive/Desktop/Projet Final (master)


MINGW64:/c/Users/HP Elite Book/OneDrive/Desktop/Projet Final
HP Elite Book@DESKTOP-3VC2CJ0 MINGW64 ~/OneDrive/Desktop/Projet Final (master)
$ ssh-keygen -t ed25519 -C "bentiasenecal@gmail.com"
Generating public/private ed25519 key pair.
Enter file in which to save the key (/c/Users/HP Elite Book/.ssh/id_ed25519):
Created directory '/c/Users/HP Elite Book/.ssh'.
Enter passphrase for "/c/Users/HP Elite Book/.ssh/id_ed25519" (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /c/Users/HP Elite Book/.ssh/id_ed25519
Your public key has been saved in /c/Users/HP Elite Book/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:vvUT5exbwlTQBHSDTVbNn/wBWWPNh61bvz1QilOHUcg bentiasenecal@gmail.com
The key's randomart image is:
+--[ED25519 256]--+
| o@^O|
| +E+@|
| oo=|
| oB+|
| S   o+=o=|
| .   ..*+ o|
| . . o+ +|
| o .. .=.|
| . .....|
+----[SHA256]-----+
HP Elite Book@DESKTOP-3VC2CJ0 MINGW64 ~/OneDrive/Desktop/Projet Final (master)
$
Pièces jointes
Pictures


6) Ajout Du Clé SSH sur mon compte github



7) Création du dépôt GitHub




8) Clonage du dépôt GitHub via la clé SSH




SECOND EXERCICE


✓ **Création d'un dépôt GitHub nommé Projet Final**





✓ **Clonage du dossier Projet Final sur mon bureau**



✓ **Création des dossiers systeme, image, projet, présentation dans le dossier principal TD**




MINGW64:/c/Users/HP Elite Book/OneDrive/Desktop/Projet Final/Projet-Final/Projet-Final
$ git add .
warning: in the working copy of 'Module.txt', LF will be replaced by CRLF the next time Git touches it
HP Elite Book@DESKTOP-3VC2CJO MINGW64 ~/OneDrive/Desktop/Projet Final/Projet-Final/Projet-Final (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
Changes to be committed:
(use "git restore --staged <file>..." to unstage)
new file: Module.txt
HP Elite Book@DESKTOP-3VC2CJO MINGW64 ~/OneDrive/Desktop/Projet Final/Projet-Final/Projet-Final (main)
$ git commit -m "Ajout du fichier Module.
>
> "
[main b736786] Ajout du fichier Module.
1 file changed, 1 insertion(+)
create mode 100644 Module.txt
HP Elite Book@DESKTOP-3VC2CJO MINGW64 ~/OneDrive/Desktop/Projet Final/Projet-Final/Projet-Final (main)
$
Open in GitHub Copilot app


MINGW64:/c/Users/HP Elite Book/OneDrive/Desktop/Projet Final/Projet-Final/Projet-Final
create mode 100644 Module.txt
HP Elite Book@DESKTOP-3VC2CJO MINGW64 ~/OneDrive/Desktop/Projet Final/Projet-Final/Projet-Final (main)
$ git push -u origin main
ssh: Could not resolve hostname github.com: Name or service not known
fatal: Could not read from remote repository.
Please make sure you have the correct access rights
and the repository exists.
HP Elite Book@DESKTOP-3VC2CJO MINGW64 ~/OneDrive/Desktop/Projet Final/Projet-Final/Projet-Final (main)
$ git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 312 bytes | 312.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:Roobentia/Projet-Final.git
98212dc..b736786 main -> main
branch 'main' set up to track 'origin/main'.
HP Elite Book@DESKTOP-3VC2CJO MINGW64 ~/OneDrive/Desktop/Projet Final/Projet-Final/Projet-Final (main)
$

CONCLUSION

Ce laboratoire m’ a permis d'acquérir une autonomie complète dans la gestion de versions et le déploiement de projets informatiques. Grâce à la prise en main conjointe de Git et de GitHub, j’ai assimilé les bonnes pratiques du développement collaboratif moderne, allant de la structuration locale d'un projet jusqu'à sa publication sécurisée sur un serveur distant.

Notions acquises durant ce laboratoire :

• ✓ Maîtrise du flux de travail : Compréhension du cycle de vie des fichiers (modification, indexation, validation) et distinction claire entre l'espace de travail local et le stockage distant.

• ✓ Gestion de projet et documentation : Capacité à initialiser un projet de manière professionnelle en y intégrant une documentation claire, structurée et accessible.

• ✓ Autonomie en ligne de commande : Utilisation fluide du terminal pour orchestrer le suivi du code et interagir efficacement avec les plateformes cloud :

1. git --version : Vérification et contrôle de l'environnement de développement local.

2. git config : Personnalisation globale des identifiants pour garantir la traçabilité des contributions.

3. git config --list : Audit et validation de l'ensemble des paramètres actifs du système.

4. ls / cd / mkdir : Navigation rapide et gestion autonome de l'arborescence des fichiers depuis le terminal.

5. git init : Création et amorçage autonome d'un nouveau dépôt de développement.

6. README.md : Rédaction d'une fiche technique descriptive standardisée au format Markdown.

7. git status : Diagnostic en temps réel de l'état des fichiers et suivi des modifications en cours.

8. git add . : Préparation globale et indexation des fichiers modifiés avant leur enregistrement.

9. git commit -m : Validation définitive des étapes du projet avec une journalisation claire et descriptive.

10. git log : Analyse historique des versions pour assurer la réversibilité et le suivi du code.

11. git branch -M main : Standardisation et configuration de la branche principale de travail.

12. git remote add origin : Établissement d'une passerelle de communication sécurisée avec les serveurs de GitHub.

13. git push -u origin main : Déploiement final et synchronisation sécurisée du code vers la plateforme distante.