AI Extension – Implement for Playwright TypeScript

Prompt:

analyze my entire code base for AI-EXTENSION for selenium JAVA

We need to implement the same logic for Playwright Type Script

Please proceed with implementation only if i approve

show me the files where changes are made and do after approval

Screenshot:









Feature: Salesforce login

As a QA engineer,

I want to verify that users from South India can log in successfully

So that the authentication flow works for regional accounts.

Scenario Outline: Successful login with valid South Indian credentials

```
  Given I open the Salesforce login page
  When I fill the Username field with "<username>"
  And I fill the Password field with "<password>"
  And I submit the login form
  Then I should be redirected to the Salesforce home page

  Examples:
    | username                    | password        |
    | ram.kumar@example.com       | RamKumar@123    |
    | sreeja.rao@example.in       | Sreeja#2023     |
    | vijay.patel@example.co.in   | Vijay!Pass2022  |
    | lakshmi.narayanan@example.org| Lakshmi$321     |
```

```
import { Before, After, Given, When, Then } from '@cucumber/cucumber';
import { chromium, Browser, Page, expect } from '@playwright/test';

let browser: Browser;
let page: Page;

Before(async () => {
  // Launch a headless Chromium browser for the scenario
  browser = await chromium.launch({ headless: true });
  page = await browser.newPage();
});

After(async () => {
  // Clean up after each scenario
  await page.close();
  await browser.close();
```

```
});

Given('I open the Salesforce login page', async () => {
  await page.goto('https://login.salesforce.com/');
  // Ensure the login form is visible before proceeding
  await expect(page.locator('form#login_form')).toBeVisible();
});

When('I fill the Username field with {string}', async (username: string) => {
  // The label “Username” is associated with the input #username
  const usernameInput = page.getByLabel('Username');
  await expect(usernameInput).toBeVisible();
  await usernameInput.fill(username);
});

When('I fill the Password field with {string}', async (password: string) => {
  const passwordInput = page.getByLabel('Password');
  await expect(passwordInput).toBeVisible();
  await passwordInput.fill(password);
});

When('I submit the login form', async () => {
  // The submit button has the visible text “Log In”
  const loginButton = page.getByRole('button', { name: /Log In/i });
  await expect(loginButton).toBeEnabled();
  await loginButton.click();
});

Then('I should be redirected to the Salesforce home page', async () => {
```

```
  // Typical post-login URL contains “/home” – adjust if your org uses a different
pattern
  await expect(page).toHaveURL(/.*\/home.*/i, { timeout: 15000 });


  // Additionally verify that a recognizable element on the home page is visible
  const homeHeader = page.getByRole('heading', { name: /Home/i });
  await expect(homeHeader).toBeVisible();
});
```