

```

import { useState } from "react";
import {
  LayoutDashboard, Users, ClipboardList, CreditCard, BarChart2,
  Settings, LogOut, Bell, Mail, Search, Plus, ChevronDown,
  ChevronLeft, ChevronRight, Shirt, Menu, X, CheckCircle, Clock,
  AlertCircle, Edit2, Trash2, Eye, Save, DollarSign, Lock,
  UserCog, Sun, Moon, Download, Printer, Shield, User,
  Calendar, TrendingUp,
} from "lucide-react";

// ——— USERS / ROLES ———
const USERS = [
  { id:1, name:"Admin", username:"admin", password:"admin123", role:"admin"
  { id:2, name:"Cashier", username:"cashier", password:"cashier123", role:"cashie
];
// Admin → sees everything
// Cashier → Dashboard, Orders, Payments only (no delete, no reports, no settings

// ——— DATA ———
const INIT_CUSTOMERS = [
  { id:"CUS-001", name:"Xasan Maxamed", phone:"061-234-5678", orders:8, spent:1
  { id:"CUS-002", name:"Fadumo Ali", phone:"062-345-6789", orders:5, spent:8
  { id:"CUS-003", name:"Cabdi Warsame", phone:"063-456-7890", orders:12, spent:2
  { id:"CUS-004", name:"Hodan Jama", phone:"065-567-8901", orders:3, spent:5
  { id:"CUS-005", name:"Muuse Osman", phone:"061-678-9012", orders:7, spent:1
  { id:"CUS-006", name:"Safia Nur", phone:"062-789-0123", orders:4, spent:6
];

const INIT_ORDERS = [
  { id:"ORD-001", customer:"Xasan Maxamed", phone:"061-234-5678", items:"4 Shirt
  { id:"ORD-002", customer:"Fadumo Ali", phone:"062-345-6789", items:"1 Suit,
  { id:"ORD-003", customer:"Cabdi Warsame", phone:"063-456-7890", items:"6 Shirt
  { id:"ORD-004", customer:"Hodan Jama", phone:"065-567-8901", items:"2 Dress
  { id:"ORD-005", customer:"Muuse Osman", phone:"061-678-9012", items:"3 Pants
  { id:"ORD-006", customer:"Safia Nur", phone:"062-789-0123", items:"5 Shirt
  { id:"ORD-007", customer:"Bashiir Ahmed", phone:"063-890-1234", items:"1 Blank
  { id:"ORD-008", customer:"Luul Maxamuud", phone:"065-901-2345", items:"2 Suits
];

const INIT_PAYMENTS = [
  { id:"PAY-001", orderId:"ORD-001", customer:"Xasan Maxamed", method:"Cash", a
  { id:"PAY-002", orderId:"ORD-003", customer:"Cabdi Warsame", method:"EVC", a
  { id:"PAY-003", orderId:"ORD-004", customer:"Hodan Jama", method:"Zaad", a
  { id:"PAY-004", orderId:"ORD-006", customer:"Safia Nur", method:"Cash", a

```

```

    { id:"PAY-005", orderId:"ORD-007", customer:"Bashiir Ahmed", method:"EVC", a
    { id:"PAY-006", orderId:"ORD-002", customer:"Fadumo Ali", method:"-", a
    { id:"PAY-007", orderId:"ORD-005", customer:"Muuse Osman", method:"-", a
    { id:"PAY-008", orderId:"ORD-008", customer:"Luul Maxamuud", method:"-", a
  ];

```

```

// ——— THEME —————
const LIGHT = {
  bg:"#ECEEFF", sidebar:"white", topbar:"white", card:"white",
  text:"#08112F", sub:"#323954", muted:"#5A77DF", border:"#CCD4DE",
  input:"#ECEEFF", rowAlt:"#fafbff", rowHover:"#f0f3ff",
};
const DARK = {
  bg:"#0d1117", sidebar:"#161b22", topbar:"#161b22", card:"#21262d",
  text:"#e6edf3", sub:"#8b949e", muted:"#7da3e0", border:"#30363d",
  input:"#0d1117", rowAlt:"#1c2128", rowHover:"#2d333b",
};

```

```

const STATUS_S = { Ready:{bg:"#dcfce7",color:"#166534"}, Washing:{bg:"#dbeafe",c
const PAY_S      = { Paid:{bg:"#dcfce7",color:"#166534"}, Pending:{bg:"#fee2e2",co

```

```

let _oid=9,_cid=7,_pid=9;
const newOid = ()=>`ORD-00${_oid++}`;
const newCid = ()=>`CUS-00${_cid++}`;
const newPid = ()=>`PAY-00${_pid++}`;
const today = ()=>new Date().toISOString().slice(0,10);
const fmt    = n=>`$${Number(n).toFixed(2)}`;

```

```

// ——— PRINT STYLES —————
const PRINT_CSS = `
@media print {
  body * { visibility: hidden !important; }
  #print-area, #print-area * { visibility: visible !important; }
  #print-area { position:fixed; top:0; left:0; width:100%; background:white; padd
  .no-print { display:none !important; }
} `;

```

```

// ——— LOGIN PAGE —————
function LoginPage({ onLogin }) {
  const [username, setUsername] = useState("");
  const [password, setPassword] = useState("");
  const [err, setErr]           = useState("");
  const [showPw, setShowPw]     = useState(false);

  const login = () => {
    const u = USERS.find(u=>u.username===username && u.password===password);
    if(u) { setErr(""); onLogin(u); }
  }

```

```

    else    setErr("Username ama password waa khalad.");
};

return (
  <div style={{ minHeight:"100vh", background:"linear-gradient(135deg,#08112F 0
    <style>{@import url('https://fonts.googleapis.com/css2?family=DM+Sans:wght

    {/* Card */}
    <div style={{ background:"white", borderRadius:24, padding:"44px 40px", wid
      {/* Logo */}
      <div style={{ display:"flex", flexDirection:"column", alignItems:"center"
        <div style={{ width:64, height:64, borderRadius:18, background:"linear-
          <Shirt size={30} color="white" />
        </div>
        <h1 style={{ fontSize:22, fontWeight:800, color:"#08112F", letterSpacing
          <p style={{ fontSize:13, color:"#5A77DF", marginTop:4, fontWeight:500 }
        </div>

      {/* Fields */}
      <div style={{ marginBottom:16 }}>
        <label style={{ fontSize:12, fontWeight:700, color:"#5A77DF", textTrans
          <div style={{ position:"relative" }}>
            <User size={15} color="#CCD4DE" style={{ position:"absolute", left:13
              <input value={username} onChange={e=>setUsername(e.target.value)} onK
                placeholder="admin / cashier"
                style={{ width:"100%", padding:"11px 12px 11px 38px", border:"1.5px
              </div>
            </div>
          <div style={{ marginBottom:22 }}>
            <label style={{ fontSize:12, fontWeight:700, color:"#5A77DF", textTrans
              <div style={{ position:"relative" }}>
                <Lock size={15} color="#CCD4DE" style={{ position:"absolute", left:13
                  <input value={password} onChange={e=>setPassword(e.target.value)} onK
                    type={showPw?"text":"password"} placeholder="....."
                    style={{ width:"100%", padding:"11px 40px 11px 38px", border:"1.5px
                  <span onClick={()=>setShowPw(v=>!v)} style={{ position:"absolute", ri
                </div>
              </div>
            <div style={{ err && <div style={{ background:"#fee2e2", color:"#991b1b", borderRadius

            <button onClick={login} style={{ width:"100%", padding:"13px", background
              Log In
            </button>

          {/* Hint */}
          <div style={{ marginTop:24, background:"#ECEE0", borderRadius:12, paddin
            <p style={{ fontSize:12, color:"#5A77DF", fontWeight:700, marginBottom:

```

```

        <p style={{ fontSize:12, color:"#323954" }}><strong>Admin:</strong> adm
        <p style={{ fontSize:12, color:"#323954" }}><strong>Cashier:</strong> c
    </div>
  </div>
</div>
);
}

// ——— MODAL —————
function Modal({ title, onClose, children, T, wide }) {
  return (
    <div style={{ position:"fixed", inset:0, background:"rgba(0,0,0,.55)", zIndex
      <div style={{ background:T.card, borderRadius:18, padding:28, width:wide?68
        <div style={{ display:"flex", alignItems:"center", justifyContent:"space-
          <h3 style={{ fontSize:17, fontWeight:700, color:T.text }}>{title}</h3>
          <button onClick={onClose} style={{ background:"none", border:"none", cu
        </div>
        {children}
      </div>
    </div>
  );
}

function Field({ label, T, children }) {
  return (
    <div style={{ marginBottom:14 }}>
      <label style={{ fontSize:12, fontWeight:600, color:T.muted, textTransform:"
        {children}
      </div>
    );
  }

function Inp({ value, onChange, placeholder, T, type="text" }) {
  return <input type={type} value={value} onChange={onChange} placeholder={placeh
    style={{ width:"100%", padding:"9px 12px", border:`1.5px solid ${T.border}``,
  }

function Sel({ value, onChange, options, T }) {
  return <select value={value} onChange={onChange}
    style={{ width:"100%", padding:"9px 12px", border:`1.5px solid ${T.border}``,
    {options.map(o=><option key={o} value={o}>{o}</option>)}
    </select>;
}

// ——— PRINT REPORT PAGE —————
function PrintReportPage({ orders, customers, payments, T }) {
  const [period, setPeriod] = useState("month");
  const [month, setMonth] = useState("2024-01");

```

```

// Filter by period
const filterDate = (dateStr) => {
  if(period==="week") {
    const d = new Date(dateStr);
    const now = new Date("2024-01-15");
    const diff= (now - d)/(1000*60*60*24);
    return diff >= 0 && diff <= 7;
  }
  if(period==="month") return dateStr.startsWith(month);
  return true; // all
};

const filtOrders = orders.filter(o=>filterDate(o.date));
const filtPayments = payments.filter(p=>filterDate(p.date));
const filtPaid = filtPayments.filter(p=>p.status==="Completed");
const filtPending = filtPayments.filter(p=>p.status==="Pending");
const totalPaid = filtPaid.reduce((a,b)=>a+b.amount,0);
const totalPending = filtPending.reduce((a,b)=>a+b.amount,0);

// Customers with orders in period
const custNames = [...new Set(filtOrders.map(o=>o.customer))];
const custRows = custNames.map(name=>{
  const ords = filtOrders.filter(o=>o.customer===name);
  const paid = filtPaid.filter(p=>p.customer===name).reduce((a,b)=>a+b.amount,0)
  const pend = filtPending.filter(p=>p.customer===name).reduce((a,b)=>a+b.amoun
  return { name, phone:ords[0]?.phone||"", orders:ords.length, paid, pending:pe
});

const doPrint = () => window.print();

const periodLabel = period==="week" ? "This Week" : period==="month" ? month :

return (
  <div>
    <style>{PRINT_CSS}</style>
    <div style={{ display:"flex", alignItems:"center", justifyContent:"space-be
      <h1 style={{ fontSize:22, fontWeight:700, color:T.text }}>Print Report</h
      <button className="bp no-print" onClick={doPrint}><Printer size={15}/> Pr
    </div>

    {/* Controls */}
    <div className="no-print" style={{ background:T.card, borderRadius:14, padd
      <div>
        <label style={{ fontSize:12, fontWeight:700, color:T.muted, textTransfo
        <div style={{ display:"flex", gap:8 }}>
          [[["week","This Week"],["month","By Month"],["all","All Time"]].map((
            <button key={v} className={`chip ${period===v?"act":""}`} onClick={

```

```

    )))
  </div>
</div>
{period=== "month" && (
  <div>
    <label style={{ fontSize:12, fontWeight:700, color:T.muted, textTrans
    <input type="month" value={month} onChange={e=>setMonth(e.target.valu
    style={{ padding:"7px 12px", border:`1.5px solid ${T.border}`, bord
  </div>
  )}
</div>

{/* — PRINT AREA — */}
<div id="print-area" style={{ background:"white", borderRadius:16, padding:

  {/* Header */}
  <div style={{ display:"flex", justifyContent:"space-between", alignItems:
    <div style={{ display:"flex", alignItems:"center", gap:14 }}>
      <div style={{ width:50, height:50, borderRadius:12, background:"linea
        <Shirt size={24} color="white" />
      </div>
      <div>
        <h2 style={{ fontSize:20, fontWeight:800, color:"#08112F" }}>Centra
        <p style={{ fontSize:13, color:"#5A77DF", fontWeight:500 }}>Financi
      </div>
    </div>
    <div style={{ textAlign:"right" }}>
      <div style={{ fontSize:13, fontWeight:700, color:"#08112F" }}>Period:
      <div style={{ fontSize:12, color:"#5A77DF" }}>Printed: {today()}</div>
    </div>
  </div>

  {/* Summary boxes */}
  <div style={{ display:"flex", gap:14, marginBottom:26, flexWrap:"wrap" }}
    {[
      { label:"Total Orders",      value:filtOrders.length,      bg:"#dbeafe"
      { label:"Total Customers",   value:custNames.length,      bg:"#f3e8ff"
      { label:"Lacag La Qaatay",   value:fmt(totalPaid),        bg:"#dcfce7"
      { label:"Lacag La Sugayo",   value:fmt(totalPending),     bg:"#fee2e2"
      { label:"TOTAL LACAG",       value:fmt(totalPaid+totalPending), bg:"#
    ].map(({ label, value, bg, color })=>(
      <div key={label} style={{ flex:"1 1 120px", background:bg, borderRadi
        <div style={{ fontSize:11, fontWeight:700, color, textTransform:"up
          <div style={{ fontSize:20, fontWeight:800, color }}>{value}</div>
        </div>
      )))
  </div>

```

```

{/* Customer Table */}
<h3 style={{ fontSize:15, fontWeight:700, color:"#08112F", marginBottom:10 }}>Customer Table</h3>
<table style={{ width:"100%", borderCollapse:"collapse", fontSize:13, margin:10px 0 }}>
  <thead>
    <tr style={{ background:"#ECEE0" }}>
      <th style={{ padding:"10px 12px", color:"#08112F", text-align:left, font-weight:700 }}>#</th>
      <th style={{ padding:"10px 12px", color:"#08112F", text-align:left, font-weight:700 }}>Magaca</th>
      <th style={{ padding:"10px 12px", color:"#08112F", text-align:left, font-weight:700 }}>Telefoon</th>
      <th style={{ padding:"10px 12px", color:"#08112F", text-align:left, font-weight:700 }}>Dalabyo</th>
      <th style={{ padding:"10px 12px", color:"#08112F", text-align:left, font-weight:700 }}>Lacag Bixisay</th>
      <th style={{ padding:"10px 12px", color:"#08112F", text-align:left, font-weight:700 }}>Lacag Hadhay</th>
    </tr>
  </thead>
  <tbody>
    {custRows.map((r,i)=>(
      <tr key={r.name} style={{ borderBottom:"1px solid #ECEE0", background-color:#ECEE0 }}>
        <td style={{ padding:"10px 12px", color:"#5A77DF", font-weight:700 }}>{r.name}</td>
        <td style={{ padding:"10px 12px", color:"#08112F", font-weight:700 }}>{r.phone}</td>
        <td style={{ padding:"10px 12px", color:"#323954", font-weight:600 }}>{r.phone}</td>
        <td style={{ padding:"10px 12px", color:"#08112F", font-weight:600 }}>{r.phone}</td>
        <td style={{ padding:"10px 12px", color:"#166534", font-weight:700 }}>{r.phone}</td>
        <td style={{ padding:"10px 12px", color:"#991b1b", font-weight:700 }}>{r.phone}</td>
        <td style={{ padding:"10px 12px", color:"#08112F", font-weight:800 }}>{r.phone}</td>
      </tr>
    ))}
    <tr style={{ background:"#08112F" }}>
      <td colspan="4" style={{ padding:"12px 12px", color:"white", font-weight:800 }}>TOTAL ROW</td>
      <td style={{ padding:"12px 12px", color:"#86efac", font-weight:800 }}>{r.phone}</td>
      <td style={{ padding:"12px 12px", color:"#fca5a5", font-weight:800 }}>{r.phone}</td>
      <td style={{ padding:"12px 12px", color:"white", font-weight:800 }}>{r.phone}</td>
    </tr>
  </tbody>
</table>

```

```

{/* Orders detail */}
<h3 style={{ fontSize:15, fontWeight:700, color:"#08112F", marginBottom:10 }}>Orders detail</h3>
<table style={{ width:"100%", borderCollapse:"collapse", fontSize:12, margin:10px 0 }}>
  <thead>
    <tr style={{ background:"#ECEE0" }}>
      <th style={{ padding:"9px 11px", color:"#08112F", text-align:left, font-weight:700 }}>Order ID</th>
      <th style={{ padding:"9px 11px", color:"#08112F", text-align:left, font-weight:700 }}>Customer</th>
      <th style={{ padding:"9px 11px", color:"#08112F", text-align:left, font-weight:700 }}>Items</th>
      <th style={{ padding:"9px 11px", color:"#08112F", text-align:left, font-weight:700 }}>Status</th>
      <th style={{ padding:"9px 11px", color:"#08112F", text-align:left, font-weight:700 }}>Payment</th>
      <th style={{ padding:"9px 11px", color:"#08112F", text-align:left, font-weight:700 }}>Amount</th>
      <th style={{ padding:"9px 11px", color:"#08112F", text-align:left, font-weight:700 }}>Date</th>
    </tr>
  </thead>
  <tbody>
    {filtOrders.map((o,i)=>(
      <tr key={o.id} style={{ borderBottom:"1px solid #ECEE0", background-color:#ECEE0 }}>
        <td style={{ padding:"8px 11px", color:"#3E53A0", font-weight:700 }}>{o.id}</td>
        <td style={{ padding:"8px 11px", color:"#3E53A0", font-weight:700 }}>{o.customer}</td>
        <td style={{ padding:"8px 11px", color:"#3E53A0", font-weight:700 }}>{o.items}</td>
        <td style={{ padding:"8px 11px", color:"#3E53A0", font-weight:700 }}>{o.status}</td>
        <td style={{ padding:"8px 11px", color:"#3E53A0", font-weight:700 }}>{o.payment}</td>
        <td style={{ padding:"8px 11px", color:"#3E53A0", font-weight:700 }}>{o.amount}</td>
        <td style={{ padding:"8px 11px", color:"#3E53A0", font-weight:700 }}>{o.date}</td>
      </tr>
    ))}
  </tbody>
</table>

```

```

        <td style={{ padding:"8px 11px", color:"#08112F", fontWeight:600
        <td style={{ padding:"8px 11px", color:"#323954" }}>{o.items}</td>
        <td style={{ padding:"8px 11px" }}><span style={{ padding:"2px 8p
        <td style={{ padding:"8px 11px" }}><span style={{ padding:"2px 8p
        <td style={{ padding:"8px 11px", color:"#08112F", fontWeight:700
        <td style={{ padding:"8px 11px", color:"#5A77DF", fontSize:11 }}>
      </tr>
    )})
  </tbody>
</table>

  { /* Footer */ }
  <div style={{ marginTop:24, paddingTop:14, borderTop:"2px solid #ECEE0",
    <span>Central Laundry System – Auto Generated Report</span>
    <span>Date: {today()}</span>
  </div>
</div>
</div>
);
}

// — DASHBOARD —————
function Dashboard({ orders, customers, payments, T }) {
  const revenue = payments.filter(p=>p.status==="Completed").reduce((a,b)=>a+b.am
  const pending = orders.filter(o=>o.payment==="Pending").length;
  const stats = [
    { label:"Total Orders",      value:orders.length,      icon:ClipboardList, accent
    { label:"Customers",         value:customers.length,   icon:Users,          accent
    { label:"Revenue",           value:fmt(revenue),   icon:DollarSign,     accent
    { label:"Pending Payment",   value:pending,       icon:AlertCircle,    accent
  ];
  const statuses = ["Washing","Ironing","Ready","Delivered"].map(s=>({ label:s, c
  const recent    = [...orders].reverse().slice(0,5);
  return (
    <div>
      <h1 style={{ fontSize:22, fontWeight:700, color:T.text, marginBottom:22 }}>
      <div style={{ display:"flex", gap:14, marginBottom:24, flexWrap:"wrap" }}>
        {stats.map(({ label, value, icon:Icon, accent })=>(
          <div key={label} style={{ background:T.card, borderRadius:16, padding:2
            <div style={{ display:"flex", alignItems:"center", justifyContent:"sp
              <span style={{ fontSize:11, fontWeight:700, color:T.muted, textTran
                <div style={{ width:34, height:34, borderRadius:9, background:accen
              </div>
            <div style={{ fontSize:26, fontWeight:700, color:T.text }}>{value}</d
          </div>
        )})
      </div>
    )})
  </div>

```



```

<div style={{ display:"flex", gap:14, flexWrap:"wrap" }}>
  <div style={{ background:T.card, borderRadius:16, padding:22, flex:"1 1 2" }}>
    <h3 style={{ fontSize:14, fontWeight:700, color:T.text, marginBottom:16 }}>
      {statuses.map(({ label, count })=>
        <div key={label} style={{ marginBottom:13 }}>
          <div style={{ display:"flex", justifyContent:"space-between", margin:0 10px }}>
            <span style={{ fontSize:13, color:T.sub, fontWeight:500 }}>{label}</span>
            <span style={{ fontSize:13, fontWeight:700, color:T.text }}>{count}</span>
          </div>
          <div style={{ height:6, borderRadius:3, background:T.border, overflow:hidden }}>
            <div style={{ width:`${orders.length?count/orders.length*100:0}%` }}>
            </div>
          </div>
        </div>
      )}
    </div>
    <div style={{ background:T.card, borderRadius:16, padding:22, flex:"2 1 3" }}>
      <h3 style={{ fontSize:14, fontWeight:700, color:T.text, marginBottom:16 }}>
        <table style={{ width:"100%", borderCollapse:"collapse", fontSize:13 }}>
          <thead><tr>{["ID","Customer","Status","Amount"].map(h=><th key={h} style={{ padding:"5px 10px", color:T.sub, text-align:left }}>{h})}</tr>
          <tbody>{recent.map(r=><tr key={r.id}>
            <td style={{ padding:"9px 10px", color:"#3E53A0", fontWeight:700 }}>{r.id}</td>
            <td style={{ padding:"9px 10px", color:T.text, fontWeight:600 }}>{r.customer}</td>
            <td style={{ padding:"9px 10px" }}><span style={{ padding:"2px 10px", border:1px solid T.border, color:T.sub, text-align:center }}>{r.status}</span>
            <td style={{ padding:"9px 10px", color:T.text, fontWeight:700 }}>{r.amount}</td>
          </tr>)}</tbody>
        </table>
      </div>
    </div>
  </div>
);
}

```

```

// — CUSTOMERS —————
function CustomersPage({ customers, setCustomers, role, T }) {
  const [search, setSearch] = useState("");
  const [modal, setModal] = useState(null);
  const [selected, setSelected] = useState(null);
  const [form, setForm] = useState({ name:"", phone:"" });
  const isAdmin = role==="admin";

  const filtered = customers.filter(c=>c.name.toLowerCase().includes(search.toLowerCase()));
  const openAdd = ()=>{ setForm({ name:"", phone:"" }); setModal("add"); };
  const openEdit = c=>{ setSelected(c); setForm({ name:c.name, phone:c.phone }); };
  const openView = c=>{ setSelected(c); setModal("view"); };
  const saveAdd = ()=>{ if(!form.name||!form.phone) return; setCustomers(prev=>[...prev, { name:form.name, phone:form.phone, status:"new", amount:0 }]); };
  const saveEdit = ()=>{ setCustomers(prev=>prev.map(c=>c.id!==selected.id?...c, { id:selected.id, name:form.name, phone:form.phone, status:"new", amount:0 })); };
  const del = id=>setCustomers(prev=>prev.filter(c=>c.id!==id));
}

```

```

return (
  <div>
    <div style={{ display:"flex", alignItems:"center", justifyContent:"space-be
      <h1 style={{ fontSize:22, fontWeight:700, color:T.text }}>Customers</h1>
      {isAdmin && <button className="bp" onClick={openAdd}><Plus size={15}/> Ad
    </div>
    <div style={{ background:T.card, borderRadius:14, padding:16, marginBottom:
      <div style={{ position:"relative", maxWidth:320 }}>
        <Search size={14} color={T.border} style={{ position:"absolute", left:1
        <input value={search} onChange={e=>setSearch(e.target.value)} placehold
          style={{ width:"100%", padding:"9px 12px 9px 33px", border:`1.5px sol
        </div>
      </div>
    <div style={{ background:T.card, borderRadius:16, overflow:"hidden", boxSha
      <table style={{ width:"100%", borderCollapse:"collapse", fontSize:13 }}>
        <thead><tr style={{ background:T.input }}>
          {[ "ID", "Name", "Phone", "Orders", "Spent", "Joined", "Actions" ].map(h=><th
        </tr></thead>
        <tbody>{filtered.map((c,i)=>(
          <tr key={c.id} style={{ borderBottom:`1px solid ${T.border}`, backgro
            onMouseEnter={e=>e.currentTarget.style.background=T.rowHover}
            onMouseLeave={e=>e.currentTarget.style.background=i%2===0?T.card:T.
          <td style={{ padding:"11px 15px", color:"#3E53A0", fontWeight:700 }
          <td style={{ padding:"11px 15px", color:T.text, fontWeight:600 }}>{
          <td style={{ padding:"11px 15px", color:T.sub }}>{c.phone}</td>
          <td style={{ padding:"11px 15px", color:T.text, fontWeight:600 }}>{
          <td style={{ padding:"11px 15px", color:T.text, fontWeight:700 }}>{
          <td style={{ padding:"11px 15px", color:T.muted, fontSize:12 }}>{c.
          <td style={{ padding:"11px 15px" }}>
            <div style={{ display:"flex", gap:6 }}>
              <button onClick={()=>openView(c)} className="ib" style={{ width
                {isAdmin && <button onClick={()=>openEdit(c)} className="ib" st
                {isAdmin && <button onClick={()=>del(c.id)} className="ib" styl
              </div>
            </td>
          </tr>
        )}</tbody>
      </table>
      {filtered.length===0&&<div style={{ padding:"40px", textAlign:"center", c
    </div>
    {modal=== "add"&&<Modal title="Add Customer" onClose={()=>setModal(null)} T=
      <Field label="Full Name" T={T}><Inp value={form.name} onChange={e=>setFor
      <Field label="Phone" T={T}><Inp value={form.phone} onChange={e=>setForm({
      <div style={{ display:"flex", gap:10, justifyContent:"flex-end" }}>
        <button className="bs" onClick={()=>setModal(null)}>Cancel</button>
        <button className="bp" onClick={saveAdd}><Save size={14}/> Save</button

```

```

    </div>
  </Modal>}
  {modal==="edit"&&<Modal title="Edit Customer" onClose={()=>setModal(null)}
    <Field label="Full Name" T={T}><Inp value={form.name} onChange={e=>setFor
    <Field label="Phone" T={T}><Inp value={form.phone} onChange={e=>setForm({
    <div style={{ display:"flex", gap:10, justifyContent:"flex-end" }}>
      <button className="bs" onClick={()=>setModal(null)}>Cancel</button>
      <button className="bp" onClick={saveEdit}><Save size={14}/> Update</but
    </div>
  </Modal>}
  {modal==="view"&&selected&&<Modal title="Customer Details" onClose={()=>set
    {[["ID",selected.id],["Name",selected.name],["Phone",selected.phone],["Or
    <div key={k} style={{ display:"flex", justifyContent:"space-between", p
      <span style={{ color:T.muted, fontWeight:600 }}>{k}</span>
      <span style={{ color:T.text, fontWeight:700 }}>{v}</span>
    </div>
    )}}
    <div style={{ display:"flex", justifyContent:"flex-end", marginTop:16 }}>
  </Modal>}
</div>
);
}

```

```

// ——— ORDERS —————
function OrdersPage({ orders, setOrders, role, T }) {
  const [search, setSearch] = useState("");
  const [filter, setFilter] = useState("All");
  const [modal, setModal] = useState(null);
  const [selected, setSelected] = useState(null);
  const [form, setForm] = useState({ customer:"", phone:"", items:"", statu
  const isAdmin = role==="admin";

  const filtered = orders.filter(o=>{
    const q=search.toLowerCase();
    return (o.customer.toLowerCase().includes(q)||o.phone.includes(q)||o.id.toLow
  });

  const openAdd = ()=>{ setForm({ customer:"", phone:"", items:"", status:"Washi
  const openEdit = o=>{ setSelected(o); setForm({ customer:o.customer, phone:o.ph
  const openView = o=>{ setSelected(o); setModal("view"); };
  const saveAdd = ()=>{ if(!form.customer||!form.items) return; setOrders(prev=>
  const saveEdit = ()=>{ setOrders(prev=>prev.map(o=>o.id===selected.id?{...o,...
  const del = id=>setOrders(prev=>prev.filter(o=>o.id!==id));

  return (
    <div>
      <div style={{ display:"flex", alignItems:"center", justifyContent:"space-be
      <h1 style={{ fontSize:22, fontWeight:700, color:T.text }}>Orders</h1>

```

```

        <button className="bp" onClick={openAdd}><Plus size={15}/> Add Order</but
    </div>
    <div style={{ background:T.card, borderRadius:14, padding:"14px 18px", marg
        <div style={{ display:"flex", gap:10, flexWrap:"wrap", alignItems:"center
            <div style={{ position:"relative", flex:1, maxWidth:310 }}>
                <Search size={14} color={T.border} style={{ position:"absolute", left
                <input value={search} onChange={e=>setSearch(e.target.value)} placeho
                style={{ width:"100%", padding:"9px 12px 9px 33px", border:`1.5px s
            </div>
            <div style={{ display:"flex", gap:7, flexWrap:"wrap" }}>
                {[ "All", "Washing", "Ironing", "Ready", "Delivered" ].map(s=><button key={
            </div>
        </div>
    </div>
    <div style={{ background:T.card, borderRadius:16, overflow:"hidden", boxSha
        <div style={{ overflowX:"auto" }}>
            <table style={{ width:"100%", borderCollapse:"collapse", fontSize:13 }}
                <thead><tr style={{ background:T.input }}>
                    {[ "Order ID", "Customer", "Phone", "Items", "Status", "Payment", "Amount"
                </tr></thead>
                <tbody>{filtered.map((r,i)=>(
                    <tr key={r.id} style={{ borderBottom:`1px solid ${T.border}`, backg
                        onMouseEnter={e=>e.currentTarget.style.background=T.rowHover}
                        onMouseLeave={e=>e.currentTarget.style.background=i%2===0?T.card:
                        <td style={{ padding:"12px 14px", color:"#3E53A0", fontWeight:700
                        <td style={{ padding:"12px 14px", color:T.text, fontWeight:600 }}
                        <td style={{ padding:"12px 14px", color:T.sub }}>{r.phone}</td>
                        <td style={{ padding:"12px 14px", color:T.sub, maxWidth:140, over
                        <td style={{ padding:"12px 14px" }}><span style={{ padding:"3px 1
                        <td style={{ padding:"12px 14px" }}><span style={{ padding:"3px 1
                        <td style={{ padding:"12px 14px", color:T.text, fontWeight:700 }}
                        <td style={{ padding:"12px 14px", color:T.muted, fontSize:12 }}>{
                        <td style={{ padding:"12px 14px" }}>
                            <div style={{ display:"flex", gap:5 }}>
                                <button onClick={()=>openView(r)} className="ib" style={{ wid
                                <button onClick={()=>openEdit(r)} className="ib" style={{ wid
                                {isAdmin && <button onClick={()=>del(r.id)} className="ib" st
                            </div>
                        </td>
                    </tr>
                )})</tbody>
            </table>
            {filtered.length===0&&<div style={{ padding:"40px", textAlign:"center",
        </div>
        <div style={{ padding:"12px 20px", borderTop:`1.5px solid ${T.border}`, f
            Showing <strong>{filtered.length}</strong> of <strong>{orders.length}</
        </div>

```

```

</div>
{modal=== "add"&&<Modal title="Add New Order" onClose={()=>setModal(null)} T=
  <Field label="Customer Name" T={T}><Inp value={form.customer} onChange={e
    <Field label="Phone" T={T}><Inp value={form.phone} onChange={e=>setForm({
    <Field label="Items" T={T}><Inp value={form.items} onChange={e=>setForm({
    <div style={{ display:"flex", gap:12 }}>
      <div style={{ flex:1 }}><Field label="Status" T={T}><Sel value={form.st
      <div style={{ flex:1 }}><Field label="Payment" T={T}><Sel value={form.p
    </div>
    <Field label="Amount ($)" T={T}><Inp value={form.amount} onChange={e=>set
    <div style={{ display:"flex", gap:10, justifyContent:"flex-end" }}>
      <button className="bs" onClick={()=>setModal(null)}>Cancel</button>
      <button className="bp" onClick={saveAdd}><Save size={14}/> Save Order</
    </div>
  </Modal>}
{modal=== "edit"&&<Modal title="Edit Order" onClose={()=>setModal(null)} T={
  <Field label="Customer Name" T={T}><Inp value={form.customer} onChange={e
    <Field label="Phone" T={T}><Inp value={form.phone} onChange={e=>setForm({
    <Field label="Items" T={T}><Inp value={form.items} onChange={e=>setForm({
    <div style={{ display:"flex", gap:12 }}>
      <div style={{ flex:1 }}><Field label="Status" T={T}><Sel value={form.st
      <div style={{ flex:1 }}><Field label="Payment" T={T}><Sel value={form.p
    </div>
    <Field label="Amount ($)" T={T}><Inp value={form.amount} onChange={e=>set
    <div style={{ display:"flex", gap:10, justifyContent:"flex-end" }}>
      <button className="bs" onClick={()=>setModal(null)}>Cancel</button>
      <button className="bp" onClick={saveEdit}><Save size={14}/> Update</but
    </div>
  </Modal>}
{modal=== "view"&&selected&&<Modal title="Order Details" onClose={()=>setMod
  {[["Order ID",selected.id],["Customer",selected.customer],["Phone",select
    <div key={k} style={{ display:"flex", justifyContent:"space-between", p
      <span style={{ color:T.muted, fontWeight:600 }}>{k}</span>
      <span style={{ color:T.text, fontWeight:700 }}>{v}</span>
    </div>
  ]])}
  <div style={{ display:"flex", justifyContent:"flex-end", marginTop:16 }}>
</Modal>}
</div>
);
}

// — PAYMENTS —
function PaymentsPage({ payments, setPayments, T }) {
  const [filter, setFilter] = useState("All");
  const filtered    = payments.filter(p=>filter==="All"||p.status===filter);
  const totalPaid   = payments.filter(p=>p.status==="Completed").reduce((a,b)=>a+

```

```

const totalPending= payments.filter(p=>p.status==="Pending").reduce((a,b)=>a+b.
const markPaid      = id=>setPayments(prev=>prev.map(p=>p.id===id?{...p,status:"C

return (
  <div>
    <h1 style={{ fontSize:22, fontWeight:700, color:T.text, marginBottom:20 }}>
    <div style={{ display:"flex", gap:14, marginBottom:18, flexWrap:"wrap" }}>
      {[{ label:"Lacag La Qaatay",value:fmt(totalPaid),icon:CheckCircle,color:"
        { label:"Lacag La Sugayo",value:fmt(totalPending),icon:Clock,color:"#99
        { label:"Total Payments",value:payments.length,icon:CreditCard,color:"#
      ].map(({ label, value, icon:Icon, color, bg })=>{
        <div key={label} style={{ background:T.card, borderRadius:14, padding:1
          <div style={{ width:42, height:42, borderRadius:10, background:bg, di
            <div><div style={{ fontSize:11, fontWeight:700, color:T.muted, textTr
            </div>
          </div>
        )})
      </div>
    <div style={{ display:"flex", gap:8, marginBottom:14 }}>
      [{"All","Completed","Pending"].map(s=><button key={s} className={`chip ${
    </div>
    <div style={{ background:T.card, borderRadius:16, overflow:"hidden", boxSha
      <table style={{ width:"100%", borderCollapse:"collapse", fontSize:13 }}>
        <thead><tr style={{ background:T.input }}>
          [{"Pay ID","Order ID","Customer","Method","Amount","Status","Date","A
        </tr></thead>
        <tbody>{filtered.map((p,i)=>{
          <tr key={p.id} style={{ borderBottom:`1px solid ${T.border}`, backgro
            onMouseEnter={e=>e.currentTarget.style.background=T.rowHover}
            onMouseLeave={e=>e.currentTarget.style.background=i%2===0?T.card:T.
          <td style={{ padding:"12px 14px", color:"#3E53A0", fontWeight:700 }}>
          <td style={{ padding:"12px 14px", color:T.muted }}>{p.orderId}</td>
          <td style={{ padding:"12px 14px", color:T.text, fontWeight:600 }}>{
          <td style={{ padding:"12px 14px" }}>{p.method!=="-"<span style={{
          <td style={{ padding:"12px 14px", color:T.text, fontWeight:700 }}>{
          <td style={{ padding:"12px 14px" }}><span style={{ padding:"3px 10p
          <td style={{ padding:"12px 14px", color:T.muted, fontSize:12 }}>{p.
          <td style={{ padding:"12px 14px" }}>{p.status==="Pending"?<button c
          </tr>
        )})</tbody>
      </table>
      {filtered.length===0&&<div style={{ padding:"40px", textAlign:"center", c
    </div>
  </div>
);
}

```

```

function ReportsPage({ orders, customers, payments, T }) {
  const revenue = payments.filter(p=>p.status==="Completed").reduce((a,b)=>a+b.am
  const pending = payments.filter(p=>p.status==="Pending").reduce((a,b)=>a+b.amou
  const byStatus= ["Washing","Ironing","Ready","Delivered"].map(s=>({ label:s, co
  const topCusts= [...customers].sort((a,b)=>b.orders-a.orders).slice(0,5);
  return (
    <div>
      <h1 style={{ fontSize:22, fontWeight:700, color:T.text, marginBottom:22 }}>
      <div style={{ display:"flex", gap:14, marginBottom:22, flexWrap:"wrap" }}>
        [[["Total Revenue",fmt(revenue),"#3E53A0"],["Pending Revenue",fmt(pending
          <div key={label} style={{ background:T.card, borderRadius:14, padding:"
            <div style={{ fontSize:11, fontWeight:700, color:T.muted, textTransfo
              <div style={{ fontSize:24, fontWeight:700, color }}>{val}</div>
            </div>
          </div>
        )]]
      </div>
      <div style={{ display:"flex", gap:14, flexWrap:"wrap" }}>
        <div style={{ background:T.card, borderRadius:16, padding:22, flex:"1 1 2
          <h3 style={{ fontSize:14, fontWeight:700, color:T.text, marginBottom:16
            {byStatus.map(({ label, count })=>{
              const pct=orders.length?Math.round(count/orders.length*100):0;
              return <div key={label} style={{ marginBottom:14 }}>
                <div style={{ display:"flex", justifyContent:"space-between", margi
                  <span style={{ fontSize:13, color:T.sub, fontWeight:500 }}>{label
                  <span style={{ fontSize:13, fontWeight:700, color:T.text }}>{coun
                </div>
                <div style={{ height:8, borderRadius:4, background:T.border, overfl
                  <div style={{ width:`${pct}%`, height:"100%", background:STATUS_S
                </div>
              </div>;
            </div>
          </div>
        <div style={{ background:T.card, borderRadius:16, padding:22, flex:"2 1 2
          <h3 style={{ fontSize:14, fontWeight:700, color:T.text, marginBottom:16
          <table style={{ width:"100%", borderCollapse:"collapse", fontSize:13 }}
            <thead><tr>{["#","Name","Orders","Spent"].map(h=><th key={h} style={{
            <tbody>{topCusts.map((c,i)=><tr key={c.id}>
              <td style={{ padding:"10px", color:T.muted, fontWeight:700 }}>{i+1}
              <td style={{ padding:"10px", color:T.text, fontWeight:600 }}>{c.nam
              <td style={{ padding:"10px", color:T.text, fontWeight:700 }}>{c.ord
              <td style={{ padding:"10px", color:"#3E53A0", fontWeight:700 }}>{fm
            </tr>)}</tbody>
          </table>
        </div>
      </div>
    </div>
  );

```

```
}
```

```
// ——— SETTINGS ———
```

```
function SettingsPage({ darkMode, setDarkMode, T }) {
  const [saved,setSaved]=[useState(false),useState(false)][0];
  const [setSaved2]=[useState(false)][0];
  const [bizName,setBizName]=useState("Central Laundry");
  const [phone,setPhone]=useState("061-000-0000");
  const [notifSMS,setNotifSMS]=useState(true);
  const [notifWA,setNotifWA]=useState(false);
  const [oldPw,setOldPw]=useState("");
  const [newPw,setNewPw]=useState("");
  const [pwMsg,setPwMsg]=useState("");
  const [sv,setSv]=useState(false);
  const save=()=>{setSv(true);setTimeout(()=>setSv(false),2000)};
  const changePw=()=>{ if(!oldPw||!newPw){setPwMsg("Please fill both fields.");re
  const Toggle=({label,checked,onChange,desc})=> (
    <div style={{ display:"flex", alignItems:"center", justifyContent:"space-betw
      <div><div style={{ fontSize:14, fontWeight:600, color:T.text }}>{label}</di
      <div onClick={onChange} style={{ width:42, height:24, borderRadius:12, back
        <div style={{ width:18, height:18, borderRadius:"50%", background:"white"
      </div>
    </div>
  );
  const Sec=({title,icon:Icon,children})=>(
    <div style={{ background:T.card, borderRadius:16, padding:24, marginBottom:16
      <div style={{ display:"flex", alignItems:"center", gap:10, marginBottom:20
        <div style={{ width:34, height:34, borderRadius:9, background:"#3E53A0",
          <h3 style={{ fontSize:15, fontWeight:700, color:T.text }}>{title}</h3>
        </div>
        {children}
      </div>
    </div>
  );
  return (
    <div>
      <div style={{ display:"flex", alignItems:"center", justifyContent:"space-be
        <h1 style={{ fontSize:22, fontWeight:700, color:T.text }}>Settings</h1>
        <button className="bp" onClick={save}>{sv?<><CheckCircle size={14}/> Save
      </div>
      <Sec title="Business Info" icon={UserCog}>
        <Field label="Business Name" T={T}><Inp value={bizName} onChange={e=>setB
        <Field label="Phone" T={T}><Inp value={phone} onChange={e=>setPhone(e.tar
      </Sec>
      <Sec title="Appearance" icon={Sun}>
        <Toggle label="Dark Mode" desc="Switch between light and dark theme" chec
      </Sec>
      <Sec title="Notifications" icon={Bell}>
```



```

        <Toggle label="SMS Notifications" desc="Send SMS when order is ready" che
        <Toggle label="WhatsApp Alerts" desc="Send WhatsApp messages" checked={no
    </Sec>
    <Sec title="Security" icon={Lock}>
        <Field label="Current Password" T={T}><Inp value={oldPw} onChange={e=>set
        <Field label="New Password" T={T}><Inp value={newPw} onChange={e=>setNewP
        {pwMsg&&<div style={{ fontSize:13, color:pwMsg.includes("!")?"#166534":"#
        <button className="bp" onClick={changePw}><Lock size={14}/> Change Passwo
    </Sec>
    </div>
    );
}

// — NAV CONFIG —————
const ALL_NAV = [
  { id:"dashboard", icon:LayoutDashboard, label:"Dashboard",      roles:["admin","c
  { id:"customers", icon:Users,          label:"Customers",      roles:["admin"] }
  { id:"orders",    icon:ClipboardList,   label:"Orders",       roles:["admin","c
  { id:"payments",  icon:CreditCard,      label:"Payments",      roles:["admin","c
  { id:"reports",   icon:BarChart2,       label:"Reports",       roles:["admin"] }
  { id:"print",     icon:Printer,         label:"Print Report",  roles:["admin"] }
  { id:"settings",  icon:Settings,        label:"Settings",      roles:["admin"] }
];

// — MAIN APP —————
export default function CentralLaundry() {
  const [currentUser, setCurrentUser] = useState(null);
  const [page, setPage]                = useState("dashboard");
  const [collapsed, setCollapsed]      = useState(false);
  const [darkMode, setDarkMode]       = useState(false);
  const [orders, setOrders]            = useState(INIT_ORDERS);
  const [customers, setCustomers]      = useState(INIT_CUSTOMERS);
  const [payments, setPayments]        = useState(INIT_PAYMENTS);
  const [notifOpen, setNotifOpen]     = useState(false);

  const T      = darkMode ? DARK : LIGHT;
  const role   = currentUser?.role || "cashier";
  const NAV    = ALL_NAV.filter(n=>n.roles.includes(role));

  const logout = () => { setCurrentUser(null); setPage("dashboard"); };

  if(!currentUser) return <LoginPage onLogin={u=>{ setCurrentUser(u); setPage("da

  const PAGE_LABELS = { dashboard:"Dashboard", customers:"Customers", orders:"Ord

  return (
    <div style={{ display:"flex", height:"100vh", background:T.bg, fontFamily:"'D

```



```

        onClick={() => setPage(id)} title={collapsed ? label : ""}>
        <Icon size={18} strokeWidth={2} style={{ flexShrink: 0 }}/>
        {!collapsed && label}
      </div>
    ))}

    <div style={{ flex: 1 }}/>
    <div className="ni" onClick={logout} style={{ color: "#e74c3c", justifyCon
      <LogOut size={18} strokeWidth={2} style={{ flexShrink: 0 }}/>
      {!collapsed && "Log Out"}
    </div>
  </div>

  { /* Main */ }
  <div style={{ flex: 1, display: "flex", flexDirection: "column", overflow: "hid
    { /* Topbar */ }
    <div style={{ background: T.topbar, padding: "13px 26px", display: "flex", a
      <div style={{ display: "flex", alignItems: "center", gap: 5, fontSize: 13,
        <span style={{ color: T.border }}>Home</span>
        <ChevronRight size={12} color={T.border}/>
        <span style={{ color: T.text, fontWeight: 600 }}>{PAGE_LABELS[page]}</s
      </div>
      <div style={{ display: "flex", alignItems: "center", gap: 9, position: "rel
        <button className="ib" style={{ width: 34, height: 34, background: T.inp
          {darkMode?<Sun size={16}/>:<Moon size={16}/>}
        </button>
        <div style={{ position: "relative" }}>
          <button className="ib" style={{ width: 34, height: 34, background: T.i
            <span style={{ position: "absolute", top: 4, right: 4, width: 8, height
              {notifOpen&&(
                <div style={{ position: "absolute", top: 42, right: 0, background: T.
                  <div style={{ fontWeight: 700, color: T.text, marginBottom: 12, fo
                    {[{msg: "ORD-005 is ready", time: "5 min ago"}, {msg: "New payment:
                      <div key={i} style={{ padding: "9px 0", borderBottom: i<2?'1px
                        <div style={{ fontSize: 13, color: T.text, fontWeight: 500 }}>
                        <div style={{ fontSize: 11, color: T.muted, marginTop: 2 }}>{n
                      </div>
                    </div>
                  </div>
                </div>
              </div>
            </div>
          </div>
        <div style={{ position: "relative" }}>
          <button className="bp" style={{ width: "100%", justifyContent: "c
        </div>
      </div>
    </div>
    <div style={{ display: "flex", alignItems: "center", gap: 8, background:
      <div style={{ width: 28, height: 28, borderRadius: "50%", background: r
        <span style={{ fontSize: 13, fontWeight: 600, color: T.text }}>{curren
        <span style={{ fontSize: 11, padding: "2px 8px", borderRadius: 20, bac
      </div>
    </div>
  </div>

```

```

        </div>
    </div>

    { /* Page */ }
    <div style={{ flex:1, overflow:"auto", padding:"24px 26px" }}>
        {page==="dashboard" && <Dashboard orders={orders} customers={customers}
        {page==="customers" && <CustomersPage customers={customers} setCustomer
        {page==="orders" && <OrdersPage orders={orders} setOrders={setOrders
        {page==="payments" && <PaymentsPage payments={payments} setPayments={s
        {page==="reports" && <ReportsPage orders={orders} customers={customer
        {page==="print" && <PrintReportPage orders={orders} customers={cust
        {page==="settings" && <SettingsPage darkMode={darkMode} setDarkMode={s
    </div>
</div>
</div>
    );
}

```