EXPERIMENT – 1

AIM- Creating a Personal Portfolio web application with html css styling.

Task:

• Project Setup & Introduction – Create project folder and basic linked files.

• HTML Structure – Build portfolio sections using semantic HTML.

• Styling with CSS – Apply layout, colors, spacing, and neat design.

• Projects & Skills Display – Show skills and projects clearly on the page.

• JavaScript Interactivity – Add basic interactive functionality using JavaScript.

• Contact Form (Bonus) – Create a form with user submission feedback.

Tech Stack Used: HTML, CSS

HTML CODE-

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Suhani | Portfolio</title>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="index.css">
</head>
```

```
<body>

<header>
    <h1>Suhani</h1>
    <nav>
        <a href="#about">About</a>
        <a href="#skills">Skills</a>
        <a href="#projects">Projects</a>
        <a href="#contact">Contact</a>
    </nav>
</header>

<section class="hero">
    <div class="hero-text">
        <h2>Hi, I'm <span>Suhani</span></h2>
        <p>B.Tech CSE student passionate about coding, problem solving and web
development.</p>
        <a href="#contact" class="btn">Hire Me</a>
    </div>
</section>

<section id="about">
    <h3>About Me</h3>
    <p>I am a Computer Science Engineering student exploring web
development and data structures. I love building clean and simple projects.</p>
</section>

<section id="skills">
```

```
    <h3>Skills</h3>
    <div class="skills">
        <div class="card">HTML</div>
        <div class="card">CSS</div>
        <div class="card">Java</div>
        <div class="card">C++</div>
        <div class="card">DSA</div>
    </div>
</section>

<section id="projects">
    <h3>Projects</h3>
    <div class="projects">
        <div class="card">
            <h4>Women Empowerment App</h4>
            <p>AI based app for women safety and job matching.</p>
        </div>+
        <div class="card">
            <h4>Portfolio Website</h4>
            <p>Personal responsive portfolio using HTML & CSS.</p>
        </div>
    </div>
</section>

<section id="contact">
    <h3>Contact</h3>
    <p>Email: suhani@gmail.com</p>
```

```
    <p>LinkedIn: linkedin.com/in/suhani</p>
</section>

<footer>
    <p>© 2026 Suhani. All rights reserved.</p>
</footer>

</body>
</html>
```

CSS CODE –

```
*{
    margin:0;
    padding:0;
    box-sizing:border-box;
    font-family: 'Inter', sans-serif;
}

body{
    background:#f8fafc;          /* light background */
    color:#0f172a;               /* dark text */
    line-height:1.6;
}

header{
    padding:40px 10%;
```

```
    display:flex;
    justify-content:space-between;
    align-items:center;
    background:#ffffff;
}

header h1{
    color:#2563eb;              /* soft blue */
    font-size:28px;
}

nav a{
    margin-left:20px;
    text-decoration:none;
    color:#334155;              /* dark grey */
    font-weight:500;
}
nav a:hover{
    color:#2563eb;
}

.hero{
    padding:80px 10%;
    background:#f1f5f9;
}

.hero-text h2{
```

```
    font-size:40px;
    color:#0f172a;
}
.hero-text span{
    color:#2563eb;
}

.hero-text p{
    margin:20px 0;
    color:#475569;
}

.btn{
    padding:12px 25px;
    background:#2563eb;
    color:#ffffff;
    border-radius:30px;
    text-decoration:none;
    font-weight:600;
}

.btn:hover{
    background:#1e40af;
}

section{
    padding:70px 10%;
```

```
}
section h3{
    color:#2563eb;
    font-size:30px;
    margin-bottom:30px;
}

.skills,.projects{
    display:grid;
    grid-template-columns:repeat(auto-fit,minmax(220px,1fr));
    gap:20px;
}

.card{
    background:#ffffff;
    padding:25px;
    border-radius:15px;
    box-shadow:0 10px 20px rgba(0,0,0,0.08);
    transition:0.3s;
}
.card:hover{
    transform:translateY(-8px);
}

footer{
    background:#ffffff;
    text-align:center;
```

```
    padding:30px;
    color:#64748b;
}
```

OUTPUT –



EXPERIMENT – 2

AIM - To design and develop a simple Company Landing Page using HTML and CSS by applying semantic HTML structure and basic styling techniques to create a clean, responsive, and user-friendly webpage.

Task -

- **Project Setup & Introduction : Create the project folder and basic HTML–CSS files. Add company name and introduction section.**
- **HTML Structure : Design the webpage using semantic HTML sections like header, about, services, testimonials, and contact.**
- **CSS Styling : Apply CSS for layout, colors, spacing, and overall page design using classes and IDs.**
- **Services Section : Display at least three company services with name and description.**
- **Testimonials Section : Add two customer testimonials wi th proper formatting.**
- **Contact Form : Create a contact section with details and a simple contact form (UI only).**

HTML CODE –

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>BluePeak Solutions</title>
    <link rel="stylesheet" href="co.css">
```

```
</head>
<body>

    <header class="hero">
        <h1>BluePeak Solutions</h1>
        <p>Innovating the Future with Technology</p>
    </header>

    <section id="about">
        <h2>About Us</h2>
        <p>
            BluePeak Solutions is a leading tech company focused on delivering
            innovative digital solutions to help businesses grow and succeed.
        </p>
    </section>

    <section id="services">
        <h2>Our Services</h2>

        <div class="service-card">
            <h3>Web Development</h3>
            <p>We build responsive and user-friendly websites.</p>
        </div>

        <div class="service-card">
            <h3>Mobile App Development</h3>
            <p>Custom mobile applications for Android and iOS.</p>
```

```
        </div>

        <div class="service-card">
            <h3>AI Solutions</h3>
            <p>Smart AI-powered solutions for modern businesses.</p>
        </div>
    </section>

    <section id="testimonials">
        <h2>Testimonials</h2>

        <div class="testimonial">
            <p>"BluePeak Solutions transformed our online presence
completely."</p>
            <h4>- Pushti Verma</h4>
        </div>

        <div class="testimonial">
            <p>"Professional team with excellent technical skills."</p>
            <h4>- Sneha Poniya</h4>
        </div>
    </section>

    <section id="contact">
        <h2>Contact Us</h2>

        <p>Email: contact@bluepeak.com</p>
        <p>Phone: +91 9266828987</p>
```

```
        <p>Address: Gurgaon, India</p>

        <form class="contact-form">
            <input type="text" placeholder="Your Name" required>
            <input type="email" placeholder="Your Email" required>
            <textarea placeholder="Your Message" rows="4"></textarea>
            <button type="submit">Send Message</button>
        </form>
    </section>

    <footer>
        <p>© 2026 BluePeak Solutions. All rights reserved.</p>
    </footer>

</body>
</html>
```

CSS CODE –

```
body {
    font-family: Arial, Helvetica, sans-serif;
    margin: 0;
    padding: 0;
    background-color: #f4f4f4;
    color: #333;
}

.hero {
    background-color: #2c3e50;
```

```
    color: white;
    text-align: center;
    padding: 60px 20px;
}

section {
    padding: 40px 20px;
    margin: 20px;
    background-color: white;
    border-radius: 8px;
}

h2 {
    text-align: center;
    margin-bottom: 20px;
}

#services {
    display: flex;
    gap: 20px;
    justify-content: center;
}

.service-card {
    background-color: #ecf0f1;
    padding: 20px;
    width: 250px;
```

```
    text-align: center;
    border-radius: 8px;
    border: 1px solid #ccc;
}

.testimonial {
    background-color: #fafafa;
    padding: 20px;
    margin: 10px auto;
    width: 70%;
    border-left: 5px solid #3498db;
}

.contact-form {
    margin-top: 20px;
    display: flex;
    flex-direction: column;
    gap: 10px;
}

.contact-form input,
.contact-form textarea {
    padding: 10px;
    border: 1px solid #ccc;
    border-radius: 5px;
}
```

```
.contact-form button {
    background-color: #3498db;
    color: white;
    padding: 10px;
    border: none;
    border-radius: 5px;
    cursor: pointer;
}

footer {
    text-align: center;
    padding: 15px;
    background-color: #2c3e50;
    color: white;
}
```

OUTPUT –



"BluePeak Solutions transformed our online presence completely."

- Pushti Verma

"Professional team with excellent technical skills."

- Sneha Poniya

Contact Us

Email: contact@bluepeak.com

Phone: +91 9266828987

Address: Gurgaon, India

Your Name

Your Email

Your Message

Send Message

© 2026 BluePeak Solutions. All rights reserved.

EXPERIMENT – 3

Aim: Build a Interactive Quiz Platform using HTML, CSS and JavaScript Tasks:

▪ Project Setup and Introduction - Create project folder with required files quiz.html, quiz.css and quiz.js.

▪ HTML Structure - Building HTML structure including Question text, Multiple Choice options, submit/next button.

▪ Styling with CSS - Apply CSS for Page layout, colors/fonts, alignment, margin/padding.

▪ Logic using JavaScript - Building logic and Interactivity of the Platform, capturing answer, checking them, button working, track and update score.

▪ Displaying Result - Displaying Final score after quiz completion, messages such as excellent, good hide quiz interface after submission. Restart Feature

HTML CODE –

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Interactive Quiz</title>
    <link rel="stylesheet" href="qa.css">
</head>
<body>
    <header>
        <h1>Interactive Quiz Application</h1>
        <p>Test your knowledge with this simple multiple-choice quiz.</p>
```

```html
    </header>
    <main class="quiz-container">
        <section id="quiz">
            <h2 id="question">Question appears here</h2>
            <div id="options" class="options-container">
            </div>
            <button id="next-btn">Next</button>
        </section>
        <section id="result" class="hidden">
            <h2>Your Score</h2>
            <p id="score-text"></p>
            <p id="feedback"></p>
            <button id="restart-btn">Restart Quiz</button>
        </section>
    </main>
    <script src="qa.js"></script>
</body>
</html>
```

CSS –

```css
body {
    font-family: Arial, sans-serif;
    background-color: #121212;
    margin: 0;
    padding: 0;
    color: #E0E0E0;
}
```

```
header {
    background-color: #1F1F1F;
    color: #FFFFFF;
    text-align: center;
    padding: 20px;
    border-bottom: 2px solid #333;
}
.quiz-container {
    width: 60%;
    margin: 30px auto;
    background: #1E1E1E;
    padding: 25px;
    border-radius: 10px;
    box-shadow: 0px 0px 15px rgba(0,0,0,0.5);
}
#question {
    margin-bottom: 20px;
    color: #FFFFFF;
}
.options-container {
    display: flex;
    flex-direction: column;
    gap: 12px;
}
.option-btn {
    padding: 12px;
    border: 1px solid #333;
```

```
    background-color: #2A2A2A;
    color: #E0E0E0;
    cursor: pointer;
    border-radius: 6px;
    text-align: left;
    transition: 0.3s;
}
.option-btn:hover {
    background-color: #3A3A3A;
}
.selected {
    background-color: #BB86FC;
    color: black;
    border-color: #BB86FC;
}
button {
    margin-top: 20px;
    padding: 12px 22px;
    background-color: #BB86FC;
    color: black;
    border: none;
    border-radius: 6px;
    cursor: pointer;
    font-weight: bold;
    transition: 0.3s;
}
button:hover {
```

```
    background-color: #9A67EA;
}
.hidden {
    display: none;
}
#score-text {
    font-size: 22px;
    font-weight: bold;
    color: #BB86FC;
}
```

JAVA SCRIPT –

```
const quizData = [
    {
        question: "Which language is used for web page structure?",
        options: ["HTML", "CSS", "JavaScript", "Python"],
        answer: "HTML"
    },
    {
        question: "Which language is used for styling web pages?",
        options: ["HTML", "CSS", "JavaScript", "Java"],
        answer: "CSS"
    },
    {
        question: "Which language adds interactivity to websites?",
        options: ["C++", "Python", "JavaScript", "SQL"],
        answer: "JavaScript"
```

```
    }
];

const questionElement = document.getElementById("question");
const optionsElement = document.getElementById("options");
const nextBtn = document.getElementById("next-btn");

const quizSection = document.getElementById("quiz");
const resultSection = document.getElementById("result");
const scoreText = document.getElementById("score-text");
const feedbackText = document.getElementById("feedback");
const restartBtn = document.getElementById("restart-btn");

let currentQuestionIndex = 0;
let score = 0;
let selectedOption = null;

function loadQuestion() {
    selectedOption = null;
    const currentQuestion = quizData[currentQuestionIndex];

    questionElement.textContent = currentQuestion.question;
    optionsElement.innerHTML = "";

    currentQuestion.options.forEach(option => {
        const button = document.createElement("button");
        button.textContent = option;
```

```
        button.classList.add("option-btn");

        button.addEventListener("click", () => {
            document.querySelectorAll(".option-btn").forEach(btn =>
                btn.classList.remove("selected")
            );

            button.classList.add("selected");
            selectedOption = option;
        });

        optionsElement.appendChild(button);
    });
}

nextBtn.addEventListener("click", () => {

    if (!selectedOption) {
        alert("Please select an answer!");
        return;
    }

    if (selectedOption === quizData[currentQuestionIndex].answer) {
        score++;
    }

    currentQuestionIndex++;
```

```
    if (currentQuestionIndex < quizData.length) {
        loadQuestion();
    } else {
        showResult();
    }
});

function showResult() {
    quizSection.classList.add("hidden");
    resultSection.classList.remove("hidden");

    scoreText.textContent = `You scored ${score} out of ${quizData.length}`;

    if (score === quizData.length) {
        feedbackText.textContent = "Excellent!";
    } else if (score >= quizData.length / 2) {
        feedbackText.textContent = "Good Job!";
    } else {
        feedbackText.textContent = "Try Again!";
    }
}

restartBtn.addEventListener("click", () => {
    currentQuestionIndex = 0;
    score = 0;
    resultSection.classList.add("hidden");
```

```
    quizSection.classList.remove("hidden");
    loadQuestion();
});
loadQuestion();
```

OUTPUT –