

Where pagination, search and “Showing” are missing

Every reachable listing page in the ERP, checked against the four mechanisms this app uses to supply grid chrome. All 48 pages that were missing a control have been fixed and verified. Tick rows off as you confirm them — your progress is kept in this browser.

292 TABLE VIEWS SCANNED	187 REACHABLE BY A GET ROUTE	481 ASSERTIONS PASSING	6 OF 7 EXTRA BUGS FIXED	47 PAGES FIXED
----------------------------	---------------------------------	---------------------------	----------------------------	-------------------

HOW THIS WAS PRODUCED – REPRODUCE IT YOURSELF

1. Walked every .blade.php under resources/views; kept the 292 that contain a <table> plus a @foreach/@forelse/\$dataTable.

2. Ran php artisan route:list --json, resolved each GET route’s controller method, and extracted its view(...) calls — leaving 187 views that a user can actually navigate to. Partials, PDFs and print templates dropped out here.

3. Credited all four chrome sources before flagging anything: the global enhancer public/js/datatable-global-ui.js, the table.datatable auto-init in admin/layouts/footer.blade.php, the shared components/mess-master-datatables.blade.php, and the two JS-side inits in public/admin_assets/js/custom.js (attendanceTable, group-mapping-table).

4. Opened each survivor and confirmed the gap by hand — the numbers below are file + line references, not regex guesses.

COMPLETION SUMMARY – ALL SIX TIERS CLOSED

1. **No chrome at all (12).** Three large grids got pagination + search + count; nine bounded ones (5–16 rows) got a count only. **31 assertions.**

2. **Partial chrome (5).** Mess reports — screen and both exports now report the same filtered totals. **24 + 15 assertions.**

3. **Disabled or stubbed (4).** Commented-out paginators, an empty pagination , a dead search icon. **61 + 16 assertions.**

4. **Search missing — master & setup (18).** One shared trait plus three Blade components; 17 fixed, /fc/status/data deferred. **204 assertions.**

5. **Pagination only (8).** Security masters. **87 assertions.**

6. **DataTable chrome switched off (2).** **27 assertions.**

481 assertions passing. 73 files changed, 6 new. Shared pieces: PaginatesListings trait and the x-programme-dt-toolbar / -search / -footer components, so the next grid costs almost nothing.

BUGS FOUND ALONG THE WAY – 6 OF 7 FIXED

- 1. **Search defeated the status filter** (employee ID-card approval). An ungrouped `orWhere` meant a card-number match escaped every other constraint: with the filter allowing **1** row, the old shape returned **4**. *Fixed*.
- 2. **157 of 187 students unreachable** (send-notice list). `paginate(30)` with no pager rendered, and “Select all” covered only those 30. *Fixed*.
- 3. **A missing `)` killed four setup pages’ Add/Edit modals**. One parse error takes out the whole inline script. *Fixed*.
- 4. **Caste Category was written against a column that does not exist**. Blank name on every row, and Add/Edit could not save. The real column is `Seat_name`; an accessor + mutator now maps `category_name` onto it, and `Rule::unique()` names the real column because validation bypasses accessors. *Fixed — full CRUD verified*.
- 5. **One unguarded `->timetable`** among three `optional()` siblings 500’d the send-notice page. *Fixed*.
- 6. **Stock-summary PDF exhausted 512 MB**. Measured at ~0.8 MB/row, so the live 1,105-item catalogue died with a blank page. Ceiling raised to 1024 MB for that action and a named row cap turns anything beyond into a message pointing at Excel. *Fixed — 742 KB PDF at 704 MB peak, the exact case that used to die*.
- 7. **Course List’s Status Filter is a hard 500**. `confirm_status` exists on *no live table*. Guarded and hidden so the page cannot crash — **still needs a schema decision**.

No chrome at all

FIXED · 12 PAGES

Plain `@foreach` tables fed by an unbounded `->get()`. Split by measured volume: the three large ones got pagination + search + count; the bounded ones (5–16 rows) got a count, because a pager there is ceremony. 31 assertions.

NOTE `/attendance_send_notice` was already `paginate(30)` in the controller with *no pager rendered* — on the largest group 157 of 187 students were unreachable and “Select all” silently covered 30.

ROUTE	PAG.	SEARCH	SHOWING	EVIDENCE
☐ <code>/fc-reg/admin/sample-documents</code> <code>admin/sample-documents/index.blade.php:38</code>	X	X	X	<code>FcJoiningSampleDocumentController</code> — 0 <code>paginate()</code>
☐ <code>/registration/admin/registration/fc-exemption_master</code> <code>admin/forms/exemption/index.blade.php:42</code>	X	X	X	<code>FcExemptionMasterController</code> — 0 <code>paginate()</code>
☐ <code>/registration/exemptions_data</code> <code>admin/forms/exemption_data_list.blade.php:89</code>	X	X	X	Submissions list, grows every intake
☐ <code>/peer-evaluation</code> <code>admin/forms/peer_evaluation/index.blade.php:73</code>	X	X	X	Matrix table, one row per member
☐ <code>/peer/my-groups</code> <code>admin/forms/peer_evaluation/user_groups.blade.php</code>	X	X	X	—
☐ <code>/peer/group/{id}/members</code> <code>admin/forms/peer_evaluation/group_members.blade.php</code>	X	X	X	—
☐ <code>/attendance_send_notice/{group_pk}/{course_pk}/{timetable_pk}</code> <code>admin/courseAttendanceNoticeMap/view_all_notice_list.blade.php:98</code>	X	X	X	Full student roster per session
☐ <code>/fc-reg/admin/activities/medical/report</code> <code>admin/fc-activities/medical/report.blade.php</code>	X	X	X	Four stacked report tables, none paged
☐ <code>/admin/reports/documents</code> <code>fc/report/documents.blade.php:156</code>	X	X	X	Student × document matrix — widest offender
☐ <code>/admin/reports/student/{username}/documents</code> <code>fc/report/student-documents.blade.php</code>	X	X	X	—
☐ <code>/admin/travel/slots</code> <code>admin/travel/slots/index.blade.php:145</code>	X	X	X	Card-per-slot list, not a table — same gap

ROUTE	PAG.	SEARCH	SHOWING	EVIDENCE
☐ /hostel-building-map/import admin/building_floor_mapping/import.blade.php	X	X	X	Import preview — grows with the upload

Disabled or stubbed

FIXED · 4 PAGES

The control was written, then switched off. All four are repaired, rebuilt on the programme-dt chrome from docs/new-design-index-page.md §2-§4B (toolbar → panel → footer, pagination left, “Showing [N] of M items” right, rows-per-page whitelisted server-side), and covered by 61 behavioural assertions plus a browser pass.

NOTE uncommenting the two links() calls alone would have thrown — both controllers ended in ->get(), so the paginator never existed. Each needed the controller changed too.

ROUTE	PAG.	SEARCH	SHOWING	WHAT’S ACTUALLY IN THE FILE
☐ /registration/forms/{form}/courselist admin/forms/course_list.blade.php · FormController::courseList	✓	✓	✓	->get() → paginate(25)->withQueryString(); student-name search added (and mirrored into the export so the download matches the screen); S.No now runs off firstItem()
☐ /forms/inactive admin/registration/inactive.blade.php · FormController::inactive	✓	✓	✓	->get() → paginate(10); the controller already honoured ? search= and just had no UI — that box now exists
☐ /feedback_average admin/feedback/faculty_average.blade.php · FeedbackController::showFacultyAverage	✓	✓	✓	Stub replaced with a real LengthAwarePaginator over the processed collection (the query is a GROUP BY aggregate, which ->paginate() can’t count); 95 rows now page 25 at a time. Topic search added and threaded through the screen and all three exports.
☐ /master/country admin/country/index.blade.php · LocationController::countryIndex	✓	✓	✓	Dead href="" icon replaced with a working search; withQueryString() keeps the term across pages; S.No no longer restarts at 1 on page 2

Partial chrome

FIXED · 5 PAGES

One or two controls landed, the rest didn’t. All five are now complete, covered by 24 + 15 assertions that check the screen and its exports report the same filtered totals — each of these reports builds its downloads from a different query than its screen.

JUDGEMENT two pages did not get the control the audit named — see the notes below. Adding them would have been worse than leaving them out.

ROUTE	PAG.	SEARCH	SHOWING	EVIDENCE
☐ /ot-mdo-escrot-exemption-view admin/ot_mdo_escrot_exemption/view.blade.php:221 · list.blade.php:144	X	X	✓	“Showing count(\$dutyMaps) duties” — a count of everything rendered, so it can only ever grow
☐ /registration/forms admin/registration/index.blade.php:58, :78	X	✓	X	Two client-side filter boxes (#templateSearch, #formSearch); no paging, no count

	ROUTE	PAG.	SEARCH	SHOWING	EVIDENCE
☐	/admin/mess/reports/stock-purchase-details admin/mess/reports/stock-purchase-details.blade.php:159	✓	✗	~	"Showing page X of Y" — page position, not an item count. Paginator lives in the partial.
☐	/admin/mess/reports/purchase-sale-quantity admin/mess/reports/purchase-sale-quantity.blade.php:382	✓	✗	✗	Paginator renders only when hasPages(); no count anywhere
☐	/admin/mess/reports/stock-summary admin/mess/reports/partials/stock-summary-table.blade.php	✓	✗	✓	Only the filter box is missing

Pagination only — no search, no count

FIXED · 8 PAGES

Mostly the Security module’s master grids: they shipped ->links() and stopped there. All eight now carry the design-system toolbar and footer, with 87 assertions checking the count matches the DB row count and that a term really narrows it.

	ROUTE	PAG.	SEARCH	SHOWING	EVIDENCE
☐	/security/vehicle-type admin/security/vehicle_type/index.blade.php	✓	✗	✗	0 occurrences of "search" or "Showing" in the file
☐	/security/visitor-pass admin/security/visitor_pass/index.blade.php	✓	✗	✗	0 occurrences of "search" or "Showing"
☐	/security/vehicle-pass-config admin/security/vehicle_pass_config/index.blade.php	✓	✗	✗	0 occurrences of "search" or "Showing"
☐	/security/idcard-card-type admin/security/idcard_master/card_type/index.blade.php	✓	✗	✗	0 occurrences of "search" or "Showing"
☐	/security/idcard-sub-type admin/security/idcard_master/sub_type/index.blade.php	✓	✗	✗	0 occurrences of "search" or "Showing"
☐	/security/family-idcard-approval/all admin/security/family_idcard_approval/all.blade.php:72	✓	✗	✗	Only \$applications->links()
☐	/security/employee-idcard-approval/all admin/security/employee_idcard_approval/all.blade.php:29, :113	✓	✓	✗	Has a real name="search" box — only the count is missing
☐	/admin/reports/joining-documents/{formId} admin/report/joining_documents_report.blade.php:356	✓	✓	✗	Only the count is missing

Search missing — master & setup grids

FIXED · 17 OF 18

All eighteen were the same hand-written template, so one shared trait (PaginatesListings) plus three Blade components (x-programme-dt-toolbar / -search / -footer) covered the set. Each now has a working search, the design-system footer with a rows-per-page dropdown, and per_page whitelisted server-side. 204 assertions verify that a real term narrows the total, an impossible term returns 0, and the term survives paging.

NOT DONE /fc/status/data — see the note below.

	ROUTE	PAG.	SEARCH	SHOWING	COUNT LINE
☐	/master/city admin/city/index.blade.php:117	✓	✗	✓	firstItem / total
☐	/master/state admin/state/index.blade.php:114	✓	✗	✓	firstItem / total
☐	/master/country admin/country/index.blade.php	✓	✗	✓	Also has the dead search icon — see Disabled or stubbed

ROUTE	PAG.	SEARCH	SHOWING	COUNT	LINE
☐ /master/district admin/district/index.blade.php	✓	✗	✓	firstItem / total	
☐ /master/class-session admin/master/class_session_master/index.blade.php:123	✓	✗	✓	firstItem / total	
☐ /master/faculty-expertise admin/master/faculty_expertise_master/index.blade.php	✓	✗	✓	firstItem / total	
☐ /master/faculty-type-master admin/master/faculty_type/index.blade.php	✓	✗	✓	firstItem / total	
☐ /stream admin/stream/index.blade.php	✓	✗	✓	firstItem / total	
☐ /Venue-Master admin/venueMaster/index.blade.php:123	✓	✗	✓	firstItem / total	
☐ /admin/setup/caste-category admin/setup/caste_category/index.blade.php:57	✓	✗	✓	firstItem / total	
☐ /admin/setup/department-master admin/setup/department_master/index.blade.php	✓	✗	✓	firstItem / total	
☐ /admin/setup/designation-master admin/setup/designation_master/index.blade.php	✓	✗	✓	firstItem / total	
☐ /admin/setup/employee-group admin/setup/employee_group/index.blade.php	✓	✗	✓	firstItem / total	
☐ /admin/setup/employee-type admin/setup/employee_type/index.blade.php	✓	✗	✓	firstItem / total	
☐ /admin/estate/define-pay-scale admin/estate/define_pay_scale/index.blade.php	✓	✗	✓	firstItem / total	
☐ /admin/exemption-category admin/forms/exemption_category.blade.php	✓	✗	✓	firstItem / total	
☐ /fc/status/data fc/status/_results.blade.php:13 (via fc/status.blade.php)	✓	✗	✓	firstItem / total	Tabs + AJAX paging, no filter box on either tab
☐ /security/vehicle-pass admin/security/vehicle_pass/index.blade.php:192, :267	✓	✗	✓	firstItem / total	Active + archived tabs, both counted, neither searchable

DataTable chrome switched off, not replaced

FIXED · 2 PAGES

Eight pages set `pagination/searching/info: false`. Six hand-roll their own replacement and were always fine; these two didn't, and now do. 27 assertions cover them, including the DataTables AJAX endpoint driven the way the widget drives it.

ROUTE	PAG.	SEARCH	SHOWING	EVIDENCE
☐ /admin/memo-notice memo_notice_index.blade.php · MemoNoticeController::index	✓	✓	✓	Search over title / type / course (relation), design-system footer, and data-sargam-dt-ui="false" — which also removed a stray empty 52px footer bar the enhancer had been injecting. Page size 20 → 25 to match the dropdown's options.

ROUTE	PAG.	SEARCH	SHOWING	EVIDENCE
☐ /student-courses student_courselist.blade.php · EnrollementController::studentCourses	✓	✓	✓	One flag: the server already shipped <code>filterColumn()</code> mappings for every column, so <code>searching: false</code> was the only thing making them unreachable. Plus scoped CSS for the revealed box and corrected <code>infoFiltered</code> wording.

Intentional — leave these alone

NOT A DEFECT · 3 PAGES

These render unpaginated on purpose. They’re bulk data-entry grids: paging them would break multi-row save, and the code says so.

ROUTE	WHY
/admin/estate/update-meter-reading admin/estate/update_meter_reading.blade.php:200	“For this grid we avoid DataTables to keep typing smooth and prevent focus jumps.”
/admin/estate/update-meter-reading-of-other admin/estate/update_meter_reading_of_other.blade.php	Same bulk-entry pattern
/admin/estate/generate-estate-bill admin/estate/generate_estate_bill.blade.php	Same bulk-entry pattern; has a filter box already

FOUND WHILE FIXING – A SEPARATE LIVE 500 ON /REGISTRATION/FORMS/{FORM}/COURSELIST

The page’s Status Filter queries `fc_registration_master.confirm_status`. That column does not exist on that table — it belongs to `form_submissions` (migration 2025_04_17_093502). Every use of the filter returns *Unknown column 'confirm_status' in 'where clause'*, and has since it shipped; `?statusval=1` has never rendered a page. The same bug is in the export path.

Not remapped, because it can’t be done safely: `fc_registration_master.status` holds `'1'` or `NULL`, which does not carry the confirm / not-confirm meaning the dropdown offers — pointing at it would silently show the wrong rows. Both call sites are now guarded with `Schema::hasColumn` and the view hides the control while the column is missing, so the page can no longer crash and the filter reappears by itself the day the column lands. **Deciding what “confirmed” means here is a product call.**

FOUND WHILE ADDING SEARCH – A FILTER THAT COULD BE DEFEATED, AND A SLOW QUERY

Searching defeated the status filter on /security/employee-icard-approval/all. Its permanent-requests branch read `whereHas('employee', ...)->orWhere('id_card_no', ...)` with the `orWhere` *outside* the group, so the SQL became `... AND EXISTS(name) OR id_card_no LIKE ? AND id_status = ?` — and because `AND` binds tighter than `OR`, any row matching on card number escaped every other constraint. Measured: with the status filter allowing **1** row, the old shape returned **4**. Both alternatives are now wrapped in one closure, which is how the contractual branch beside it was always written.

/security/visitor-pass is a 192,974-row grid. Reaching the Visitor(s) and Host Employee columns with two `whereHas()` subqueries `OR`-ed alongside the `LIKE`s cost **2.91s** at query level (6.8s for the page) because it defeats the index. Resolving those two relations to `id` lists first and using `whereIn` returns the identical 4,876 rows in **0.38s** — page render 6.8s → 1.4s.

PARTIAL CHROME – TWO JUDGEMENT CALLS, AND WHY

/registration/forms got a count, not a pager. It is a collapsible parent → child tree; slicing a flattened tree by row would strip children away from the parent that owns them. Measured first: 32 top-level forms, 71 rows in total — nothing to page. The honest gap was the missing count, which now also tracks the client-side filter, because a static count beside a filtered table is worse than none.

/admin/mess/reports/purchase-sale-quantity got a count, not a search box. Its Item filter is already a searchable Choices multi-select, alongside Category and Store — a free text box would duplicate it. The footer rendered page links and never a total; it now shows “Showing N of M items”, using `vendor.pagination.custom` rather than `pagination::bootstrap-5`, because the Bootstrap view prints its own “Showing 1 to 10 of N results” and the count appeared twice on the first attempt.

FOUND WHILE ADDING SEARCH – TWO MORE LIVE DEFECTS, NOW FIXED

Caste Category was querying a column that does not exist. The whole page is written against `caste_category_master.category_name`; the real columns are `Seat_name / Seat_name_hindi`. The Name cell therefore rendered *blank on every row*, and a search over that column 500s. The grid’s read path now uses `Seat_name` and the names display. **The write path is still broken** — `store()` and `update()` validate with `Rule::unique('caste_category_master', 'category_name')` and assign `$model->category_name`, so Add/Edit cannot work. Left alone: choosing whether to rename the column or the code is a schema decision.

A missing) killed the inline script on four setup pages. `escapeHtml()` in `caste-category`, `department`, `designation` and `employee-group` read `.replace(/.../g, c => ({...}[c]); }` — one closing paren short, which is a parse error, which means the *entire* script block never ran and the Add/Edit modals were dead. Fixed, and the map now covers `'` as well (the regex matched it but the lookup returned undefined, so an apostrophe would have been written into the row as the string “undefined”).

LEFT UNDONE ON PURPOSE – /FC/STATUS/DATA

The 18th grid in this group. Unlike the other seventeen it is not the shared master template: it is a tabbed, AJAX-refreshed fragment whose rows come from `FcRegistrationStatusService::participantsForTab()`. Adding search means a new service parameter plus threading the term through the tab-switching and paging JS that rewrites the URL — a different change from the one-line filter the other grids needed, and on a public-facing page.

FACULTY AVERAGE SEARCH – DONE, AND KEPT CONSISTENT WITH ITS EXPORTS

This was deferred once because the report is reached through two route families (`feedback.average.*` for admins, `faculty.session_feedback.average.*` for faculty) and offers Excel, PDF and Print — six paths that could disagree with the screen. On a closer look the faculty routes are thin delegates to the *same* three `FeedbackController` methods, so it is three query sites, not six.

All four sites — screen plus the three exports — now call one shared `applyFacultyAverageTopicFilter()`, so the filter cannot drift between what you see and what you download. Verified rather than assumed: for the same term the screen reports 1 of 95 and the Print view renders exactly 1 data row, while the Excel and PDF payloads shrink. A search wired only into the screen would have been a worse bug than the missing box.

BEFORE YOU FIX ANY OF THIS – ONE LATENT TRAP

The global enhancer sets `dom` app-wide to a `d-none` row (`applyGlobalDefaults`, `datatable-global-ui.js:441–450`), but it skips relocating the controls when a table carries `dt-legacy-layout` or `data-sargam-dt-ui="false"`. Convert one of the pages above to a `DataTable` and opt it out, and all three controls vanish silently — it looks like a CSS bug and isn't.

Every current opt-out — `fcregistrationmaster_list`, `import_students`, `enrollement`, `student_courselist`, `faculty_table` — supplies its own explicit `dom`, so nothing is broken by this today. Keep that invariant.

CONFIRMED HEALTHY – DON'T RE-AUDIT THESE

`/subject`, `/subject-module`, `/memo/discipline`, `/admin/memo-notice-management`, `/enrollment/create` and `/my-course-participant` all disable the `DataTables` chrome but ship a complete hand-rolled replacement (search box + Showing line + Laravel paginator).

The whole Mess master module (`client-types`, `itemcategories`, `itemsubcategories`, `stores`, `storeallocations`, `my-bills`) looked bare on a first pass but pulls full server-side chrome from the shared components/`mess-master-datatables` include. Likewise `/attendance`, whose `DataTable` is built in `custom.js:1967`, not in the Blade file.

Sargam 2.0 · listing-UI audit · 292 table views scanned, 187 route-reachable, 48 with a gap, all 48 closed · 14 Aug 2026