




Main Diagram

Table admin		
Idx	Name	Data Type
* Pk	id	serial
*	first_name	varchar
*	last_name	varchar
	phone	varchar
*	enabled	boolean DEFAULT true
*	role	varchar
*	permission_admins	boolean DEFAULT false
*	permission_users	boolean DEFAULT false
*	permission_adjust_balance	boolean DEFAULT false
*	permission_verify_orders	boolean DEFAULT false
*	permission_handle_withdrawals	boolean DEFAULT false
*	permission_system_config	boolean DEFAULT false
*	permission_channels_and_gateways	boolean DEFAULT false
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()
Unq	identity_id	integer
Indexes		
Type	Name	On
Pk	PK_e032310bcef831fb83101899b10	id
Unq	REL_feaae0cd65ebb4f0db84e05692	identity_id
Foreign Keys		
Type	Name	On
	FK_feaae0cd65ebb4f0db84e056921 (identity_id) ref identity (id)	

Table agent		
Idx	Name	Data Type
* Pk	id	serial
*	first_name	varchar
*	last_name	varchar
*	enabled	boolean DEFAULT true
	phone	varchar
*	withdrawal_password	varchar
*	withdrawal_rate	double precision DEFAULT '0.3':::double precision
*	min_withdrawal_amount	integer DEFAULT 1000
*	max_withdrawal_amount	integer DEFAULT 50000
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()
*	balance	double precision DEFAULT '0':::double precision
	organization_id	varchar
	agent_commissions	json
	agent_commissions.payinCommissionRate	_number
	agent_commissions.payoutCommissionRate	_number
Unq	identity_id	integer
	agent_id	integer
Indexes		

Table agent

Type	Name	On
Pk	PK_1000e989398c5d4ed585cf9a46f	id
Unq	REL_35860be4ac92465f661bfe3db0	identity_id

Foreign Keys

Type	Name	On
	FK_ccb938d9faac409291066b2f0d3 (agent_id) ref agent (id)	
	FK_35860be4ac92465f661bfe3db03 (identity_id) ref identity (id)	

Table agent_referral

Idx	Name	Data Type
* Pk	id	serial
* Unq	referral_code	varchar
*	agent_type	varchar DEFAULT 'agent'::character varying
*	status	varchar DEFAULT 'pending'::character varying
*	payin_commission	double precision
*	payout_commission	double precision
	merchant_payin_service_rate	json
	merchant_payout_service_rate	json
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()
	agent_id	integer
Unq	referred_agent_id	integer
Unq	referred_merchant_id	integer

Indexes

Type	Name	On
Pk	PK_ad1abe7d735329f687a71f41980	id
Unq	UQ_efd2df71dc2e1b97828ef4fcf5d	referral_code
Unq	REL_65b4524e5805951044dc3efcb1	referred_agent_id
Unq	REL_131ad79ec19aca654b45359111	referred_merchant_id

Foreign Keys

Type	Name	On
	FK_131ad79ec19aca654b453591111 (referred_merchant_id) ref merchant (id)	
	FK_65b4524e5805951044dc3efcb18 (referred_agent_id) ref agent (id)	
	FK_43ac511df65cef41d5e80c9536a (agent_id) ref agent (id)	

Table alert

Idx	Name	Data Type
* Pk	id	serial
	for	integer
	type	"public".alert_type_enum
*	user_type	"public".alert_user_type_enum
*	status	"public".alert_status_enum DEFAULT 'UNREAD'::alert_status_enum
	data	json
	data.orderId	_string
	data.amount	_number
	data.channel	_string
	data.serviceFee	_number
*	created_at	timestamp DEFAULT now()

Table alert

*	updated_at	timestamp DEFAULT now()
---	------------	-------------------------

Indexes

Type	Name	On
Pk	PK_ad91cad659a3536465d564a4b2f	id

Table amount_range_payin_mode

Idx	Name	Data Type
* Pk	id	serial
*	lower	bigint
*	upper	bigint
*	gateway	"public".amount_range_payin_mode_gateway_enum
	payin_mode	integer

Indexes

Type	Name	On
Pk	PK_e485877680a5f39b4b5aabc309b	id

Foreign Keys

Type	Name	On
	FK_0f1033699bae1cf7a95b5a57ecf (payin_mode) ref payin_mode (id)	

Table cashfree

Idx	Name	Data Type
*	incoming	boolean
*	outgoing	boolean
*	client_id	varchar
*	client_secret	varchar
*	sandbox_client_id	varchar
*	sandbox_client_secret	varchar
* Pk	id	serial
	payouts_client_id	varchar
	payouts_client_secret	varchar

Indexes

Type	Name	On
Pk	PK_c153a3122def3c98edef66d4679	id

Table channel_settings

Idx	Name	Data Type
* Pk	id	serial
*	gateway_name	"public".channel_settings_gateway_name_enum
*	type	"public".channel_settings_type_enum
*	channel_name	"public".channel_settings_channel_name_enum
*	enabled	boolean
*	min_amount	double precision
*	max_amount	double precision
*	upstream_fee	double precision

Indexes

Type	Name	On
Pk	PK_987e74a380da8234bb5881fb14a	id

Table config		
Idx	Name	Data Type
* Pk	id	serial
* Unq	tag_name	varchar
*	incoming	boolean
*	outgoing	boolean
*	name	"public".config_name_enum
Indexes		
Type	Name	On
Pk	PK_d0ee79a681413d50b0a4f98cf7b	id
Unq	UQ_edf7b5b9d6038e0c36760038d37	tag_name

Table e_wallet		
Idx	Name	Data Type
* Pk	id	serial
*	app	varchar
*	mobile	varchar
*	channel_index	integer DEFAULT 0
	identity_id	integer
	beneficiary_name	varchar
	email	varchar
Indexes		
Type	Name	On
Pk	PK_a537482d3062550ac4dec01d3d4	id
Foreign Keys		
Type	Name	On
	FK_c495706091a059d79eea530ef26 (identity_id) ref identity (id)	

Table end_user		
Idx	Name	Data Type
* Pk	id	serial
*	user_id	varchar
*	name	varchar
	email	varchar
	mobile	varchar
	upi_details	json
	upi_details.upild	_string
	upi_details.mobileNumber	_string
	net_banking_details	json
	net_banking_details.bankName	_string
	net_banking_details.accountNumber	_string
	net_banking_details.ifscCode	_string
	net_banking_details.beneficiaryName	_string
	e_wallet_details	json
*	is_blacklisted	boolean DEFAULT false
*	total_payin_amount	double precision DEFAULT '0'::double precision
*	total_payout_amount	double precision DEFAULT '0'::double precision
	contact_id	varchar
	fund_account_id	varchar

Table end_user

	fund_account_type	varchar
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()
	merchant_id	integer
	beneficiary_id	varchar

Indexes

Type	Name	On
Pk	PK_189d43b9ce928ec96c0899c1cf5	id

Foreign Keys

Type	Name	On
	FK_a07fa5cd44722ee3e712e5cb4e8 (merchant_id)	ref merchant (id)

Table fund_record

Idx	Name	Data Type
* Pk	id	serial
	order_type	varchar
	name	varchar
*	balance_type	varchar
*	system_order_id	varchar
	amount	double precision
	service_fee	double precision
*	description	varchar
	order_amount	double precision
	net_amount	double precision
	before	double precision
	after	double precision
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()
	identity_id	integer
	merchant_order_id	varchar
*	type	"public".fund_record_type_enum DEFAULT 'TRANSACTION'::fund_record_type_enum

Indexes

Type	Name	On
Pk	PK_91c622d62df83babd4169495fcb	id

Foreign Keys

Type	Name	On
	FK_03f679a5958ee82076304c5be5b (identity_id)	ref identity (id)

Table identity

Idx	Name	Data Type
* Pk	id	serial
* Unq	email	varchar
*	password	varchar
*	user_type	varchar
	beneficiary_id	varchar

Indexes

Type	Name	On
Pk	PK_ff16a44186b286d5e626178f726	id

Table identity		
Unq	UQ_0d9005670fa2ee7dcc48842f64d	email

Table ip		
Idx	Name	Data Type
* Pk	id	serial
*	value	varchar
	identity	integer IDENTITY
Indexes		
Type	Name	On
Pk	PK_b12fba291251bda71560e34b209	id
Foreign Keys		
Type	Name	On
	FK_8cd00911f8471ecda220f9f0ebc (identity) ref identity (id)	

Table member		
Idx	Name	Data Type
* Pk	id	serial
*	first_name	varchar
*	last_name	varchar
	phone	varchar
*	enabled	boolean DEFAULT true
*	single_payout_upper_limit	integer
*	single_payout_lower_limit	integer
*	daily_total_payout_limit	integer
	telegram_id	varchar
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()
*	quota	double precision DEFAULT '0'::double precision
*	balance	double precision DEFAULT '0'::double precision
*	is_online	boolean DEFAULT false
	self_registered	boolean
	team_id	varchar
	agent_commissions	json
Unq	identity	integer IDENTITY
	agent	integer
Indexes		
Type	Name	On
Pk	PK_97cbb986ce9d14ca5894fdc072	id
Unq	REL_72d735f6f6cc85235db6db037a	identity
Foreign Keys		
Type	Name	On
	FK_49e103b87af03dcd8b7df646c8 (agent) ref member (id)	
	FK_72d735f6f6cc85235db6db037a4 (identity) ref identity (id)	

Table member_referral		
Idx	Name	Data Type
* Pk	id	serial
*	referral_code	varchar

Table member_referral

*	payin_commission	double precision
*	payout_commission	double precision
*	topup_commission	double precision
*	status	varchar DEFAULT 'pending'::character varying
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()
	member_id	integer
Unq	referred_member_id	integer

Indexes

Type	Name	On
Pk	PK_cc94eb062517afd902aa6a9a7b0	id
Unq	REL_5c226ea4ad8a85a23f367dfab3	referred_member_id

Foreign Keys

Type	Name	On
	FK_5c226ea4ad8a85a23f367dfab3c (referred_member_id)	ref member (id)
	FK_75951c3ac645b0031b93bc6df0d (member_id)	ref member (id)

Table merchant

Idx	Name	Data Type
* Pk	id	serial
*	first_name	varchar
*	last_name	varchar
	phone	varchar
	business_name	varchar
*	enabled	boolean DEFAULT true
*	withdrawal_password	varchar
* Unq	integration_id	varchar
*	business_url	varchar
*	allow_member_channels_payin	boolean DEFAULT false
*	allow_pg_backup_for_payin	boolean DEFAULT false
*	allow_member_channels_payout	boolean DEFAULT false
*	allow_pg_backup_for_payout	boolean DEFAULT false
*	payin_service_rate	json
	payin_service_rate.mode	_string
	payin_service_rate.absoluteAmount	_number
	payin_service_rate.percentageAmount	_number
*	payout_service_rate	json
	payout_service_rate.mode	_string
	payout_service_rate.absoluteAmount	_number
	payout_service_rate.percentageAmount	_number
*	withdrawal_service_rate	double precision
*	min_payout	integer
*	max_payout	integer
*	min_withdrawal	integer
*	max_withdrawal	integer
*	payin_mode	varchar DEFAULT 'DEFAULT'::character varying
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()

Table merchant		
*	balance	double precision DEFAULT '0':double precision
*	payin_channels	varchar
*	payout_channels	varchar
*	is_online	boolean DEFAULT false
	organization_id	varchar
	agent_commissions	json
	agent_commissions.payinCommissionRate	_number
Unq	api_key	varchar
Unq	identity	integer IDENTITY
	agent	integer
	enable_payins	boolean DEFAULT true
	enable_payouts	boolean DEFAULT true
	gst	varchar
	enable_upi_vendor_gateway	boolean DEFAULT false
	upi_vendor_auto_verify_threshold	double precision
Indexes		
Type	Name	On
Pk	PK_9a3850e0537d869734fc9bff5d6	id
Unq	UQ_a0ff3840c31aa709d44f0f2da03	integration_id
Unq	UQ_43f4958d17f76a8526d40e809cc	api_key
Unq	REL_94030c6a81275a80a8d826775b	identity
Foreign Keys		
Type	Name	On
	FK_c5cd007e6585c2bc3392ee03e89 (agent) ref agent (id)	
	FK_94030c6a81275a80a8d826775bb (identity) ref identity (id)	

Table net_banking		
Idx	Name	Data Type
* Pk	id	serial
*	account_number	varchar
*	ifsc	varchar
*	bank_name	varchar
*	beneficiary_name	varchar
*	channel_index	integer DEFAULT 0
	identity_id	integer
	email	varchar
	mobile	varchar
Indexes		
Type	Name	On
Pk	PK_e994d45f4a8c075e3bd4eab7118	id
Foreign Keys		
Type	Name	On
	FK_0f35651625e1fea4cc3a1e491a0 (identity_id) ref identity (id)	

Table notification		
Idx	Name	Data Type
* Pk	id	serial
*	created_at	timestamp DEFAULT now()

Table notification		
*	updated_at	timestamp DEFAULT now()
	for	integer
	type	"public".notification_type_enum
*	status	"public".notification_status_enum DEFAULT 'UNREAD'::notification_status_enum
	data	json
	data.orderId	_string
	data.amount	_number
	data.channel	_string
	data.trackingId	_string
	data.date	_string
	data.upId	_string
	data.upiTitle	_string
	data.isUpiVendor	_boolean
Indexes		
Type	Name	On
Pk	PK_705b6c7cdf9b2c2ff7ac7872cb7	id

Table organization		
Idx	Name	Data Type
* Pk	organization_id	uuid DEFAULT uuid_generate_v4()
*	organization_size	integer DEFAULT 2
*	total_referral_commission	double precision DEFAULT '0'::double precision
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()
Unq	leader	integer
Indexes		
Type	Name	On
Pk	PK_ed1251fa3856cd1a6c98d7bcaa3	organization_id
Unq	REL_307b807c2562aa729fc9e38114	leader
Foreign Keys		
Type	Name	On
	FK_307b807c2562aa729fc9e381145 (leader) ref agent (id)	

Table payin		
Idx	Name	Data Type
* Pk	id	serial
* Unq	system_order_id	varchar
*	merchant_order_id	varchar
*	amount	double precision
*	status	"public".payin_status_enum DEFAULT 'INITIATED'::payin_status_enum
*	channel	"public".payin_channel_enum
*	callback_status	"public".payin_callback_status_enum DEFAULT 'PENDING'::payin_callback_status_enum
	payin_made_on	"public".payin_payin_made_on_enum
	gateway_name	"public".payin_gateway_name_enum
	gateway_service_rate	double precision
	transaction_id	varchar

Table payin

	transaction_receipt	varchar
	transaction_details	varchar
	tracking_id	varchar
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()
	enduser_id	integer
	merchant_id	integer
	member_id	integer
	gateway_payment_link	varchar
	success_url	varchar
	failure_url	varchar
	webhook_url	varchar
	mode	varchar
	gateway_error	varchar
	upi_vendor_id	integer
*	has_utr_mismatch	boolean DEFAULT false

Indexes

Type	Name	On
Pk	PK_f2842be15c7182def72a304df22	id
Unq	UQ_8336313796f53ea22109e74e03b	system_order_id

Foreign Keys

Type	Name	On
	FK_989cc35e08e4320b1362fdbbaabb (upi_vendor_id)	ref upi_vendor (id)
	FK_9bebbaaa5e524cca2be06ca2c0b (member_id)	ref member (id)
	FK_49b951f537abfa9160975c6b4e8 (merchant_id)	ref merchant (id)
	FK_ae469eafe352a7c1e88a5e567e6 (enduser_id)	ref end_user (id)

Table payin_mode

Idx	Name	Data Type
* Pk	id	serial
*	type	varchar
*	number	integer
Unq	merchant	integer

Indexes

Type	Name	On
Pk	PK_bd87471b0b6066be7ebb341662d	id
Unq	REL_08678795a9d3a9d0961fe9bdd6	merchant

Foreign Keys

Type	Name	On
	FK_08678795a9d3a9d0961fe9bdd62 (merchant)	ref merchant (id)

Table payin_sandbox

Idx	Name	Data Type
* Pk	id	serial
* Unq	system_order_id	varchar
*	merchant_order_id	varchar
*	amount	double precision
*	status	"public".payin_sandbox_status_enum DEFAULT 'INITIATED'::payin_sandbox_status_enum

Table payin_sandbox

*	channel	"public".payin_sandbox_channel_enum
	payin_made_on	"public".payin_sandbox_payin_made_on_enum
	gateway_name	"public".payin_sandbox_gateway_name_enum
	gateway_service_rate	double precision
	transaction_id	varchar
	transaction_receipt	varchar
	transaction_details	varchar
*	user	json
*	merchant	json
	member	json
	tracking_id	varchar
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()
	gateway_payment_link	varchar
	success_url	varchar
	failure_url	varchar
	webhook_url	varchar
	mode	varchar

Indexes

Type	Name	On
Pk	PK_26c7420d78bace87d753b528879	id
Unq	UQ_fb5c523d15c8184eb1362eef7b5	system_order_id

Table payout

Idx	Name	Data Type
* Pk	id	serial
* Unq	system_order_id	varchar
*	amount	double precision
*	status	"public".payout_status_enum DEFAULT 'INITIATED'::payout_status_enum
*	channel	"public".payout_channel_enum
*	notification_status	"public".payout_notification_status_enum DEFAULT 'PENDING'::payout_notification_status_enum
	payout_made_via	"public".payout_payout_made_via_enum
	gateway_name	"public".payout_gateway_name_enum
	transaction_id	varchar
	transaction_details	varchar
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()
	gateway_service_rate	double precision
	transaction_receipt	varchar
	user_id	integer
	merchant_id	integer
	member_id	integer
	webhook_url	varchar
	gateway_error	varchar
	merchant_order_id	varchar
	utr	varchar

Indexes

Table payout		
Type	Name	On
Pk	PK_1cb73ce021dc6618a3818b0a474	id
Unq	UQ_5cbcd7bb18e7efd36a28d19d1f6	system_order_id
Foreign Keys		
Type	Name	On
	FK_46bdfd5f32ef7ef2caf6e86af65 (member_id) ref member (id)	
	FK_c851a628a7bb7b384a0d7786efd (merchant_id) ref merchant (id)	
	FK_f8f5bcccecf99a56eea8470a520 (user_id) ref end_user (id)	

Table payu		
Idx	Name	Data Type
* Pk	id	serial
*	incoming	boolean
*	outgoing	boolean
*	merchant_id	varchar
*	client_id	varchar
*	client_secret	varchar
*	sandbox_merchant_id	varchar
*	sandbox_client_id	varchar
*	sandbox_client_secret	varchar
Indexes		
Type	Name	On
Pk	PK_580808dcc3ee40ee7a7700384c4	id

Table phonepe		
Idx	Name	Data Type
* Pk	id	serial
*	incoming	boolean
*	outgoing	boolean
*	merchant_id	varchar
*	salt_key	varchar
*	salt_index	varchar
*	sandbox_merchant_id	varchar
*	sandbox_salt_key	varchar
*	sandbox_salt_index	varchar
Indexes		
Type	Name	On
Pk	PK_5073a2a3d3c319776eadb0886c1	id

Table proportional_payin_mode		
Idx	Name	Data Type
* Pk	id	serial
*	ratio	double precision
*	gateway	"public".proportional_payin_mode_gateway_enum
	payin_mode	integer
Indexes		
Type	Name	On
Pk	PK_202733a33ca9092a27fd8376569	id

Table proportional_payin_mode

Foreign Keys

Type	Name	On
	FK_f116cac5578c533578024450131 (payin_mode)	ref payin_mode (id)

Table razorpay

Idx	Name	Data Type
* Pk	id	serial
*	incoming	boolean
*	outgoing	boolean
*	key_secret	varchar
*	key_id	varchar
*	account_number	varchar
*	sandbox_key_id	varchar
*	sandbox_key_secret	varchar
*	sandbox_account_number	varchar

Indexes

Type	Name	On
Pk	PK_b71d0658a4111431d3a717c64cc	id

Table settlement

Idx	Name	Data Type
* Pk	id	serial
* Unq	system_order_id	varchar
*	settlement_amount	double precision
*	paid_amount	double precision
*	remaining_amount	double precision DEFAULT '0':double precision
*	status	"public".settlement_status_enum DEFAULT 'INITIATED':settlement_status_enum
	transaction_id	varchar
	topup_channel_details	varchar
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()
	upi_vendor_id	integer
	upi_id	integer

Indexes

Type	Name	On
Pk	PK_23997ae6972574beb45af0177ad	id
Unq	UQ_87b38446b53176b86d7ca2cdb22	system_order_id

Foreign Keys

Type	Name	On
	FK_0deec7f8501d1d3ad5d8db3c270 (upi_id)	ref upi (id)
	FK_51cfa438b359dd0cc688d688a8e (upi_vendor_id)	ref upi_vendor (id)

Table submerchant

Idx	Name	Data Type
* Pk	id	serial
*	first_name	varchar
*	last_name	varchar

Table submerchant

	phone	varchar
*	enabled	boolean DEFAULT true
*	permission_submit_payouts	boolean DEFAULT true
*	permission_submit_withdrawals	boolean DEFAULT true
*	permission_update_withdrawal_profiles	boolean DEFAULT true
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()
	merchant_id	integer
	identity_id	integer

Indexes

Type	Name	On
Pk	PK_a3889e58d5ec7f3fc96aa16ed40	id

Foreign Keys

Type	Name	On
	FK_8b13e81e91e6a7bd9bb6547f5bb (identity_id)	ref identity (id)
	FK_74609e56751d1ec3b8ea633c2cb (merchant_id)	ref merchant (id)

Table system_config

Idx	Name	Data Type
* Pk	id	serial
	payin_timeout	integer
	payout_timeout	integer
	currency	varchar
	default_payin_gateway	json
	default_payin_gateway.1	_string
	default_payin_gateway.2	_string
	default_payin_gateway.3	_string
	default_payin_gateway.4	_string
	default_withdrawal_gateway	json
	default_withdrawal_gateway.1	_string
	default_withdrawal_gateway.2	_string
	default_payout_gateway	json
	default_payout_gateway.1	_string
	default_payout_gateway.2	_string
	payin_system_profit_rate	double precision
	payout_system_profit_rate	double precision
	topup_threshold	integer
	topup_amount	double precision
	topup_service_rate	double precision
	payin_commission_rate_for_member	double precision
	payout_commission_rate_for_member	double precision
	topup_commission_rate_for_member	double precision
	minimum_payout_amount_for_member	integer
	maximum_payout_amount_for_member	integer
	maximum_daily_payout_amount_for_member	integer
	payin_service_rate_for_merchant	json
	payin_service_rate_for_merchant.mode	_string
	payin_service_rate_for_merchant.absoluteAmount	_number

Table system_config

	payin_service_rate_for_merchant.percentageAmount	_number
	payout_service_rate_for_merchant	json
	payout_service_rate_for_merchant.mode	_string
	payout_service_rate_for_merchant.absoluteAmount	_number
	payout_service_rate_for_merchant.percentageAmount	_number
	minimum_payout_amount_for_merchant	integer
	maximum_payout_amount_for_merchant	integer
	withdrawal_rate	double precision
	min_withdrawal_amount	integer
	max_withdrawal_amount	integer
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()
*	system_profit	double precision DEFAULT '0':double precision
	end_user_payin_limit	integer
*	frozen_amount_threshold	integer DEFAULT 2

Indexes

Type	Name	On
Pk	PK_db4e70ac0d27e588176e9bb44a0	id

Table team

Idx	Name	Data Type
* Pk	team_id	uuid DEFAULT uuid_generate_v4()
*	team_size	integer DEFAULT 2
*	total_referral_commission	double precision DEFAULT '0':double precision
*	total_payin_commission	double precision DEFAULT '0':double precision
*	total_payout_commission	double precision DEFAULT '0':double precision
*	total_quota	double precision DEFAULT '0':double precision
*	team_payin_commission_rate	double precision DEFAULT '0':double precision
*	team_payout_commission_rate	double precision DEFAULT '0':double precision
*	team_topup_commission_rate	double precision DEFAULT '0':double precision
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()
Unq	team_leader	integer

Indexes

Type	Name	On
Pk	PK_a35a345d4436b82adf6bb76f3ce	team_id
Unq	REL_10fc45c0e5c657f36d54c02f69	team_leader

Foreign Keys

Type	Name	On
	FK_10fc45c0e5c657f36d54c02f690 (team_leader) ref member (id)	

Table topup

Idx	Name	Data Type
* Pk	id	serial
* Unq	system_order_id	varchar
*	amount	double precision
*	status	"public".topup_status_enum DEFAULT 'INITIATED':topup_status_enum
*	channel	"public".topup_channel_enum

Table topup		
*	notification_status	"public".topup_notification_status_enum DEFAULT 'PENDING'::topup_notification_status_enum
	transaction_id	varchar
	transaction_details	varchar
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()
	transaction_receipt	varchar
	member_id	integer
Indexes		
Type	Name	On
Pk	PK_e6cd278b1241e4bc8551f3572c0	id
Unq	UQ_26beee978254d2836499eeada68	system_order_id
Foreign Keys		
Type	Name	On
	FK_e033656f7d3353b764387124498 (member_id) ref member (id)	

Table transaction_update		
Idx	Name	Data Type
* Pk	id	serial
	order_type	varchar
*	user_type	varchar
	system_order_id	varchar
	name	varchar
	is_agent_of	varchar
	is_agent_member	boolean
	rate	double precision
	rate_text	varchar
	absolute_amount	double precision
	amount	double precision
	before	double precision
	after	double precision
*	pending	boolean DEFAULT true
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()
	identity_id	integer
	payin_order_id	integer
	payout_order_id	integer
	withdrawal_order_id	integer
	topup_order	integer
Indexes		
Type	Name	On
Pk	PK_28a70c6fe4e934f64a063dee8bd	id
Foreign Keys		
Type	Name	On
	FK_e61bcf04251819a1872b60621a9 (topup_order) ref topup (id)	
	FK_4563a83f4655cb7c35c1b22a41e (withdrawal_order_id) ref withdrawal (id)	
	FK_f8fb4287e24339bb495f6c68b44 (payout_order_id) ref payout (id)	
	FK_8127f86f7b26e966ac432e6c3a6 (payin_order_id) ref payin (id)	
	FK_903d8e033bad801a1402eae6921 (identity_id) ref identity (id)	

Table uniqpay

Idx	Name	Data Type
* Pk	id	serial
*	incoming	boolean
*	outgoing	boolean
*	uniqpay_id	varchar
*	client_id	varchar
*	client_secret	varchar

Indexes

Type	Name	On
Pk	PK_80fe469dce12630fcd167c4479b	id

Table upi

Idx	Name	Data Type
* Pk	id	serial
*	upi_id	varchar
*	mobile	varchar
	is_business_upi	boolean DEFAULT false
*	channel_index	integer DEFAULT 0
	identity_id	integer
	beneficiary_name	varchar
	email	varchar
	enabled	boolean DEFAULT true
	title	varchar DEFAULT "":character varying
	is_upi_vendor	boolean DEFAULT false
	settlement_amount	double precision DEFAULT '0':double precision
	tr	varchar

Indexes

Type	Name	On
Pk	PK_838576d42bff0c3f43df4ef5d94	id

Foreign Keys

Type	Name	On
	FK_56b7b78c3bbef439e9a23c06eda (identity_id) ref identity (id)	

Table upi_vendor

Idx	Name	Data Type
* Pk	id	serial
*	first_name	varchar
*	last_name	varchar
	phone	varchar
*	enabled	boolean DEFAULT true
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()
Unq	identity	integer IDENTITY
	commission_rate	double precision DEFAULT '0':double precision
*	is_online	boolean DEFAULT false
	settlement_upi_id	varchar

Indexes

Type	Name	On
------	------	----

Table upi_vendor		
Pk	PK_ee8a28f4639cbbf73e8647ff7b0	id
Unq	REL_580a0aa719a5c23a471ef2466b	identity
Foreign Keys		
Type	Name	On
	FK_580a0aa719a5c23a471ef2466be (identity)	ref identity (id)

Table withdrawal		
Idx	Name	Data Type
* Pk	id	serial
* Unq	system_order_id	varchar
*	amount	double precision
*	status	"public".withdrawal_status_enum DEFAULT 'PENDING'::withdrawal_status_enum
*	notification_status	"public".withdrawal_notification_status_enum DEFAULT 'PENDING'::withdrawal_notification_status_enum
*	channel	"public".withdrawal_channel_enum
*	channel_details	varchar
	withdrawal_made_on	"public".withdrawal_withdrawal_made_on_enum
	gateway_name	"public".withdrawal_gateway_name_enum
	transaction_id	varchar
	transaction_receipt	varchar
	transaction_details	varchar
*	created_at	timestamp DEFAULT now()
*	updated_at	timestamp DEFAULT now()
	identity_id	integer
*	is_payout_processing	boolean DEFAULT false
Indexes		
Type	Name	On
Pk	PK_840e247aaad3fbd4e18129122a2	id
Unq	UQ_875c2322f9f02c3f690df21fc82	system_order_id
Foreign Keys		
Type	Name	On
	FK_3c84bbe790a86919e9ca598b022 (identity_id)	ref identity (id)