

Rajalakshmi Engineering College

Name: Roshan Bright R
Email: 240701439@rajalakshmi.edu.in
Roll no:
Phone: null
Branch: REC
Department: CSE - Section 9
Batch: 2028
Degree: B.E - CSE

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 8_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Write a program to validate the email address and display suitable exceptions if there is any mistake.

Create 3 custom exception classes as below

DotException
AtTheRateException
DomainException

A typical email address should have a "." character, and a "@" character, and also the domain name should be valid. Valid domain names for practice be 'in', 'com', 'net', or 'biz'.

Display Invalid Dot usage, Invalid @ usage, or Invalid Domain message based on email id.

Get the email address from the user, validate the email by checking the

above-mentioned criteria, and print the validity status of the input email address.

Input Format

The first line of input contains the email to be validated.

Output Format

The output prints a Valid email address or an Invalid email address along with the suitable exception

If email ends with . or contains not exactly one . after @, it throws:

DotException: Invalid Dot usage

Invalid email address

If @ appears not exactly once, it throws:

AtTheRateException: Invalid @ usage

Invalid email address

If the part after the last dot is not among accepted domains:

DomainException: Invalid Domain

Invalid email address

If all conditions satisfied then print:

Valid email address

Refer to the sample input and output for format specifications.

Sample Test Case

Input: sample@gmail.com

Output: Valid email address

Answer

```
import java.util.Scanner;

class DotException extends Exception {
    public DotException(String message) {
        super(message);
    }
}

class AtTheRateException extends Exception {
    public AtTheRateException(String message) {
        super(message);
    }
}

class DomainException extends Exception {
    public DomainException(String message) {
        super(message);
    }
}

class EmailValidator {

    public static void validateEmail(String email) throws DotException,
    AtTheRateException, DomainException {

        int atCount = email.length() - email.replace("@", "").length();
        if (atCount != 1 || email.startsWith("@") || email.endsWith("@") ||
email.contains("@@")) {
            throw new AtTheRateException("AtTheRateException: Invalid @ usage");
        }
    }
}
```

```

        if (email.endsWith(".") || email.startsWith(".") || email.contains("..")) {
            throw new DotException("DotException: Invalid Dot usage");
        }

        String[] parts = email.split("@");
        String domainPart = parts[1];

        int dotCountAfterAt = domainPart.length() - domainPart.replace(".",
        "").length();
        if (dotCountAfterAt != 1) {
            throw new DotException("DotException: Invalid Dot usage");
        }

        String[] domainParts = domainPart.split("\\.");
        if (domainParts.length != 2) {
            throw new DotException("DotException: Invalid Dot usage");
        }

        String domainExtension = domainParts[1];
        if (!domainExtension.equals("com") && !domainExtension.equals("in") &&
            !domainExtension.equals("net") && !domainExtension.equals("biz")) {
            throw new DomainException("DomainException: Invalid Domain");
        }

        System.out.println("Valid email address");
    }

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        String email = sc.nextLine();

        try {
            validateEmail(email);
        } catch (DotException | AtTheRateException | DomainException e) {
            System.out.println(e.getMessage());
            System.out.println("Invalid email address");
        }
    }
}

```

Status : Correct

Marks : 10/10