P 5.6 Justification of Specification

The specification and test methods employed for analysis of Solifenacin Succinate Tablets BP 5 mg as per BP Methods.

A tabulated summary of the justification of specification is provided in below mentioned table.

Sr. No.	Tests	Specifications	Justification
1.	Description	Light yellow coloured, round shaped, film coated tablet, plain on both sides. Such 10 tablets packed in ALU/ALU Blister.	The description of the Tablet is assessed visually to ensure compliance with the expected appearance.
2.	Identification By IR	The infrared absorption spectrum of the dried residue is concordant with the reference spectrum of Solifenacin succinate RS/WS.	This test performed as per BP monograph
3.	Average weight	153.00 mg ± 7.5% (141.53 mg to 164.48 mg)	This test and associated limits are included to meet the requirements of BP Pharmacopoeia
4.	Uniformity of weight	Not More than 2 tablets deviate from average weight by 7.5% None Tablet deviate from th average weight by more than 15%	This test and associated limits are included to meet the requirements of BP Pharmacopoeia
5.	Content Uniformity	AV NMT 15	This test and associated limits are included to meet the requirements of BP Pharmacopoeia
6.	Hardness	NLT 3 Kp	This test and associated limits are included to meet the requirements.
7.	Friability	NMT 1.0% w/w	This test and associated limits are included to meet the requirements.
8.	Disintegration time	NMT 30 minutes	This test and associated limits are included to meet the requirements of BP Pharmacopoeia
9.	Dissolution	NLT 75% (Q) of the labeled amount	This test and associated limits are included to meet the requirements of BP Pharmacopoeia
10.	Assay	95.0% to 105.0% of the stated amount	This test and associated limits are included to

Sr. No.	Tests	Specifications	Justification
			meet the requirements of BP Pharmacopoeia
11	Related Substances		
	Impurity I	NMT 1.5%	This test and associated limits are included to meet the requirements of BP Pharmacopoeia
	Impurity 1	NMT 0.5%	
	Single Unknown Maximum Impurity	NMT 0.2%	
	Total Unknown Impurities	NMT 1.0%	
12.	Microbial Limit Test	TAMC: NMT 1000 cfu/gm. TYMC: NMT 100 cfu/gm. Escherichia coli: Absent/gm. Salmonella: Absent/10 gm. P. aeruginosa: Absent/gm. S. aureus : Absent/gm.	This test and associated limits are included to meet the requirements of BP Pharmacopoeia