

Cypress Execution Report

WorkForcePro — Workforce Management & OJT Platform

Automation Testing with Cypress

Project	WorkForcePro Workforce Management & OJT Platform
Document	Cypress Execution Report
Framework	Cypress 13 (Page Object Model) + Mochawesome
Specs / Tests	5 specs / 9 tests (implemented)
Execution Status	Implemented; NOT executed (no live environment provided)
Date	27 June 2026

1. Test Basis & Assumptions

Important - implemented vs executed: The Cypress suite is fully implemented (5 specs, 9 tests, Page

Object Model, reusable commands, fixtures, assertions) but has not been executed, because no deployed WorkForcePro instance or URL was provided. The status of every test is therefore Not Executed. Section 5 is the test inventory; Section 6 lists the issues that analysis predicts the suite will surface when run, pending confirmation. Running the suite produces the actual Mochawesome results, durations and failure screenshots.

2. Scope & Framework

The suite automates high-priority test cases authored earlier in this submission rather than new scenarios. It uses the Page Object Model, reusable custom commands, fixture-driven data and stable data-cy selectors, and is configured for Mochawesome reporting. Each test asserts the correct expected business rule.

Automated workflows:

- Employee Management - Create Employee; duplicate email restriction
- Training Workflow - Assign training; verify it appears in the employee record
- OJT Completion - Employee completes training; supervisor approves training
- Certification Tracking - Verify expiring certification alerts

3. Environment & Configuration

Cypress	13.13.0 (headless)
Reporter	Mochawesome (JSON + HTML)
Base URL	{{baseUrl}} (set to the target environment before running)
Pattern	POM, reusable commands (cy.login, cy.getByCy, cy.createEmployee)
Artifacts (on run)	Video per run; screenshot on failure

4. Project Structure

```
workforcepro-cypress/  cypress.config.js  package.json  cypress/      e2e/
employee/  create-employee.cy.js, duplicate-email.cy.js      training/  assign-
training.cy.js, complete-approve-training.cy.js      certification/  expiring-
certifications.cy.js      pages/  LoginPage,  EmployeePage,  TrainingPage,
ApprovalPage, CertificationPage  support/  commands.js (reusable commands),
e2e.js  fixtures/  users.json, employee.json, training.json
```

5. Test Inventory

Each test is implemented with assertions and mapped to a test case. Status is Not Executed; run the suite to capture actual results.

Spec	Test	Test Case	Status	Related
createemployee.cy.js	creates a new employee with all valid mandatory fields	TC-EMP-001	Not Executed	-
duplicate-email.cy.js	rejects creation when the email already exists (exact match)	TC-EMP-013	Not Executed	-
duplicate-email.cy.js	rejects an existing email that differs only by letter case	TC-EMP-014	Not Executed	DEF-001
assign-training.cy.js	assigns an OJT module to an employee with a due date	TC-OJT001	Not Executed	-
assign-training.cy.js	shows the assigned training in the employee record (Assigned)	TC-OJT002	Not Executed	-
complete-approve-training.cy.js	routes a completed training to 'Pending Approval'	TC-OJT012	Not Executed	DEF-002
complete-approve-training.cy.js	supervisor approves a pending training and marks it Completed	TC-OJT020	Not Executed	DEF-002
expiringcertifications.cy.js	lists a certification expiring within 30 days (15 days out)	TC-CERT-008	Not Executed	-
expiringcertifications.cy.js	includes a certification expiring in exactly 30 days	TC-CERT-011	Not Executed	DEF-004

Of the 9 implemented tests, analysis predicts 4 will fail when executed against the reference build (Section 6); the remaining 5 are expected to pass.

6. Analysis Findings (pending reproduction)

DEF-002 - Approval workflow bypass (2 tests) [Critical]

'complete-approve-training.cy.js' asserts completion routes to 'Pending Approval' and that a supervisor can then approve it. If the build auto-completes (per design analysis), the first assertion fails and the approval test finds an empty queue. On execution Cypress captures a failure screenshot for each. To be confirmed.

DEF-001 - Case-insensitive email duplicates [High]

'duplicate-email.cy.js' confirms exact duplicates are blocked but the case-only variant is expected to be accepted, so the case-insensitive assertion is expected to fail (EMP-002).

DEF-004 - 30-day expiry boundary excluded [Medium]

'expiring-certifications.cy.js' expects the 15-day certificate listed but the exactly-30-day certificate missing, failing the boundary assertion (CERT-003).

7. Failure Screenshots (on execution)

When the suite is run against a live build, Cypress automatically captures a screenshot at the point of failure (cypress/screenshots/).

[Screenshot to insert: duplicate-email.cy.js - case-only duplicate accepted (DEF-001)]

[Screenshot to insert: complete-approve-training.cy.js - status 'Completed' instead of 'Pending Approval' (DEF-002)]

[Screenshot to insert: complete-approve-training.cy.js - empty supervisor approval queue (DEF-002)]

[Screenshot to insert: expiring-certifications.cy.js - exactly-30-day cert missing from report (DEF-004)]

8. How to Execute & Capture Actual Results

```
## Test Execution
```

```
# Install dependencies npm
install
```

```
# Configure the test environment
# - Set the baseUrl in cypress.config.js
# - Update test credentials in cypress/fixtures/users.json
```

```
# Run all Cypress tests (Headless) npm
run cypress:run
```

```
# Generate the HTML execution report
npm run report:merge npm run
report:html
```

```
The execution generates:
- Mochawesome JSON reports
- Consolidated HTML test report
```

The run produces actual pass/fail counts, per-test durations, an HTML report and failure screenshots, replacing the 'Not Executed' status and confirming the predicted findings.