

ABLESPACE TECHNICAL ASSESSMENT

Part 2 – Product Understanding

Take Data Workflow – Caseload

Candidate	Roshan Kumar
Product Area	Caseload → Student → Take Data
Evidence Used	Screenshots captured during direct product exploration

Submission note: This document distinguishes directly observed behavior from proposed UX improvements. It does not invent save/submit behavior that was not captured in the available screenshots.

1. Objective

The purpose of this document is to demonstrate my understanding of the AbleSpace Take Data workflow from the Caseload area. The analysis focuses on the visible information architecture, user interactions, data-entry controls, navigation context, and feedback visible during exploration. It also identifies practical UX/UI opportunities that could make the workflow clearer, faster, more accessible, and more reliable.

Evidence boundary

The observations in the workflow section are limited to the states captured in the screenshots. The exploration confirms the path through student selection and trial-level data entry. Save/submit and final confirmation behavior were not captured, so they are intentionally not presented as observed facts.

2. How I Explored the Product

I navigated through the AbleSpace application from the Caseload area, selected the available demo student, opened the student profile, and used the Take Data action. I then inspected the goals list and Capture interface and performed trial-entry interactions using the visible “+” control.

Exploration path: Role selection → Caseload → Demo Student1 → Student Profile → Take Data → Social Studies goal → Trial 1 → “+” data-entry interaction

3. Take Data Workflow

Step 1 — Select the application role




Figure 1 — Initial role-selection dialog visible before continuing to the Caseload workspace.

What the user sees: A role-selection dialog with multiple professional roles and a “Save and Continue” button.

Action: Select an appropriate role. **Observed outcome:** The captured session subsequently reaches the Caseload workspace. **Why useful:** The application establishes the user's working context before the main workspace is used.

Step 2 — Open the Caseload




Figure 2 — Caseload workspace showing the Students list and available student records.

What the user sees: The left navigation highlights Caseload. The main area shows Students (2), a student search field, a filter control, and a table containing Demo Student1 and Demo Student2. **Action:** Select the relevant student by clicking the student's name. **Why useful:** The Caseload provides the starting point for locating the student whose data needs to be recorded.

Step 3 — Open the student profile




Figure 3 — Demo Student1 profile with the Take Data action visible.

What the user sees: Demo Student1 is selected in the Caseload. The profile contains tabs including Profile, Goals, Worksheets, Notes, Service Time, Accommodation, Attachments, Daily Logs, and Progress. A prominent "Take Data" button appears beside "View Data". **Action:** Click Take Data. **Why useful:** The action provides a

direct transition from student context into data collection.

Step 4 — Enter the Take Data workspace




Figure 4 — Take Data workspace in its initial Capture state for Demo Student1.

What the user sees: A session date/time, Demo Student1, a Goals (7/7) panel, and the Capture workspace. The selected goal is Social Studies and the visible goal statement describes a target of taking 5 bites in 4 out of 5 opportunities. The main area provides Capture, Graph, Stats, and Info tabs, shows Trial 1, and includes a large “+” control and Undo. **Action:** Use the Capture control to record trial data. **Why useful:** The interface keeps the student, goal, session, and recording control in one working context.

Step 5 — Record the first trial value




Figure 5 — Take Data capture state showing a recorded value of 0 for the current trial.

Observed interaction: After using the visible “+” control, the central display shows 0. The selected Social Studies goal remains visible and the Undo control is available. **Interpretation:** The screenshot confirms that the Capture interface displays a numeric trial value; it does not, by itself, prove the semantic meaning of 0. That meaning is therefore not assumed in this document.

Step 6 — Increment the recorded value




Figure 6 — Take Data capture state after the recorded value changes from 0 to 1.

Observed interaction: The central value changes from 0 to 1 after another use of the “+” control. The same goal and Trial 1 context remain visible, and Undo remains available. **Why useful:** The control supports quick, repeated recording during an active observation without leaving the current goal.

4. Detailed Screen Analysis

Area	Observed behavior / evidence
Page layout	Two-column working area: goal list on the left and the active data-capture workspace on the right.
Navigation	Caseload remains available in the global left navigation. The student profile provides contextual tabs and a direct Take Data action.
Caseload context	Student records are listed in Caseload; Demo Student1 is selected before entering Take Data.
Data-entry controls	The Capture tab contains a large numeric display, a "+" control, and an Undo control.
Goal selection	The left panel shows Goals (7/7); Social Studies is selected in the captured Take Data state.
Selectors / filters	Caseload has search and filter controls. Take Data shows additional controls such as Phase and Customize View.
Feedback	The numeric value visibly changes after interaction; a green check indicator is visible beside the selected goal in the captured states.
Save / submit	Not captured in the available screenshots; therefore no save/submit behavior is asserted as an observation.
Validation / errors	No validation or error state was captured; no unsupported validation behavior is claimed.
Accessibility	The interface uses visible labels and large interactive controls. A full WCAG/accessibility audit was not performed.
Responsive behavior	The screenshots show a desktop browser layout. Mobile/responsive behavior was not directly observed.

Important distinction: Items such as Graph, Stats, Info, Phase, Accommodations, Services Not Tracked, Notes, and Customize View are visibly available in the captured UI. Their deeper behavior was not tested in the screenshots used here, so this document does not describe unobserved outcomes.

5. User Journey

Role context → Open Caseload → Select student → Open student profile → Take Data → Select/confirm goal context → Record trial using + → Review visible trial value

The requested generic flow included "Save/submit → confirmation." The captured evidence does not show those states, so the final flow intentionally stops at the last verified state rather than inventing a submission step.

6. UX/UI Improvements

Priority	Current experience	Problem	Proposed improvement	User benefit
High	The Capture area prominently shows a numeric value, but the meaning of the number is not obvious from the captured screen alone.	A user may need to infer what each value represents.	Add a compact legend or explicit label describing the data scale and what each state means.	Reduces ambiguity and recording errors.
High	The "+" control is large and central.	Repeated taps can make accidental input possible during fast data collection.	Provide a brief undo/recovery affordance and a subtle recent-action indicator; preserve the existing Undo control.	Safer high-frequency entry.
High	The workflow exposes several controls and tabs in one screen.	New users may need to understand which controls are essential for the current task.	Strengthen visual hierarchy around Goal → Trial → Record, while keeping secondary tools available.	Faster task completion and lower cognitive load.

Priority	Current experience	Problem	Proposed improvement	User benefit
Medium	Goals are presented in a scrollable left panel.	Long goal lists may require additional scrolling and visual scanning.	Improve goal search/filtering and make the selected goal state more prominent.	Faster goal selection.
Medium	Session context is visible at the top.	Important context can compete with other header controls.	Group student, session time, and active goal into a compact persistent context area.	Better orientation while recording.
Medium	The captured screens show the interaction state, but no explicit success message is visible.	Users may not immediately know when a data-entry operation is safely recorded.	Add lightweight confirmation feedback after a meaningful save/record action, without interrupting the workflow.	Greater confidence in data reliability.
Low	The screenshots are desktop-oriented.	Small-screen use may be harder if the same two-column layout is retained.	Use a responsive stacked layout with a persistent goal selector and large touch targets on smaller screens.	Better usability on tablets/mobile devices.

7. What Works Well

- The Caseload provides a clear starting point for locating students.
- The student profile places the Take Data action directly in the student's context.
- The Take Data workspace keeps the selected goal and session context visible while recording.
- The large “+” control is easy to locate for repeated data entry.
- Undo is visible near the recording area, providing a direct recovery action.

8. Product Thinking

The workflow is designed around a professional who needs to move from a caseload record to a specific student and then into goal-level data capture. The strongest product pattern is the continuity of context: the student remains identified, the active goal is visible, and the capture control is placed directly beside the goal information. This can reduce navigation overhead during an observation session. The trial-level numeric interaction also supports quick repeated recording. Because the captured evidence does not include the final save/submit state, reliability of persistence should be treated as an area for further product validation rather than an assumed capability.

9. Conclusion

Exploring AbleSpace showed a structured path from Caseload to a student's Take Data workspace. The interface provides a visible student context, a list of goals, a focused Capture area, and a simple “+” interaction for trial-level recording. The main improvement opportunities are to make data meaning clearer, strengthen task hierarchy, improve feedback and recovery, and support efficient goal selection. Most importantly, this analysis separates observed product behavior from proposed improvements so that the product understanding remains evidence-based.

10. Appendix — Screenshots

The following screenshots are the actual images captured during the AbleSpace exploration used for this document.




Figure A1 — Role-selection dialog.




Figure A2 — Caseload with Demo Student1 and Demo Student2.




Figure A3 — Demo Student1 profile with Take Data action.




Figure A4 — Take Data workspace in initial Capture state.




Figure A5 — Capture state showing recorded value 0.




Figure A6 — Capture state showing recorded value 1 after increment.