# P06

## Learning Latent Tree Graphical Models

Authors Myung Jin Choi, Vincent Y. F. Tan, Animashree Anandkumar, Alan S. Willsky

Published Journal of Machine Learning Research (2011)

DOI https://doi.org/10.48550/arXiv.1009.2722

Paper Link https://arxiv.org/abs/1009.2722

Domain Computer science, graph theory & machine learning

### Abstract

We study the problem of learning a latent tree graphical model where samples are available only from a subset of variables. We propose two consistent and computationally efficient algorithms for learning minimal latent trees, that is, trees without any redundant hidden nodes. Unlike many existing methods, the observed nodes (or variables) are not constrained to be leaf nodes. Our first algorithm, recursive grouping, builds the latent tree recursively by identifying sibling groups using so-called information distances. One of the main contributions of this work is our second algorithm, which we refer to as CLGrouping. CLGrouping starts with a pre-processing procedure in which a tree over the observed variables is constructed. This global step groups the observed nodes that are likely to be close to each other in the true latent tree, thereby guiding subsequent recursive grouping (or equivalent procedures) on much smaller subsets of variables. This results in more accurate and efficient learning of latent trees. We also present regularized versions of our algorithms that learn latent tree approximations of arbitrary distributions. We compare the proposed algorithms to other methods by performing extensive numerical experiments on various latent tree graphical models such as hidden Markov models and star graphs. In addition, we demonstrate the applicability of our methods on real-world datasets by modeling the dependency structure of monthly stock returns in the S&P index and of the words in the 20 newsgroups dataset.

### Real-World Impact & Application

Unsupervised Discovery of Latent Structures: Modern machine learning often has to discover hidden hierarchy from observational data alone. Choi et al. developed algorithms to learn latent tree graphical models with provable sample complexity guarantees. This technique is applied in genomics to discover hidden regulatory pathways, in financial modeling to identify unseen macroeconomic drivers, and in deep learning to analyze hierarchical representations.