

File Edit Selection View Go Run Terminal Help • App.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS App.js 9+ ●

src > JS App.js > ...


```
1 import styles from './App.module.css';
2 import NavBar from './components/NavBar';
3 import Container from 'react-bootstrap/Container';
4 import { Route, Switch } from 'react-router-dom';
5 import './api/axiosDefaults';
6 import LandingPage from './components/LandingPage';
7 import SignUpForm from './pages/auth/SignUpForm';
8 import SignInForm from './pages/auth/SignInForm';
9 import PostCreateForm from './pages/posts/PostCreateForm';
10 import PostPage from './pages/posts/PostPage';
11 import PostEditForm from './pages/posts/PostEditForm';
12
13 import { useCurrentUser } from './contexts/CurrentUserContext';
14 import PostsListPage from './pages/posts/PostsListPage';
15 import ProfilePage from './pages/profiles/ProfilePage';
16 import ProfileEditForm from './pages/profiles/ProfileEditForm';
17 import ProfilePasswordChange from './pages/profiles/ProfilePasswordChange';
18
```

PROBLEMS 43 OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, \*\*/\*)

✓ JS App.js src 43

- ✖ 'React' must be in scope when using JSX eslint([react/react-in-jsx-scope](#)) [Ln 31, Col 5]
- ✖ 'React' must be in scope when using JSX eslint([react/react-in-jsx-scope](#)) [Ln 32, Col 7]
- ✖ 'React' must be in scope when using JSX eslint([react/react-in-jsx-scope](#)) [Ln 33, Col 7]
- ✖ 'React' must be in scope when using JSX eslint([react/react-in-jsx-scope](#)) [Ln 37, Col 9]
- ✖ 'React' must be in scope when using JSX eslint([react/react-in-jsx-scope](#)) [Ln 38, Col 11]
- ✖ 'React' must be in scope when using JSX eslint([react/react-in-jsx-scope](#)) [Ln 38, Col 47]
- ✖ 'React' must be in scope when using JSX eslint([react/react-in-jsx-scope](#)) [Ln 39, Col 11]
- ✖ 'React' must be in scope when using JSX eslint([react/react-in-jsx-scope](#)) [Ln 39, Col 53]
- ✖ 'React' must be in scope when using JSX eslint([react/react-in-jsx-scope](#)) [Ln 40, Col 11]
- ✖ 'React' must be in scope when using JSX eslint([react/react-in-jsx-scope](#)) [Ln 40, Col 53]
- ✖ 'React' must be in scope when using JSX eslint([react/react-in-jsx-scope](#)) [Ln 41, Col 11]

Ignored



src > JS App.js > ...

```
1 import React from 'react';
2 import styles from './App.module.css';
3 import NavBar from './components/NavBar';
4 import Container from 'react-bootstrap/Container';
5 import { Route, Switch } from 'react-router-dom';
6 import './api/axiosDefaults';
7 import LandingPage from './components/LandingPage';
8 import SignUpForm from './pages/auth/SignUpForm';
9 import SignInForm from './pages/auth/SignInForm';
10 import PostcreateForm from './pages/posts/PostcreateForm';
11 import PostPage from './pages/posts/PostPage';
12 import PostEditForm from './pages/posts/PostEditForm';

13
14 import { useCurrentUser } from './contexts/CurrentUserContext';
15 import PostsListPage from './pages/posts/PostsListPage';
16 import ProfilePage from './pages/profiles/ProfilePage';
17 import ProfileEditForm from './pages/profiles/ProfileEditForm';
18 import ProfilePasswordChangeForm from './pages/profiles/ProfilePasswordChangeForm';
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

Filter (e.g. text, \*\*/\*)

No problems have been detected in the workspace.

Ignored

The screenshot shows the Visual Studio Code interface with a dark theme. The top navigation bar includes File, Edit, Selection, View, Go, Run, Terminal, and Help. The title bar indicates the current file is `axiosDefaults.js` in the `be-inspired-pp5-ci-main` project.

The left sidebar (Explorer) displays the project structure:

- BE-INSPIRED-PP5-CI-MAIN**
  - docs
  - node\_modules
  - public
  - src**
    - api**
      - axiosDefaults.js**
      - assets
      - components
        - Asset.js
        - Avatar.js
        - DropdownMenu.js
        - Feedbackmsg.js
        - LandingPage.js
        - LeftPanel.js
        - NavBar.js
        - PageNotFound.js
      - contexts
      - hooks
      - pages
      - styles
      - utils
        - utils.js
      - # App.css
      - App.js
      - # App.module.css
      - Ann.test.js
    - OUTLINE
    - TIMELINE

The main editor area contains the `axiosDefaults.js` file content:

```
src > api > axiosDefaults.js > ...
1 import axios from "axios";
2
3 axios.defaults.baseURL = 'https://be-inspired-drf-api.herokuapp.com';
4 axios.defaults.headers.post['Content-Type'] = 'multipart/form-data';
5 axios.defaults.withCredentials = true;
6
7 export const axiosReq = axios.create();
8 export const axiosRes = axios.create();
```

The bottom navigation bar includes PROBLEMS, OUTPUT, DEBUG CONSOLE, and TERMINAL. A status bar at the bottom right shows a search bar with the placeholder "Filter (e.g. text, \*\*/\*)." The bottom left corner features a gear icon and a status bar with icons for file operations.

File Edit Selection View Go Run Terminal Help Asset.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS Asset.js 3 ×

src > components > JS Asset.js > ...

```
1 import React from "react";
2 import { Spinner } from "react-bootstrap";
3 import styles from "../styles/Asset.module.css";
4
5 const Asset = ({ spinner, src, message }) => {
6   return (
7     <div className={`${styles.Asset} p-4`}>
8       {spinner && <Spinner animation="border" />}
9       {src && <img src={src} alt={message} />}
10      {message && <p className="mt-4">{message}</p>}
11    </div>
12  );
13};
14
15 export default Asset;
16
```

PROBLEMS 3 OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, \*\*/\*.)

✓ JS Asset.js src\components 3

- ✖ 'spinner' is missing in props validation eslint([react/prop-types](#)) [Ln 5, Col 18]
- ✖ 'src' is missing in props validation eslint([react/prop-types](#)) [Ln 5, Col 27]
- ✖ 'message' is missing in props validation eslint([react/prop-types](#)) [Ln 5, Col 32]

Ignored

OUTLINE TIMELINE

File Edit Selection View Go Run Terminal Help Avatar.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS Avatar.js 3 ×

src > components > JS Avatar.js > ...

```
1 import React from "react";
2 import styles from "../styles/Avatar.module.css";
3
4 /*
5 * Avatar component with default height prop
6 * Credit: CI "Moments" Walkthrough
7 */
8
9 const Avatar = ({ src, height = 45, text }) => {
10   return (
11     <span>
12       <img
13         className={styles.Avatar}
14         src={src}
15         height={height}
16         width={height}
17         alt="avatar"
18       />
19     </span>
20   );
21 }
```

PROBLEMS 3 OUTPUT DEBUG CONSOLE TERMINAL

Filter (e.g. text, \*\*/\*)

JS Avatar.js src\components 3

- ✖ 'src' is missing in props validation eslint([react/prop-types](#)) [Ln 9, Col 19]
- ✖ 'height' is missing in props validation eslint([react/prop-types](#)) [Ln 9, Col 24]
- ✖ 'text' is missing in props validation eslint([react/prop-types](#)) [Ln 9, Col 37]

Ignored

OUTLINE TIMELINE

File Edit Selection View Go Run Terminal Help Feedbackmsg.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS Feedbackmsg.js 2 X

src > components > JS Feedbackmsg.js > ... > three

components ●

- JS Asset.js
- JS Avatar.js
- JS DropdownMenu.js
- JS Feedbackmsg.js 2
- JS LandingPage.js
- JS LeftPanel.js
- JS NavBar.js
- JS PageNotFound.js

> contexts

> hooks

> pages

> styles

> utils

- JS utils.js

# App.css

JS App.js

# App.module.css

JS App.test.js

# index.css

JS index.js

logo.svg

JS reportWebVitals.js

JS setupTests.js

.eslintrc.js

.eslintrc.json

> OUTLINE

> TIMELINE

JS Feedbackmsg.js 2

```
1 import styles from "../styles/FeedbackMsg.module.css";
2 import css from "classnames";
3 import React from "react";
4 import { useState } from "react";
5
6 /**
7 * Credit: https://blog.logrocket.com/create-custom-react-alert-message/
8 * To show message upon deletion of a post
9 */
10 export default function FeedbackMsg({ variant, message }) {
11   const [isShown, setIsShown] = useState(true);
12
13   /*
14    | Handles closing of the alert message
15   */
16   const handleClose = (e) => {
17     e.preventDefault();
18     setIsShown(false);
19   }
20 }
```

PROBLEMS 2 OUTPUT DEBUG CONSOLE TERMINAL

Filter (e.g. text, \*\*/\*)

JS Feedbackmsg.js src\components 2

- ✖ 'variant' is missing in props validation eslint([react/prop-types](#)) [Ln 10, Col 39]
- ✖ 'message' is missing in props validation eslint([react/prop-types](#)) [Ln 10, Col 48]

Ignored

File Edit Selection View Go Run Terminal Help

LandingPage.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS LandingPage.js 3 X

src > components > JS LandingPage.js > [?] LandingPage

components ● 17 <Col lg={6} sm={12}>  
JS Asset.js 18 <img  
JS Avatar.js 19 src={landingImage}  
JS DropdownMenu.js 20 className={styles.LandingImage}  
JS Feedbackmsg.js 21 alt="Person holding lantern at dawn"  
JS LandingPage.js 3 22 />  
JS LeftPanel.js 23 <p  
JS NavBar.js 24 { ' '}  
JS PageNotFound.js 25 **“As we work to create light for others, we naturally  
--Mary Anne Radmacher{ ' '}  
JS utils.js 26 </p>  
contexts 27 </Col>  
hooks 28 <Col lg={6} sm={12}>  
pages 29 <div className="text-center mt-3" >  
styles 30 <h4 className="mb-3">Welcome to Be Inspired <br /> Your ve  
utils 31 <h5> Are looking for an inspiration or you wish to inspire o  
JS utils.js 32  
App.css 33**

PROBLEMS 3 OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, \*\*/\*)

JS LandingPage.js src\components 3

- ✖ “ can be escaped with `“` `”` `‘` `’`. eslint(react/no-unescaped-entities) [Ln 25, Col 109]
- ✖ “ can be escaped with `“` `”` `‘` `’`. eslint(react/no-unescaped-entities) [Ln 31, Col 61]
- ✖ “ can be escaped with `“` `”` `‘` `’`. eslint(react/no-unescaped-entities) [Ln 31, Col 73]

Ignored

OUTLINE TIMELINE

3 0

File Edit Selection View Go Run Terminal Help LeftPanel.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS LeftPanel.js 1 X

src > components > JS LeftPanel.js > ... > three

components

- JS Asset.js
- JS Avatar.js
- JS DropdownMenu.js
- JS Feedbackmsg.js
- JS LandingPage.js
- JS LeftPanel.js 1

JS NavBar.js

JS PageNotFound.js

> contexts

> hooks

> pages

> styles

< utils

- JS utils.js

# App.css

JS App.js

# App.module.css

JS App.test.js

# index.css

JS index.js

logo.svg

JS reportWebVitals.js

JS setupTests.js

.eslintrc.js

.eslintrc.json

> OUTLINE

> TIMELINE

JS LeftPanel.js 1

```
1 import React from 'react';
2 import { Link } from "react-router-dom";
3
4 import Container from 'react-bootstrap/Container';
5
6 import styles from '../styles/LeftPanel.module.css';
7 import appStyles from "../App.module.css";
8 import { useCurrentUser } from '../contexts/CurrentUserContext';
9 import Avatar from './Avatar';

10
11
12 /**
13 * Panel that is displayed on the left of the page next to the main content
14 */
15 const LeftPanel = ({ mobile }) => {
16   const currentUser = useCurrentUser();
17
18   return (
19     <div>
20       <div>
```


PROBLEMS 1 OUTPUT DEBUG CONSOLE TERMINAL

Filter (e.g. text, \*\*/\*)

JS LeftPanel.js src\components 1

✖ 'mobile' is missing in props validation eslint([react/prop-types](#)) [Ln 15, Col 22]

Ignored



## JS NavBar.js X

src &gt; components &gt; JS NavBar.js &gt; ...

```
1 import React from 'react'
2 import {
3   Container,
4   Navbar,
5   Nav,
6 } from 'react-bootstrap';
7 import styles from "../styles/NavBar.module.css"
8 import { NavLink } from "react-router-dom";
9
10 import axios from 'axios';
11
12 import { useCurrentUser, useSetCurrentUser } from '../contexts/CurrentUserContext';
13 import useClickOutsideToggle from '../hooks/useClickOutsideToggle';
14 import { removeTokenTimestamp } from '../utils/utils';
15 import logo from "../assets/be_inspired.png";
16
17 /**
18 * This component is the main navigation bar for the application.
19 * It includes links to the landing page, feedback messages, and dropdown menu.
20 * It also features a user profile icon and a sign-out link.
21 * The navbar is styled using Bootstrap's responsive design principles.
22 */
23
24 const NavBar = () => {
25   const [currentUser, setCurrentUser] = useState(null);
26
27   const handleLogout = () => {
28     setCurrentUser(null);
29     removeTokenTimestamp();
30   }
31
32   return (
33     <Navbar>
34       <Container>
35         <Nav>
36           <Nav.Link href="/">Home</Nav.Link>
37           <Nav.Link href="/feedback">Feedback</Nav.Link>
38           <Nav.Link href="#">Dropdown</Nav.Link>
39           <Nav.Link href="#">Profile</Nav.Link>
40           <Nav.Link href="#" onClick={handleLogout}>Logout</Nav.Link>
41         </Nav>
42       </Container>
43     </Navbar>
44   );
45 }
```

&gt; three

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

Filter (e.g. text, \*\*/\*)

No problems have been detected in the workspace.

File Edit Selection View Go Run Terminal Help PageNotFound.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS PageNotFound.js ×

src > components > JS PageNotFound.js > ...

1 import React from 'react';  
2  
3 import Asset from './Asset';  
4 import NoResults from '../assets/no-results.png';  
5 import Container from "react-bootstrap/Container"  
6  
7 import styles from "../App.module.css";  
8  
9 const NotFound = () => {  
10 return (  
11 <Container className={`\${styles.Content} mt-5`}>  
12 <div className='font-weight-bold h5 mt-4'>  
13 <Asset  
14 src={NoResults}  
15 message="Oops!! The page you are looking for does not exist.. "  
16 />  
17 </div>  
18 </Container>  
19 );  
20 }  
21  
22 export default NotFound;

> three

JS Asset.js  
JS Avatar.js  
JS DropdownMenu.js  
JS Feedbackmsg.js  
JS LandingPage.js  
JS LeftPanel.js  
JS NavBar.js  
JS PageNotFound.js  
> contexts  
> hooks  
> pages  
> styles  
> utils  
JS utils.js  
# App.css  
JS App.js  
# App.module.css  
JS App.test.js  
# index.css  
JS index.js  
logo.svg  
JS reportWebVitals.js  
JS setupTests.js  
.eslintrc.js  
.eslintrc.json  
> OUTLINE  
> TIMELINE

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

Filter (e.g. text, \*\*/\*.)

No problems have been detected in the workspace.

File Edit Selection View Go Run Terminal Help CurrentUserContext.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS CurrentUserContext.js 3 X

src > contexts > JS CurrentUserContext.js > [?] CurrentUserProvider

> three

```
1 import { createContext, useContext, useEffect, useMemo, useState } from "react";
2 import axios from "axios";
3 import { axiosReq, axiosRes } from "../api/axiosDefaults";
4 import { useHistory } from "react-router";
5 import { removeTokenTimestamp, shouldRefreshToken } from "../utils/utils";
6
7 export const CurrentUserContext = createContext();
8 export const SetCurrentUserContext = createContext();
9
10 export const useCurrentUser = () => useContext(CurrentUserContext);
11 export const useSetCurrentUser = () => useContext(SetCurrentUserContext);
12
13 export const CurrentUserProvider = ({ children }) => {
14   const [currentUser, setCurrentUser] = useState(null);
15   const history = useHistory();
16 }
```

PROBLEMS 3 OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, \*\*/\*.)

JS CurrentUserContext.js src\contexts 3

- ✗ 'children' is missing in props validation eslint(react/prop-types) [Ln 13, Col 39]
- ✗ 'React' must be in scope when using JSX eslint(react/react-in-jsx-scope) [Ln 76, Col 5]
- ✗ 'React' must be in scope when using JSX eslint(react/react-in-jsx-scope) [Ln 77, Col 7]

Fixed by importing React

File Edit Selection View Go Run Terminal Help ProfileDataContext.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS CurrentUserContext.js 1 JS ProfileDataContext.js 1 X

src > contexts > JS ProfileDataContext.js > ...

```
1 import React from "react";
2 import { createContext, useContext, useEffect, useState } from "reac... > three
3 import { axiosReq, axiosRes } from "../api/axiosDefaults";
4 import { useCurrentUser } from "../contexts/CurrentUserContext";
5 import { followHelper, unfollowHelper } from "../utils/utils";
6
7 const ProfileDataContext = createContext();
8 const SetProfileDataContext = createContext();
9
10 export const useProfileData = () => useContext(ProfileDataContext);
11 export const useSetProfileData = () => useContext(SetProfileDataContext);
12
13 /**
14  * To keep profile data to be in sync across all the components
15  * To access profile data in several places around the application
16  * Credit: CI's Moments Walkthrough
17 */
18
```

PROBLEMS 2 OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, \*\*/\*.)

- JS CurrentUserContext.js src\contexts 1 ✖ 'children' is missing in props validation eslint([react/prop-types](#)) [Ln 14, Col 39]
- JS ProfileDataContext.js src\contexts 1 ✖ 'children' is missing in props validation eslint([react/prop-types](#)) [Ln 20, Col 39]

Ignored

components  
Asset.js  
Avatar.js  
DropdownMenu.js  
Feedbackmsg.js  
LandingPage.js  
LeftPanel.js  
NavBar.js  
PageNotFound.js  
contexts  
CurrentUserCo... 1  
ProfileDataCo... 1  
hooks  
pages  
styles  
utils  
utils.js  
# App.css  
App.js  
# App.module.css  
App.test.js  
# index.css  
index.js  
logo.svg  
reportWebVitals.js  
setupTests.js

> OUTLINE  
> TIMELINE



EXPLORER

...

JS useClickOutsideToggle.js

JS useRedirect.js X



BE-INSPIRED-PP5-CI-MAIN

components

JS Asset.js

JS Avatar.js

JS DropdownMenu.js

JS Feedbackmsg.js

JS LandingPage.js

JS LeftPanel.js

JS NavBar.js

JS PageNotFound.js

contexts

JS CurrentUserContex...

JS ProfileDataContext.js

hooks

JS useClickOutsideTo...

JS useRedirect.js

&gt; pages

&gt; styles

&gt; utils

JS utils.js

# App.css

JS App.js

# App.module.css

JS App.test.js

# index.css


JS index.js

logo.svg



&gt; OUTLINE

&gt; TIMELINE



src &gt; hooks &gt; JS useRedirect.js &gt; ...

```
1 import axios from "axios";
2 import { useEffect } from "react";
3 import { useHistory } from "react-router";
4
5 /**
6  * Checks the user login status with refresh token
7  * Redirects user to the homepage
8  * Credits- CI's Moments walkthrough
9 */
10 export const useRedirect = (userAuthStatus) => {
11   const history = useHistory();
12
13   useEffect(() => {
14     const handleMount = async () => {
15       try {
16         await axios.post("/dj-rest-auth/token/refresh/");
17         if (userAuthStatus === "loggedIn") {
18           history.push("/");
19         }
20       } catch (err) {
21         console.error(err);
22       }
23     };
24     handleMount();
25   });
26 }
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

Filter (e.g. text, \*\*/\*)

No problems have been detected in the workspace.



EXPLORER

...

JS SignInForm.js

JS SignUpForm.js X



BE-INSPIRED-PP5-CI-MAIN

components

JS Asset.js

JS Avatar.js

JS DropdownMenu.js

JS Feedbackmsg.js

JS LandingPage.js

JS LeftPanel.js

JS NavBar.js

JS PageNotFound.js

contexts

JS CurrentUserContex...

JS ProfileDataContext.js

hooks

JS useClickOutsideTo...

JS useRedirect.js

pages

auth

JS SignInForm.js

JS SignUpForm.js

&gt; comments

&gt; posts

&gt; posts\_recommend...

&gt; profiles

&gt; recommendations

&gt; styles

utils



&gt; OUTLINE

&gt; TIMELINE

src &gt; pages &gt; auth &gt; JS SignUpForm.js &gt; ...

```
1 import React, { useState } from 'react';
2 import { Link, useHistory } from "react-router-dom";
3 import Form from 'react-bootstrap/Form';
4 import Button from "react-bootstrap/Button";
5 import Container from "react-bootstrap/Container";
6 import Alert from 'react-bootstrap/Alert';
7 import styles from "../../../../../styles/SignUpForm.module.css";
8 import btnStyles from "../../../../../styles/Button.module.css";
9 import axios from 'axios';

10
11 const SignUpForm = () => {
12     /**
13      * To render SignUp form
14      * Followed Moments walkthrough was used as a guidance
15      * To create variables, data handling and error handling code
16      */
17
18
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

Filter (e.g. text, /\*\*/).

No problems have been detected in the workspace.

File Edit Selection View Go Run Terminal Help Comment.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS Comment.js 8 ×

src > pages > comments > JS Comment.js > [e] Comment > [e] setComments > three

components

- JS Asset.js
- JS Avatar.js
- JS DropdownMenu.js
- JS Feedbackmsg.js
- JS LandingPage.js
- JS LeftPanel.js
- JS NavBar.js
- JS PageNotFound.js

contexts

- JS CurrentUserContex...
- JS ProfileDataContext.js

hooks

- JS useClickOutsideTo...
- JS useRedirect.js

pages

- auth

  - JS SignInForm.js
  - JS SignUpForm.js

- comments

  - JS Comment.js 8
  - JS CommentCreateF...
  - JS CommentEditFor...

- posts
- posts\_recommend...
- profiles

OUTLINE

TIMELINE

owner,  
profile\_id,  
profile\_image,  
content,  
updated\_on,  
id,  
setPost,  
setComments,  
} = props;

const currentUser = useCurrentUser();  
const is\_owner = currentUser?.username === owner;  
const [showEditForm, setShowEditForm] = useState(false);  
const [showAlert, setShowAlert] = useState(false);  
const [isDeleted, setIsDeleted] = useState(false);  
/\*\*

PROBLEMS 8 OUTPUT DEBUG CONSOLE TERMINAL

Filter (e.g. text, \*\*/\*)

JS Comment.js src\pages\comments 8

- ✖ 'owner' is missing in props validation eslint([react/prop-types](#)) [Ln 19, Col 5]
- ✖ 'profile\_id' is missing in props validation eslint([react/prop-types](#)) [Ln 20, Col 5]
- ✖ 'profile\_image' is missing in props validation eslint([react/prop-types](#)) [Ln 21, Col 5]
- ✖ 'content' is missing in props validation eslint([react/prop-types](#)) [Ln 22, Col 5]
- ✖ 'updated\_on' is missing in props validation eslint([react/prop-types](#)) [Ln 23, Col 5]
- ✖ 'id' is missing in props validation eslint([react/prop-types](#)) [Ln 24, Col 5]
- ✖ 'setPost' is missing in props validation eslint([react/prop-types](#)) [Ln 25, Col 5]
- ✖ 'setComments' is missing in props validation eslint([react/prop-types](#)) [Ln 26, Col 5]

⑧ 8 ↻ 0 ↻ 26

File Edit Selection View Go Run Terminal Help CommentCreateForm.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS CommentCreateForm.js 6 ×

src > pages > comments > JS CommentCreateForm.js > ... > three

BE-INSPIRED... ▾

- components
  - JS Asset.js
  - JS Avatar.js
  - JS DropdownMenu.js
  - JS Feedbackmsg.js
  - JS LandingPage.js
  - JS LeftPanel.js
  - JS NavBar.js
  - JS PageNotFound.js
- contexts
  - JS CurrentUserContex...
  - JS ProfileDataContext.js
- hooks
  - JS useClickOutsideTo...
  - JS useRedirect.js
- pages
  - auth
    - JS SignInForm.js
    - JS SignUpForm.js
  - comments
    - JS Comment.js
    - JS CommentCr... 6
    - JS CommentEditFor...
  - posts
    - > posts
    - > posts\_recommenda...
    - > profiles
- OUTLINE
- TIMELINE

```
1 import React, { useState } from "react";
2 import { Link } from "react-router-dom";
3
4 import Form from "react-bootstrap/Form";
5 import InputGroup from "react-bootstrap/InputGroup";
6
7 import styles from "../../../../../styles/CommentCreateEditForm.module.css";
8 import btnStyles from "../../../../../styles/Button.module.css";
9 import Avatar from "../../../../../components/Avatar";
10 import { axiosRes } from "../../../../../api/axiosDefaults";
11
12 function CommentCreateForm(props) {
13   const { post, recommendation, setPost, setComments, profileImage, profile_id } = props;
14   const [content, setContent] = useState("");
15
16   const handleChange = (event) => {
17     setContent(event.target.value);
18   }

```

PROBLEMS 6 OUTPUT DEBUG CONSOLE TERMINAL

Filter (e.g. text, \*\*/\*.)

JS CommentCreateForm.js src\pages\comments 6

- ✖ 'post' is missing in props validation eslint(react/prop-types) [Ln 13, Col 11]
- ✖ 'recommendation' is missing in props validation eslint(react/prop-types) [Ln 13, Col 17]
- ✖ 'setPost' is missing in props validation eslint(react/prop-types) [Ln 13, Col 33]
- ✖ 'setComments' is missing in props validation eslint(react/prop-types) [Ln 13, Col 42]
- ✖ 'profileImage' is missing in props validation eslint(react/prop-types) [Ln 13, Col 55]
- ✖ 'profile\_id' is missing in props validation eslint(react/prop-types) [Ln 13, Col 69]

Ignored

File Edit Selection View Go Run Terminal Help CommentEditForm.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS CommentEditForm.js 5 X

src > pages > comments > JS CommentEditForm.js > ... > three

```
1 import React, { useState } from "react";
2
3 import Form from "react-bootstrap/Form";
4 import { axiosRes } from "../../api/axiosDefaults";
5
6 import styles from "../../styles/CommentCreateEditForm.module.css";
7 import btnStyles from "../../styles/Button.module.css";
8
9 function CommentEditForm(props) {
10     const { id, content, setShowEditForm, setComments } = props;
11
12     const [formContent, setFormContent] = useState(content);
13
14     const handleChange = (event) => {
15         setFormContent(event.target.value);
16     };
17
18 }
```

PROBLEMS 5 OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, \*\*/\*.)

JS CommentEditForm.js src\pages\comments 5

- ✖ 'id' is missing in props validation eslint([react/prop-types](#)) [Ln 10, Col 13]
- ✖ 'content' is missing in props validation eslint([react/prop-types](#)) [Ln 10, Col 17]
- ✖ 'setShowEditForm' is missing in props validation eslint([react/prop-types](#)) [Ln 10, Col 26]
- ✖ 'setComments' is missing in props validation eslint([react/prop-types](#)) [Ln 10, Col 43]
- ✖ 'content.trim' is missing in props validation eslint([react/prop-types](#)) [Ln 56, Col 40]

> posts  
> posts\_recommend...  
> profiles

> OUTLINE  
> TIMELINE

5 0

File Edit Selection View Go Run Terminal Help Post.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS Post.js 9+ ×

BE-INSPIRED-PP5-CI-MAIN

- components
  - JS Asset.js
  - JS Avatar.js
  - JS DropdownMenu.js
  - JS Feedbackmsg.js
  - JS LandingPage.js
  - JS LeftPanel.js
  - JS NavBar.js
  - JS PageNotFound.js
- contexts
  - JS CurrentUserContex...
  - JS ProfileDataContext.js
- hooks
  - JS useClickOutsideTo...
  - JS useRedirect.js
- pages
  - > auth
  - > comments
  - posts
    - JS Post.js 9+
    - JS PostCreateForm.js
    - JS PostEditForm.js
    - JS PostPage.js
    - JS PostsListPage.js
    - > posts\_recommend...
    - > profiles

src > pages > posts > JS Post.js > [?] Post

```
138     <div>
139       {is_owner ? (
140         <OverlayTrigger
141           placement="top"
142           overlay={<Tooltip>
143             You can't like your own post!
144           </Tooltip>}
145         >
146           <i className="far fa-heart" />
147         </OverlayTrigger>
148       ) : like_id ? (
```

> three

PROBLEMS 15 OUTPUT DEBUG CONSOLE TERMINAL

Filter (e.g. text, \*\*/\*)

JS Post.js src\pages\posts 15

- ✖ 'id' is missing in props validation eslint([react/prop-types](#)) [Ln 19, Col 9]
- ✖ 'owner' is missing in props validation eslint([react/prop-types](#)) [Ln 20, Col 9]
- ✖ 'profile\_id' is missing in props validation eslint([react/prop-types](#)) [Ln 21, Col 9]
- ✖ 'profile\_image' is missing in props validation eslint([react/prop-types](#)) [Ln 22, Col 9]
- ✖ 'title' is missing in props validation eslint([react/prop-types](#)) [Ln 23, Col 9]
- ✖ 'description' is missing in props validation eslint([react/prop-types](#)) [Ln 24, Col 9]
- ✖ 'category' is missing in props validation eslint([react/prop-types](#)) [Ln 25, Col 9]
- ✖ 'comments\_count' is missing in props validation eslint([react/prop-types](#)) [Ln 26, Col 9]
- ✖ 'likes\_count' is missing in props validation eslint([react/prop-types](#)) [Ln 27, Col 9]
- ✖ 'like\_id' is missing in props validation eslint([react/prop-types](#)) [Ln 28, Col 9]
- ✖ 'image' is missing in props validation eslint([react/prop-types](#)) [Ln 29, Col 9]
- ✖ 'updated\_on' is missing in props validation eslint([react/prop-types](#)) [Ln 30, Col 9]
- ✖ 'postPage' is missing in props validation eslint([react/prop-types](#)) [Ln 31, Col 9]
- ✖ 'setPosts' is missing in props validation eslint([react/prop-types](#)) [Ln 32, Col 9]

✖ ⓘ `` can be escaped with `&apos;` , `&lsquo;` , `'` , `&rsquo;` . eslint([react/no-unescaped-entities](#)) [Ln 143, Col 40]

Ignored

File Edit Selection View Go Run Terminal Help PostPage.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS PostCreateForm.js JS PostEditForm.js JS PostPage.js 1 X

src > pages > posts > JS PostPage.js > PostPage

```
    /o      />
  71      ) : comments.results.length ? (
  72          "Comments"
  73      ) : null}
  74      {comments.results.length ? (
  75          <InfiniteScroll
  76              children={comments.results.map((comment) => (
  77                  <Comment
  78                      key={comment.id}
  79                      {...comment}
  80                      setPost={setPost}
  81                      setComments={setComments}
  82                  )
  83              ))}
  84          dataLength={comments.results.length}
  85          loader={<Asset spinner />}
  86          hasMore={!!comments.next}
  87          next={() => fetchMoreData(comments, setComments)}
  88      )
  89      >
  90      > + commentIcons >
```

three

PROBLEMS 1 OUTPUT DEBUG CONSOLE TERMINAL

Filter (e.g. text, \*\*/\*.)

JS PostPage.js src\pages\posts 1

💡 ⚠️ Do not pass children as props. Instead, nest children between the opening and closing tags. eslint(react/no-children)

Ignored

File Edit Selection View Go Run Terminal Help PostsListPage.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS PostEditForm.js JS PostsListPage.js 3 X

src > pages > posts > JS PostsListPage.js > PostsListPage

> three

components

- JS Asset.js
- JS Avatar.js
- JS DropdownMenu.js
- JS Feedbackmsg.js
- JS LandingPage.js
- JS LeftPanel.js
- JS NavBar.js
- JS PageNotFound.js

contexts

- JS CurrentUserContex...
- JS ProfileDataContext.js

hooks

- JS useClickOutsideTo...
- JS useRedirect.js

pages

- auth
- comments
- posts
- JS Post.js
- JS PostCreateForm.js
- JS PostEditForm.js
- JS PostPage.js
- JS PostsListPag... 3
- posts\_recommenda...
- profiles

OUTLINE

TIMELINE

104 </Container>

105 {hasLoaded ? (

106 <>

107 {posts.results.length ? (

108 <Container className="p-0">

109 <InfiniteScroll

110 children=[

111 posts.results.map(post => (

112 <Post key={post.id} {...post} setPosts={

113 .))

114 }

115 dataLength={posts.results.length}

116 loader={<Asset spinner />}

117 hasMore={!!posts.next}

118 next={() => fetchMoreData(posts, setPosts)}

119 />

120 </Container>

121 ) : (

PROBLEMS 3 OUTPUT DEBUG CONSOLE TERMINAL

Filter (e.g. text, \*\*/\*.)

JS PostsListPage.js src\pages\posts 3

- ✖ 'message' is missing in props validation eslint([react/prop-types](#)) [Ln 26, Col 26]
- ✖ 'filter' is missing in props validation eslint([react/prop-types](#)) [Ln 26, Col 35]
- ✖ Do not pass children as props. Instead, nest children between the opening and closing tags. eslint([react/no-children-prop](#))

Ignored

⑧ 3 ▲ 0 In 115 C

File Edit Selection View Go Run Terminal Help fullListPage.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS PostEditForm.js JS fullListPage.js 4 X

src > pages > posts\_recommendations > JS fullListPage.js > FullListPage

> three

components

- JS Asset.js
- JS Avatar.js
- JS DropdownMenu.js
- JS Feedbackmsg.js
- JS LandingPage.js
- JS LeftPanel.js
- JS NavBar.js
- JS PageNotFound.js

contexts

- JS CurrentUserContex...
- JS ProfileDataContext.js

hooks

- JS useClickOutsideTo...
- JS useRedirect.js

pages

- auth
- comments
- posts
- posts\_recom... ●
- fullListPage.js 4
- profiles
- recommendations
- styles
- utils
- JS utils.js

PROBLEMS 4 OUTPUT DEBUG CONSOLE TERMINAL

Filter (e.g. text, \*\*/\*.)

JS fullListPage.js src\pages\posts\_recommendations 4

- ✖ 'message' is missing in props validation eslint([react/prop-types](#)) [Ln 27, Col 25]
- ✖ 'filter' is missing in props validation eslint([react/prop-types](#)) [Ln 27, Col 34]
- 💡 ✖ Do not pass children as props. Instead, nest children between the opening and closing tags. eslint([react/no-children-p...](#))
- ✖ Do not pass children as props. Instead, nest children between the opening and closing tags. eslint([react/no-children-p...](#))

④ 113 ⌂

In 113 ⌂

File Edit Selection View Go Run Terminal Help PopularProfiles.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS PopularProfiles.js 1 ×

src > pages > profiles > JS PopularProfiles.js > [?] PopularProfiles > [?] mobile

```
4 import Asset from "../../components/Asset";
5 import { useProfileData } from "../../contexts/ProfileDataContext";
6 import Profile from "./Profile";
7
8 const PopularProfiles = ({ mobile }) => {
9   const { popularProfiles } = useProfileData();
10
11   return (
12     <Container
13       className={`${appStyles.Content}
14         ${mobile && "d-xl-none text-center mb-3"
15       }`}
16     >
17       {popularProfiles.results.length ? (
18         <>
19           <h4 className='text-center mt-2'>Active Inspirers</h4>
20           <div><hr/></div>
21           {mobile ? (
22             <div><hr/></div>
23             <h4>Mobile Active Inspirers</h4>
24             <div><hr/></div>
25             {popularProfiles.results.map((profile) => (
26               <Profile key={profile.id} profile={profile} />
27             ))}
28           ) : (
29             <div><hr/></div>
30             <h4>Desktop Active Inspirers</h4>
31             <div><hr/></div>
32             {popularProfiles.results.map((profile) => (
33               <Profile key={profile.id} profile={profile} />
34             ))}
35           )}
36         </>
37       ) : null}
38     )
39   )
40 }
```

three

PROBLEMS 1 OUTPUT DEBUG CONSOLE TERMINAL

Filter (e.g. text, \*\*/\*)

JS PopularProfiles.js src\pages\profiles 1

✖ 'mobile' is missing in props validation eslint([react/prop-types](#)) [Ln 8, Col 28]

Ignored

OUTLINE

TIMELINE

File Edit Selection View Go Run Terminal Help Profile.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS Profile.js 7 ×

src > pages > profiles > JS Profile.js > ... > three

```
1 import React from 'react';
2 import { Link } from 'react-router-dom';
3
4 import styles from '../../../../../styles/Profile.module.css';
5 import btnStyles from '../../../../../styles/Button.module.css';
6
7 import Button from 'react-bootstrap/Button';
8
9 import { useCurrentUser } from '../../../../../contexts/CurrentUserContext';
10 import Avatar from '../../../../../components/Avatar';
11 import { useSetProfileData } from '../../../../../contexts/ProfileDataContext';
12
13 /**
14 * /**
15 * Displays profile avatar to all and follow/unfollow buttons upon signing in
16 * Shows follow button who the user isn't following
17 * Shows unfollow buttons to users when signed in
18 * Credit CI's Moments walkthrough project for the variables and logic
19 */
```

PROBLEMS 7 OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, \*\*/\*)

JS Profile.js src\pages\profiles 7 Ignored

- ✖ 'profile' is missing in props validation eslint([react/prop-types](#)) [Ln 22, Col 12]
- ✖ 'mobile' is missing in props validation eslint([react/prop-types](#)) [Ln 22, Col 21]
- ✖ 'imageSize' is missing in props validation eslint([react/prop-types](#)) [Ln 22, Col 29]
- ✖ 'profile.id' is missing in props validation eslint([react/prop-types](#)) [Ln 23, Col 12]
- ✖ 'profile.following\_id' is missing in props validation eslint([react/prop-types](#)) [Ln 23, Col 16]
- ✖ 'profile.image' is missing in props validation eslint([react/prop-types](#)) [Ln 23, Col 30]
- ✖ 'profile.owner' is missing in props validation eslint([react/prop-types](#)) [Ln 23, Col 37]

> OUTLINE > TIMELINE

File Edit Selection View Go Run Terminal Help ProfileEditForm.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS ProfileEditForm.js X

src > pages > profiles > JS ProfileEditForm.js > ... > three

```
1 import React, { useEffect, useRef, useState } from "react";
2 import Alert from "react-bootstrap/Alert";
3 import Button from "react-bootstrap/Button";
4 import Container from "react-bootstrap/Container";
5 import Form from "react-bootstrap/Form";
6 import Image from "react-bootstrap/Image";
7 import { useHistory, useParams } from "react-router-dom/cjs/react-router-dom.min";
8 import { axiosReq } from "../../api/axiosDefaults";
9 import Asset from "../../components/Asset";
10 import Upload from "../../assets/upload.png";
11 import { useCurrentUser, useSetCurrentUser, } from "../../contexts/CurrentUserContext";
12 import btnStyles from "../../styles/Button.module.css";
13 import appStyles from "../../App.module.css";
14 import createFormStyles from "../../styles/ProfileCreateForm.module.css";
15
16 const ProfileEditForm = () => {
17   const currentUser = useCurrentUser();
18   const setCurrentUser = useSetCurrentUser();
19   const { id } = useParams();
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, \*\*/\*.)

No problems have been detected in the workspace.

Ignored

OUTLINE TIMELINE

File Edit Selection View Go Run Terminal Help ProfilePage.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS ProfilePage.js 2 ×

src > pages > profiles > JS ProfilePage.js > ProfilePage > mainProfilePosts > three

BE-INSPIRED-PP5-CI-MAIN

- components
  - JS Asset.js
  - JS Avatar.js
  - JS DropdownMenu.js
  - JS Feedbackmsg.js
  - JS LandingPage.js
  - JS LeftPanel.js
  - JS NavBar.js
  - JS PageNotFound.js
- contexts
  - JS CurrentUserContex...
  - JS ProfileDataContext.js
- hooks
  - JS useClickOutsideTo...
  - JS useRedirect.js
- pages
  - > auth
  - > comments
  - > posts
  - > posts\_recommend...
  - profiles
    - JS PopularProfiles.js
    - JS Profile.js
    - JS ProfileEditForm.js
    - JS ProfilePage.js 2
    - JS ProfilePasswordC...

143            </Col>  
144            </Row>  
145            <hr />  
146            {profilePosts.results.length ? (  
147              <InfiniteScroll  
148                children={profilePosts.results.map((post)=>(  
149                  <Container className="my-5" key={post.id}>  
150                   <Post  
151                    key={post.id} {...post}  
152                    setPosts={setProfilePosts}  
153                    profilePost  
154                    />  
155                  </Container>  
156                ))})  
157                dataLength={profilePosts.results.length}  
158                loader={<Asset spinner />}  
159                hasMore={!!profilePosts.next}  
160                next={() => fetchMoreData(profilePosts, setProfilePosts)}  
161                />

PROBLEMS 2 OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, \*\*/\*)

JS ProfilePage.js src\pages\profiles 2

- Do not pass children as props. Instead, nest children between the opening and closing tags. eslint(react/no-children-p
- Do not pass children as props. Instead, nest children between the opening and closing tags. eslint(react/no-children-p

Ignored

OUTLINE TIMELINE

2 100% In 156 C

File Edit Selection View Go Run Terminal Help ProfilePasswordChange.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS ProfilePasswordChange.js X

src > pages > profiles > JS ProfilePasswordChange.js > ...

```
1 import React, { useEffect, useState } from "react";
2 import { Alert, Button, Col, Container, Form, Row } from "react-bootstrap";
3 import { useHistory, useParams } from "react-router-dom";
4 import { axiosRes } from "../../api/axiosDefaults";
5 import { useCurrentUser } from "../../contexts/CurrentUserContext";
6
7 import btnStyles from "../../styles/Button.module.css";
8 import appStyles from "../../App.module.css";
9 import FeedbackMsg from "../../components/Feedbackmsg";
10
11 /**
12 * Form to change password
13 * Credit- CI's Moments Walkthrough. Modified as per need.
14 */
15 const ProfilePasswordChange = () => {
16     const history = useHistory();
17     const { id } = useParams();
18     const currentUser = useCurrentUser();
19
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

No problems have been detected in the workspace.

Filter (e.g. text, \*/\*)

BE-INSPIRED-PP5-CI-MAIN

components

JS Asset.js

JS Avatar.js

JS DropdownMenu.js

JS Feedbackmsg.js

JS LandingPage.js

JS LeftPanel.js

JS NavBar.js

JS PageNotFound.js

contexts

JS CurrentUserContex...

JS ProfileDataContext.js

hooks

JS useClickOutsideTo...

JS useRedirect.js

pages

> auth

> comments

> posts

> posts\_recommend...

profiles

JS PopularProfiles.js

JS Profile.js

JS ProfileEditForm.js

JS ProfilePage.js

JS ProfilePasswordC...

> OUTLINE

> TIMELINE

File Edit Selection View Go Run Terminal Help Recommendation.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS Recommendation.js 9+ ×

BE-INSPIRED-PP5-CI-MAIN

- hooks
  - JS useClickOutsideTo...
  - JS useRedirect.js
- pages
  - > auth
  - > comments
  - > posts
  - > posts\_recommend...
  - > profiles
  - > recommenda... ●
    - JS Recommen... 9+
    - JS Recommendation...
    - JS Recommendation...
    - JS Recommendation...
    - JS Recommendation...
    - JS Recommendation...
  - > styles
  - > utils
    - JS utils.js
  - # App.css
  - JS App.js
  - # App.module.css
  - JS App.test.js
  - # index.css
  - JS index.js
  - logo.svg
  - JS reportWebVitals.js
- > OUTLINE
- > TIMELINE

src > pages > recommendations > JS Recommendation.js > [🔗] Recommendation

```
146     <OverlayTrigger
147         placement="top"
148         overlay={<Tooltip>
149             You can't like your own recommendation!
150         </Tooltip>}
151     >
152         <i className="far fa-heart" />
153     </OverlayTrigger>
154     ) : like_id ? (
```

> three

PROBLEMS 16 OUTPUT DEBUG CONSOLE TERMINAL

Filter (e.g. text, \*\*/\*)

JS Recommendation.js src\pages\recommendations 16

- ✖ 'id' is missing in props validation eslint([react/prop-types](#)) [Ln 20, Col 5]
- ✖ 'owner' is missing in props validation eslint([react/prop-types](#)) [Ln 21, Col 5]
- ✖ 'profile\_id' is missing in props validation eslint([react/prop-types](#)) [Ln 22, Col 5]
- ✖ 'profile\_image' is missing in props validation eslint([react/prop-types](#)) [Ln 23, Col 5]
- ✖ 'title' is missing in props validation eslint([react/prop-types](#)) [Ln 24, Col 5]
- ✖ 'category' is missing in props validation eslint([react/prop-types](#)) [Ln 25, Col 5]
- ✖ 'price\_category' is missing in props validation eslint([react/prop-types](#)) [Ln 26, Col 5]
- ✖ 'description' is missing in props validation eslint([react/prop-types](#)) [Ln 27, Col 5]
- ✖ 'reason' is missing in props validation eslint([react/prop-types](#)) [Ln 28, Col 5]
- ✖ 'comments\_count' is missing in props validation eslint([react/prop-types](#)) [Ln 29, Col 5]
- ✖ 'likes\_count' is missing in props validation eslint([react/prop-types](#)) [Ln 30, Col 5]
- ✖ 'like\_id' is missing in props validation eslint([react/prop-types](#)) [Ln 31, Col 5]
- ✖ 'image' is missing in props validation eslint([react/prop-types](#)) [Ln 32, Col 5]
- ✖ 'updated\_on' is missing in props validation eslint([react/prop-types](#)) [Ln 33, Col 5]
- ✖ 'setRecommendations' is missing in props validation eslint([react/prop-types](#)) [Ln 34, Col 5]
- ✖ `` can be escaped with `&apos;` , `&lsquo;` , `&#39;` , `&rsquo;` . eslint([react/no-unesaped-entities](#)) [Ln 149, Col 32]

Ignored



EXPLORER

...

JS RecommendationCreateForm.js X

BE-INSP...

hooks

JS useClickOutsideTo...

JS useRedirect.js

pages

&gt; auth

&gt; comments

&gt; posts

&gt; posts\_recommend...

&gt; profiles

recommendations

JS Recommendation...

JS Recommendation...

JS Recommendation...

JS Recommendation...

&gt; styles

utils

JS utils.js

# App.css

JS App.js

# App.module.css

JS App.test.js

# index.css

JS index.js

logo.svg

JS reportWebVitals.js

&gt; OUTLINE

&gt; TIMELINE


src &gt; pages &gt; recommendations &gt; JS RecommendationCreateForm.js &gt; ...

```
1 import React, { useRef, useState } from "react";
2 import { useHistory } from "react-router-dom";
3 import { axiosReq } from "../../api/axiosDefaults";
4 import { useRedirect } from "../../hooks/useRedirect";
5
6 import { Alert, Image, Container, Form, Button } from "react-bootstrap";
7
8 import Upload from "../../assets/upload.png";
9 import Asset from "../../components/Asset";
10
11 import appStyles from "../../App.module.css";
12 import btnStyles from "../../styles/Button.module.css";
13 import createFormStyles from "../../styles/PostcreateForm.module.css";
14
15 /**
16  * Form to create recommendations
17 */
18
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

Filter (e.g. text, \*\*/\*)

No problems have been detected in the workspace.



**JS** RecommendationEditForm.js X

src > pages > recommendations > **JS** RecommendationEditForm.js > ...

```
1 import React, { useEffect, useRef, useState } from "react";
2 import Container from "react-bootstrap/Container";
3 import Form from "react-bootstrap/Form";
4 import Button from "react-bootstrap/Button";
5 import Alert from 'react-bootstrap/Alert';
6 import Image from "react-bootstrap/Image";
7
8 import { useHistory } from "...react-router-dom/cjs/react-router-dom.min";
9 import { axiosReq } from "../../api/axiosDefaults";
10
11 import Asset from "../../components/Asset";
12 import Upload from "../../assets/upload.png";
13 import appStyles from "../../App.module.css";
14 import btnStyles from "../../styles/Button.module.css";
15 import createFormStyles from "../../styles/PostCreateForm.module.css";
16 import { useParams } from "react-router-dom";
17
18
```

> three

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

Filter (e.g. text, \*\*/\*)

No problems have been detected in the workspace.

File Edit Selection View Go Run Terminal Help RecommendationPage.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS RecommendationPage.js 1 ×

BE-INSPIRED-PP5-CI-MAIN

- hooks
  - JS useClickOutsideTo...
  - JS useRedirect.js
- pages
  - > auth
  - > comments
  - > posts
  - > posts\_recommend...
  - > profiles
  - recommenda... ●
    - JS Recommendation...
    - JS Recommendation...
    - JS Recommendation...
    - JS Recommend... 1
    - JS Recommendation...
  - > styles
- utils
  - JS utils.js
- # App.css
- JS App.js
- # App.module.css
- JS App.test.js
- # index.css
- JS index.js
- logo.svg
- JS reportWebVitals.js

src > pages > recommendations > JS RecommendationPage.js > RecommendationPage

```
74 ) : comments.results.length ? (
75   "Comments"
76 ) : null}
77 {comments.results.length ? (
78   <InfiniteScroll
79     children={comments.results.map((comment) => (
80       <Comment
81         key={comment.id}
82         {...comment}
83         setRecommendation={setRecommendation}
84         setComments={setComments}
85       />
86     )))
87       dataLength={comments.results.length}
88       loader={<Asset spinner />}
89       hasMore={!comments.next}
90       next={() => fetchData(comments, setComments)}
91     />
```

PROBLEMS 1 OUTPUT DEBUG CONSOLE TERMINAL Filter (e.g. text, \*\*/)

JS RecommendationPage.js src\pages\recommendations 1

⚠️ ✘ Do not pass children as props. Instead, nest children between the opening and closing tags. eslint[react/no-children]

Ignored

OUTLINE TIMELINE

⑧ 1 ⌂ 0 In 86 ⌂

File Edit Selection View Go Run Terminal Help RecommendationsListPage.js - be-inspired-pp5-ci-main - Visual Studio Code

EXPLORER ... JS RecommendationsListPage.js 9+ X

BE-INSPIRED-PP5-CI-MAIN

- hooks
  - JS useClickOutsideTo...
  - JS useRedirect.js
- pages
  - > auth
  - > comments
  - > posts
  - > posts\_recommend...
  - > profiles
- recommendations
  - JS Recommendation...
  - JS Recommendation...
  - JS Recommendation...
  - JS Recommendation...
  - JS Recommendation...
- styles
- utils
  - JS utils.js
- # App.css
- JS App.js
- # App.module.css
- JS App.test.js
- # index.css
- JS index.js
- logo.svg
- JS reportWebVitals.js

src > pages > recommendations > JS RecommendationsListPage.js > RecommendationsListPage

```
102
103           {hasLoaded ? (
104             <>
105               {recommendations.results.length ? (
106                 <Container className="p-0">
107                   <InfiniteScroll
108                     children={
109                       recommendations.results.map((recommendation) =>
110                         <Recommendation key={recommendation.id} />
111                       )
112                     }
113                   dataLength={recommendations.results.length}
114                   loader={<Asset spinner />}
115                   hasMore={!!recommendations.next}
116                   next={() => fetchMoreData(recommendations, setRe
117                     </Container>
118                   )}
```

PROBLEMS 10 OUTPUT DEBUG CONSOLE TERMINAL

Filter (e.g. text, \*\*/\*.)

JS RecommendationsListPage.js src\pages\recommendations 10

- ✖ 'message' is missing in props validation eslint([react/prop-types](#)) [Ln 25, Col 35]
- ✖ 'filter' is missing in props validation eslint([react/prop-types](#)) [Ln 25, Col 44]
- ✖ 'setCategory' is not defined. eslint([no-undef](#)) [Ln 71, Col 102]
- ✖ 'setCategory' is not defined. eslint([no-undef](#)) [Ln 72, Col 102]
- ✖ 'setCategory' is not defined. eslint([no-undef](#)) [Ln 73, Col 102]
- ✖ 'setCategory' is not defined. eslint([no-undef](#)) [Ln 74, Col 102]
- ✖ 'setCategory' is not defined. eslint([no-undef](#)) [Ln 75, Col 102]
- ✖ 'setCategory' is not defined. eslint([no-undef](#)) [Ln 76, Col 102]
- ✖ 'setCategory' is not defined. eslint([no-undef](#)) [Ln 77, Col 102]

✖ Do not pass children as props. Instead, nest children between the opening and closing tags. eslint([react/no-child](#))

Ignored

OUTLINE TIMELINE

10 112 0

XPLORER

...

JS utils.js 1 ●

E-INSPIRED-PP5-CI-MAIN

- ✓ hooks
- JS useClickOutsideTo...
- JS useRedirect.js
- ✓ pages
  - > auth
  - > comments
  - > posts
  - > posts\_recommend...
  - > profiles
- ✓ recommendations
  - JS Recommendation...
  - JS Recommendation...
  - JS Recommendation...
  - JS Recommendation...
  - JS Recommendation...
- > styles
- ✓ utils
  - JS utils.js 1
  - # App.css
  - S App.js
  - # App.module.css
  - S App.test.js
  - # index.css
  - S index.js
  - ! logo.svg
  - S reportWebVitals.js

src > utils > JS utils.js [✖] fetchMoreData

```
11  try {
12    const { data } = await axiosReq.get(resource.next);
13    setResource((prevResource) => ({
14      ...prevResource,
15      next: data.next, // link to the next page of results
16      results: data.results.reduce((acc, cur) => {
17        return acc.some((accResult) => accResult.id === cur.id)
18        ? acc
19        : [...acc, cur];
20      }, prevResource.results),
21    }));
22  } catch (err) []
23 };
24 /**
25 * Increases the followers_count and following_count variables by 1.
26 */
```

&gt; three

Aa ab \*

PROBLEMS 1 OUTPUT DEBUG CONSOLE TERMINAL

Filter (e.g. text, \*\*/\*.ts, !\*\*/node\_...)

JS utils.js src\utils 1


✖ Empty block statement. eslint(no-empty) [Ln 22, Col 17]

Ignored

UTLINE

MELINE

Ln 22, C



```
src > utils > JS utils.js > fetchMoreData
11  try {
12    const { data } = await axiosReq.get(resource.next);
13    setResource(prevResource) => ({
14      ...prevResource,
15      next: data.next, // link to the next page of results
16      results: data.results.reduce((acc, cur) => {
17        return acc.some((accResult) => accResult.id === cur.id)
18          ? acc
19          : [...acc, cur];
20      }, prevResource.results),
21    });
22  } catch (err) {
23    //console.log(err);
24  }
25 }
26
27 /*
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

Filter (e.g. text, \*\*/\*)

No problems have been detected in the workspace.

The screenshot shows the Visual Studio Code interface with the following details:

- Top Bar:** File, Edit, Selection, View, Go, Run, Terminal, Help.
- Title Bar:** index.js - be-inspired-pp5-ci-main - Visual Studio Code
- Left Sidebar (Explorer):** Shows the project structure under "BE-INSPI...".
  - hooks: useClickOutsideTo..., useRedirect.js
  - pages: auth, comments, posts, posts\_recommend..., profiles
  - recommendations: Recommendation..., Recommendation..., Recommendation..., Recommendation..., Recommendation..., Recommendation...
  - styles
  - utils: utils.js
  - # App.css
  - JS App.js
  - # App.module.css
  - JS App.test.js
  - # index.css
- File Editor:** JS index.js (active tab). The code is as follows:

```
1 import React from 'react';
2 import ReactDOM from 'react-dom';
3 import './index.css';
4 import App from './App';
5 import reportWebVitals from './reportWebVitals';
6 import { BrowserRouter as Router } from 'react-router-dom';
7 import { CurrentUserProvider } from './contexts/CurrentUserContext';
8 import { ProfileDataProvider } from './contexts/ProfileDataContext';
9
10 ReactDOM.render(
11   <Router>
12     <CurrentUserProvider>
13       <ProfileDataProvider>
14         |   <App />
15       </ProfileDataProvider>
16     </CurrentUserProvider>
17   </Router>,
18   document.getElementById('root')
19 );
20
21 // If you want to start measuring performance in your app, pass a function
22 // to log results (for example: reportWebVitals(console.log))
```
- Bottom Navigation:** PROBLEMS, OUTPUT, DEBUG CONSOLE, TERMINAL.
- Bottom Status Bar:** Filter (e.g. text, \*\*/\*).

# Links used for installation and set up

- <https://stackoverflow.com/questions/42640636/react-must-be-in-scope-when-using-jsx-react-react-in-jsx-scope>
- <https://stackoverflow.com/questions/70058316/eslintrc-js-module-is-not-defined>
- 
- <https://stackoverflow.com/questions/40453894/allow-semi-colons-in-javascript-eslint>
- 
- <https://dev.to/devdammak/setting-up-eslint-in-your-javascript-project-with-vs-code-2amf>
- 
- <https://www.digitalocean.com/community/tutorials/linting-and-formatting-with-eslint-in-vs-code>
- <https://www.quora.com/Why-is-component-definition-missing-display-name-react-display-name-error-occur-JavaScript-HTML-arrays-reactjs-antd-development>