

VISVESVARAYA TECHNOLOGICAL UNIVERSITY

“JnanaSangama”, Belgaum -590014, Karnataka.



LAB REPORT on

Analysis and Design of Algorithms

Submitted by

Roshni P (1BM22CS223)

in partial fulfillment for the award of the degree of
BACHELOR OF ENGINEERING
in
COMPUTER SCIENCE AND ENGINEERING



B.M.S. COLLEGE OF ENGINEERING
(Autonomous Institution under VTU)
BENGALURU-560019
April-2024 to August-2024

B. M. S. College of Engineering,

Bull Temple Road, Bangalore 560019

(Affiliated to Visvesvaraya Technological University, Belgaum)

Department of Computer Science and Engineering



CERTIFICATE

This is to certify that the Lab work entitled “**Analysis and Design of Algorithms**” carried out by **Roshni P (1BM22CS223)**, who is bonafide student of **B.M.S. College of Engineering**. It is in partial fulfillment for the award of **Bachelor of Engineering in Computer Science and Engineering** of the Visvesvaraya Technological University, Belgaum during the academic semester April-2024 to August-2024. The Lab report has been approved as it satisfies the academic requirements in respect of an **Analysis and Design of Algorithms (23CS4PCADA)** work prescribed for the said degree.

Madhavi R.P
Associate Professor
Department of CSE
BMSCE, Bengaluru

Dr. Jyothi S Nayak
Professor and Head
Department of CSE
BMSCE, Bengaluru

Index Sheet

Lab Program No.	Program Details	Page No.
1	Leetcode exercises on Stacks, Queues, Circular Queues, Priority Queues.	
2	Leetcode exercises on DFS, BFS.	
3	Leetcode exercises on Trees and Graphs.	
4	<ul style="list-style-type: none"> □ Write program to obtain the Topological ordering of vertices in a given digraph. □ Leet Code. 	
5	Implement Johnson Trotter algorithm to generate permutations.	
6	Sort a given set of N integer elements using Merge Sort technique and compute its time taken. Run the program for different values of N and record the time taken to sort.	
7	Sort a given set of N integer elements using Quick Sort technique and compute its time taken.	
8	Sort a given set of N integer elements using Heap Sort technique and compute its time taken.	
9	<ul style="list-style-type: none"> □ Implement 0/1 Knapsack problem using dynamic programming. □ Leet Code. 	
10	<ul style="list-style-type: none"> □ Implement All Pair Shortest paths problem using Floyd's algorithm. 	

	□ Leet Code.	
11	□ Find Minimum Cost Spanning Tree of a given undirected graph using Prim's algorithm. □ Find Minimum Cost Spanning Tree of a given undirected graph using Kruskal's algorithm.	
12	Implement Fractional Knapsack using Greedy technique.	
13	From a given vertex in a weighted connected graph, find shortest paths to other vertices using Dijkstra's algorithm.	
14	Implement "N-Queens Problem" using Backtracking.	

Course Outcome

CO1	Analyze time complexity of Recursive and Non-recursive algorithms using asymptotic notations.
CO2	Apply various design techniques for the given problem.
CO3	Apply the knowledge of complexity classes P, NP, and NP-Complete and prove certain problems are NP-Complete
CO4	Design efficient algorithms and conduct practical experiments to solve problems.

Lab 1 :

LeetCode: Repeated Substring Pattern

```
char* substring(char *s, int start, int end) {
    char *res = (char*)malloc((end - start + 1) * sizeof(char));
    int j = 0;

    for (int i = start; i < end; i++)
        res[j++] = s[i];
    res[j] = '\0';
    return res;
}

bool repeatedSubstringPattern(char* s) {
    int len = strlen(s);


    for (int i = 1; i < len; i++) {
        if (len % i == 0) {
            int fac = 0;
            char *s1 = substring(s, 0, i);
            char *s2;
            printf("i:%d\tlen:%d\n", i, len);
            int flag;
            do {
                s2 = substring(s, fac, fac + i);
                fac += i;
                flag = strcmp(s1, s2);
            } while (flag == 0 && fac + i <= len);
            free(s1);
            free(s2);
            if (fac == len && flag == 0)
                return true;
        }
    }


    return false;
}
```


Output :

Accepted

 Roshni_P submitted at May 02, 2024 10:02

 Editorial


 Solution


 Runtime

93 ms | Beats 28.62%

 [Analyze Complexity](#)

 Memory

17.08 MB | Beats 81.99% 



Lab 2 :

LeetCode: Kth Largest Sum in a Binary Tree

```
#define ll long long
#define MAX(a,b) ((a) > (b) ? (a) : (b))

int cmp(const void* a, const void* b) {
    return *(const ll*) b > *(const ll*) a;
}


void dfs(struct TreeNode* root, ll* sum, int idx, int* d) {
    if (!root) return;
    sum[idx] += root->val;
    dfs(root->left, sum, idx+1, d);
    dfs(root->right, sum, idx+1, d);
    (*d) = MAX(*d, idx);
}


long long kthLargestLevelSum(struct TreeNode* root, int k) {
    int d = 0;
    ll* sum = (ll*) calloc(100000, sizeof(ll));
    dfs(root, sum, 0, &d);
    qsort(sum, d+1, sizeof(ll), cmp);
    ll ans = (k-1 < d+1) ? sum[k-1] : -1;
    free(sum);
    return ans;
}
```


Output :
Accepted


 Roshni_P submitted at Jun 13, 2024 10:11

 **Solution**

 Runtime


143 ms | Beats **56.60%** 

 [Analyze Complexity](#)

 Memory

22.92 MB | Beats **18.87%**

 [Analyze Complexity](#)



Lab 3 :

LeetCode: Increasing Order Search Tree

```
/**
 * Definition for a binary tree node.
 * struct TreeNode {
 *     int val;
 *     struct TreeNode *left;
 *     struct TreeNode *right;
 * };
 */

struct TreeNode* increasingBST(struct TreeNode* root) {
    if (!root) {
        return NULL;
    }

    struct TreeNode* left = increasingBST(root->left);
    struct TreeNode* right = increasingBST(root->right);

    root->left = NULL;
    root->right = right;

    if (!left) {
        return root;
    }

    struct TreeNode* iter = left;
    while (iter && iter->right) {
        iter = iter->right;
    }

    iter->right = root;

    return left;
}
```


Output:

Accepted


 Roshni_P submitted at May 16, 2024 09:48

 Editorial

 Solution


 Runtime

3 ms | Beats 54.41% 

 [Analyze Complexity](#)

 Memory

5.92 MB | Beats 66.18% 



Lab 4 :

Write a program to obtain the Topological ordering of vertices in a given digraph.

DFS

```
#include <stdio.h>

int s[100];
int res[100];
int m=0;

void dfs(int u, int n, int a[n][n]);
void dfs_tp(int n, int a[n][n]);

void dfs_tp(int n, int a[n][n]){

    for(int i=0;i<n;i++)
        s[i]=0;

    for(int u=0; u<n; u++){
        if(s[u]==0)
            dfs(u,n,a);
    }
}

void dfs(int u, int n, int a[n][n]){

    s[u]=1;
    res[m]=u;
    m++;

    for(int v=0; v<n; v++){
        if(a[u][v]==1 && s[v]==0)
            dfs(v,n,a);
    }
}

int main()
{
    int i,n;
    n=6;
```

```

int a[6][6] = {

    {0, 0, 0, 0, 0, 0}, // Node 0
    {0, 0, 0, 1, 0, 0}, // Node 1
    {0, 0, 0, 1, 0, 0}, // Node 2
    {0, 0, 0, 0, 0, 0}, // Node 3
    {1, 1, 0, 0, 0, 0}, // Node 4
    {1, 0, 1, 0, 0, 0}  // Node 5

};

dfs_tp(n,a);

printf("DFS Traversal order:\n");
for(int i=n-1;i>0;i--)
printf("%d\t",res[i]);

return 0;
}

```

Output

```

DFS Traversal order:
5      4      2      3      1

```

Source Removal

```

#include <stdio.h>
#define v 100
int top = -1;

void indegree(int a_matrix[v][v], int n, int in[v])
{
    for (int i = 0; i < n; i++)
    {
        for (int j = 0; j < n; j++)
        {
            if (a_matrix[i][j])
            {
                in[j]++;
            }
        }
    }
}

```

```

    }
}

}

}

void toposort(int a_matrix[v][v], int n)
{
    int in[v] = {0};
    int topo[v];
    int k = 0;
    int s[v] = {0};

    indegree(a_matrix, n, in);

    for (int i = 0; i < n; i++)
    {
        if (in[i] == 0)
        {
            top++;
            s[top] = i;
        }
    }

    while (top != -1)
    {
        int vertex = s[top];
        top--;
        topo[k++] = vertex;

        for (int i = 0; i < n; i++)
        {
            if (a_matrix[vertex][i])
            {
                in[i]--;
                if (in[i] == 0)
                {
                    top++;
                    s[top] = i;
                }
            }
        }
    }
}

```

```

    if (k != n)
    {
        printf("cycle exists");
    }
    else
    {
        printf("the topological sort: ");
        for (int i = 0; i < n; i++)
        {
            printf("%d ", topo[i] + 1);
        }
    }
}

int main()
{
    int a_matrix[v][v] = {
        {0, 1, 0, 0, 0, 1},
        {0, 0, 1, 1, 0, 0},
        {0, 0, 0, 0, 0, 0},
        {0, 0, 0, 0, 0, 1},
        {1, 0, 0, 0, 0, 0},
        {0, 0, 0, 0, 0, 0}
    };
    int n = 6;

    toposort(a_matrix, n);
    return 0;
}

```

Output;

```
the topological sort: 5 1 2 4 6 3
```

Lab 5

Sort a given set of N integer elements using Merge Sort and Selection Sort technique and compute its time taken. Run the program for different values of N and record the time taken to sort.

Merge Sort

```
#include<stdio.h>
#include<time.h>
#include <stdlib.h>

void merge(int a[],int l,int m,int high)
{
    int i,h;h=l;i=0;
    int j=m+1;int b[high-l+1];
    while(h<=m && j<=high)
    {
        if(a[h]<=a[j])
        {
            b[i]=a[h];
            h++;
        }
        else
        {
            b[i]=a[j];
            j++;
        }i++;
    }
    if(h<=m)
        for(int k=h;k<=m;k++)
        {
            b[i++]=a[k];
        }
    if(j<=high)
        for(int k=j;k<=high;k++)
        {
            b[i++]=a[k];
        }
    for(int k=0,j=l;k<=high;k++,j++)
    {
        a[j]=b[k];
    }
}
```



```

}

void mergesort(int a[],int l,int h)
{
    int m;
    if(l<h)
    {
        m=(l+h)/2;
        mergesort(a,l,m);
        mergesort(a,m+1,h);
        merge(a,l,m,h);
    }
}

int main()
{
    clock_t start,end;
    int n;
    printf("Enter the number of array elements:");
    scanf("%d",&n);
    int arr[n];
    srand(time(NULL));
    for (int i=0;i<n;i++)
        arr[i]=rand();
    start=clock();
    mergesort(arr,0,n-1);
    end=clock();
    printf("\nTime taken:%f",((double)(end - start)) / CLOCKS_PER_SEC);
    return 0;
}

```

Output

```

1: For manual entry of N value and array elements
2: To display time taken for sorting number of elements N in the range 500 to 15000 to 100000
3: To exit
Enter your choice: 1

Enter the number of elements: 6

Enter array elements: 3 5 1 2 6 4

Sorted array is: 1      2      3      4      5      6

```



```

        selsort(n,a);
        //Dummy loop to create delay
        for(j=0;j<500000;j++){
            temp=38/600;
        }
        end=clock();
        printf("\n Time taken to sort %d numbers is %f Secs",n,
(((double)(end-start))/CLOCKS_PER_SEC));
        n=n+1000;
    }
    break;
case 3:
    exit(0);
}
getchar();
}
}

```

```

void selsort(int n,int a[]){
    int i,j,t,small,pos;
    for(i=0;i<n-1;i++)
    {
        pos=i;
        small=a[i];
        for(j=i+1;j<n;j++)
        {
            if(a[j]<small)
            {
                small=a[j];
                pos=j;
            }
        }
        t=a[i];
        a[i]=a[pos];
        a[pos]=t;
    }
}

```

Output :


```
1:For manual entry of N value and array elements
2:To display time taken for sorting number of elements N in the range 500 to 14500
3:To exit
Enter your choice:1

Enter the number of elements: 6

Enter array elements: 4 1 2 6 3 5

Sorted array is: 1      2      3      4      5      6
```

Graph :



Lab 6 :

Sort a given set of N integer elements using Quick Sort technique and compute its time taken.

```
#include<stdio.h>
#include<time.h>
#include<stdlib.h> /* To recognise exit function when compiling with gcc*/
void swap(int* a, int* b);
int partition(int arr[],int low, int high);
void quicksort(int arr[], int low, int high);
void main()
{
    int i,j,ch, temp;
    clock_t start,end;
    int a[110000], n;

    while(1)
    {
        printf("\n1:For manual entry of N value and array elements");
        printf("\n2:To display time taken for sorting number of elements N in the
range 7500 to 25000");
        printf("\n3:To exit");
        printf("\nEnter your choice:");
        scanf("%d", &ch);
        switch(ch)
        {
            case 1: printf("\nEnter the number of elements: ");
                    scanf("%d",&n);
                    printf("\nEnter array elements: ");
                    for(i=0;i<n;i++)
                    {
                        scanf("%d",&a[i]);
                    }
                    start=clock();
                    quicksort(a,0,n-1);
                    end=clock();
                    printf("\nSorted array is: ");
                    for(i=0;i<n;i++)
                        printf("%d\t",a[i]);
                    printf("\n Time taken to sort %d numbers is %f Secs",n,
(((double)(end-start))/CLOCKS_PER_SEC));
                    break;
            case 2:
```

```

        n=7500;
        while(n<=25500) {
            for(i=0;i<n;i++)
            {
                //a[i]=random(1000);
                a[i]=n-i;
            }
            start=clock();
            quicksort(a,0,n-1);
            //Dummy loop to create delay
            for(j=0;j<500000;j++){ temp=38/600;}
            end=clock();
            printf("\n Time taken to sort %d numbers is %f Secs",n,
                (((double)(end-start))/CLOCKS_PER_SEC));
            n=n+1000;
        }
        break;
    case 3: exit(0);
    }
    getchar();
}

```

```

void swap(int* p1, int* p2)
{
    int temp;
    temp = *p1;
    *p1 = *p2;
    *p2 = temp;
}

```

```

int partition(int arr[], int low, int high)
{
    // choose the pivot
    int pivot = arr[high];

    // Index of smaller element and Indicate
    // the right position of pivot found so far
    int i = (low - 1);

```

```

    for (int j = low; j <= high; j++) {
        // If current element is smaller than the pivot
        if (arr[j] < pivot) {
            // Increment index of smaller element
            i++;
            swap(&arr[i], &arr[j]);
        }
    }
    swap(&arr[i + 1], &arr[high]);
    return (i + 1);
}

void quicksort(int arr[], int low, int high)
{
    if (low < high) {

        int pivot = partition(arr, low, high);

        quicksort(arr, low, pivot - 1);
        quicksort(arr, pivot + 1, high);
    }
}

```

Output :

```

1:For manual entry of N value and array elements
2:To display time taken for sorting number of elements N in the range 7500 to 25000
3:To exit
Enter your choice:1


Enter the number of elements: 6

Enter array elements: 1 6 3 5 2 4

Sorted array is: 1      2      3      4      5      6
Time taken to sort 6 numbers is 0.000001 Secs

```

Graph :



Lab 7 :

Implement Johnson Trotter algorithm to generate permutations.

```
#include <stdio.h>
#include <stdlib.h>
int flag = 0;
int swap(int *a,int *b)
{
    int t =*a;
    *a = *b;
    *b = t;
}
int search(int arr[],int num,int mobile)
{
    int g;
    for(g=0; g<num; g++)
    {
        if(arr[g] == mobile)
            return g+1;
        else
        {
            flag++;
        }
    }
    return -1;
}

int find_Moblie(int arr[],int d[],int num)
{
    int mobile = 0;
    int mobile_p =0;
    int i;
    for(i=0; i<num; i++)
    {
        if((d[arr[i]-1] == 0) && i != 0)
        {
            if(arr[i]>arr[i-1] && arr[i]>mobile_p)
            {
                mobile = arr[i];
            }
        }
    }
}
```

```

        mobile_p = mobile;
    }
    else
    {
        flag++;
    }
}
else if((d[arr[i]-1] == 1) && i != num-1)
{
    if(arr[i]>arr[i+1] && arr[i]>mobile_p)
    {
        mobile = arr[i];
        mobile_p = mobile;
    }
    else
    {
        flag++;
    }
}
else
{
    flag++;
}
}
if((mobile_p == 0) && (mobile == 0)) return 0;
else return mobile;
}

void permutations(int arr[],int d[],int num)
{
    int i;
    int mobile = find_Moblie(arr,d,num);
    int pos = search(arr,num,mobile);
    if(d[arr[pos-1]-1]==0) swap(&arr[pos-1],&arr[pos-2]);
    else
        swap(&arr[pos-1],&arr[pos]);
    for(int i=0; i<num; i++)
    {
        if(arr[i] > mobile)
        {
            if(d[arr[i]-1]==0) d[arr[i]-1] = 1;
            else d[arr[i]-1] = 0;
        }
    }
}

```

```

    }
    for(i=0; i<num; i++)
    {
        printf(" %d ",arr[i]);
    }
}

int factorial(int k)
{
    int f = 1;
    int i = 0;
    for(i=1; i<k+1; i++)
    {
        f = f*i;
    }
    return f;
}

int main()
{
    int num =0;
    int i;
    int j;
    int z =0;
    printf("Johnson trotter algorithm to find all permutations of given
numbers \n");
    printf("Enter the number: ");
    scanf("%d",&num);
    int arr[num],d[num];
    z = factorial(num);
    printf("total permutations = %d",z);
    printf("\nAll possible permutations are: \n");
    for(i=0; i<num; i++)
    {
        d[i] = 0;
        arr[i] = i+1;
        printf(" %d ",arr[i]);
    }
    printf("\n");
    for(j=1; j<z; j++)
    {
        permutations(arr,d,num);
        printf("\n");
    }
}

```

```
    return 0;  
}
```

Output :

```
Johnson trotter algorithm to find all permutations of given numbers  
Enter the number: 4  
total permutations = 24  
All possible permutations are:  
1 2 3 4  
1 2 4 3  
1 4 2 3  
4 1 2 3  
4 1 3 2  
1 4 3 2  
1 3 4 2  
1 3 2 4  
3 1 2 4  
3 1 4 2  
3 4 1 2  
4 3 1 2  
4 3 2 1  
3 4 2 1  
3 2 4 1  
3 2 1 4  
2 3 1 4  
2 3 4 1  
2 4 3 1  
4 2 3 1  
4 2 1 3  
2 4 1 3  
2 1 4 3  
2 1 3 4
```

Substring matching or pattern matching of substring in text return the position of it.

```
#include <stdio.h>
#include <string.h>
#include <stdbool.h>

int main(){
    int m, n;
    printf("Enter m and n: ");
    scanf("%d%d", &m, &n);
    char s1[m], s2[n];
    fflush(stdin);
    printf("Enter string 1: ");
    scanf("%s", s1);
    printf("Enter string 2: ");
    scanf("%s", s2);
    // printf("%s %s", s1, s2);
    int i = 0, j = 0;
    while (i < n - m + 1){
        if (s1[0] == s2[i]){
            bool found = true;
            while (j < m){
                if (s1[j] != s2[i+j]) found = false;
                j++;
            }
            if (found) printf("Found at %d", i);
        }
        i++;
    }
    return 0;
}
```

Output :

```
Enter m and n: 3 7
Enter string 1: hin
Enter string 2: abhinav
Found at 2
```

Lab 8 :

Implement All Pair Shortest paths problem using Floyd's algorithm.

```
#include <stdio.h>

#define V 4

#define INF 99999

void printSolution(int dist[][V]);

void floydWarshall(int dist[][V])
{
    int i, j, k;

    for (k = 0; k < V; k++) {
        for (i = 0; i < V; i++) {
            for (j = 0; j < V; j++) {
                if (dist[i][k] + dist[k][j] < dist[i][j])
                    dist[i][j] = dist[i][k] + dist[k][j];
            }
        }
    }
    printSolution(dist);
}

void printSolution(int dist[][V])
{
    printf(
        "The following matrix shows the shortest distances between every\n");
    for (int i = 0; i < V; i++) {
        for (int j = 0; j < V; j++) {
            if (dist[i][j] == INF)
                printf("%7s", "INF");
            else
                printf("%7d", dist[i][j]);
        }
        printf("\n");
    }
}
```

```

int main()
{
    int graph[V][V] = { { 0, 3, INF, 1 },
                        { INF, 0, 6, 2 },
                        { INF, INF, 0, 1 },
                        { INF, INF, INF, 0 } };

    floydWarshall(graph);
    return 0;
}

```

Output :

The following matrix shows the shortest distances between every pair of vertices

0	3	9	1
INF	0	6	2
INF	INF	0	1
INF	INF	INF	0

Sort a given set of N integer elements using Heap Sort technique and compute its time taken.

```

#include <stdio.h>

void swap(int* a, int* b)
{
    int temp = *a;
    *a = *b;
    *b = temp;
}

void display(int arr[],int n){
    for(int i=0;i<n;i++)
        printf("%d ",arr[i]);
    printf("\n");
}

void heapify(int arr[], int N, int i)
{

```

```

    int largest = i;

    int left = 2 * i + 1;

    int right = 2 * i + 2;

    if (left < N && arr[left] > arr[largest])

        largest = left;

    if (right < N && arr[right] > arr[largest])

        largest = right;

    if (largest != i) {

        swap(&arr[i], &arr[largest]);

        heapify(arr, N, largest);
    }
    printf("heapify:");
    display(arr,N);
}

void heapSort(int arr[], int N)
{

    for (int i = N / 2 - 1; i >= 0; i--)

        heapify(arr, N, i);

    for (int i = N - 1; i >= 0; i--) {

        swap(&arr[0], &arr[i]);
        heapify(arr, i, 0);
        printf("heapsort:");
        display(arr,N);
    }

}

```



```

void printArray(int arr[], int N)
{
    for (int i = 0; i < N; i++)
        printf("%d ", arr[i]);
    printf("\n");
}

int main()
{
    int arr[] = { 14,8,3,9,44,32};
    int N = sizeof(arr) / sizeof(arr[0]);
    heapSort(arr, N);
    printf("Sorted array is\n");
    printArray(arr, N);
}

```

Output :

```

Input array: 14 8 3 9 44 32
Sorted array is:3 8 9 14 32 44

```

Graph :



Lab 9 :

Implement 0/1 Knapsack problem using dynamic programming.

```
#include <stdio.h>

int max(int a, int b) {
    return (a > b) ? a : b;
}

void knapsack(int n, int W, int weights[], int values[]) {
    int i, w;
    int dp[n+1][W+1];

    for (i = 0; i <= n; i++) {
        for (w = 0; w <= W; w++) {
            if (i == 0 || w == 0) {
                dp[i][w] = 0;
            } else if (weights[i-1] <= w) {
                dp[i][w] = max(dp[i-1][w], dp[i-1][w - weights[i-1]] +
values[i-1]);
            } else {
                dp[i][w] = dp[i-1][w];
            }
        }
    }

    printf("DP Table:\n");
    for (i = 0; i <= n; i++) {
        for (w = 0; w <= W; w++) {
            printf("%d\t", dp[i][w]);
        }
        printf("\n");
    }

    printf("Selected items: ");
    int res = dp[n][W];
    w = W;
    for (i = n; i > 0 && res > 0; i--) {
        if (res == dp[i-1][w])
            continue;
        else {
```

```

        printf("%d ", i);
        res = res - values[i-1];
        w = w - weights[i-1];
    }
}
printf("\nMaximum profit: %d\n", dp[n][W]);
}

int main() {
    int n = 4;
    int weights[] = {2, 3, 4, 5};
    int values[] = {3, 4, 5, 8};
    int W = 5;

    knapsack(n, W, weights, values);
    return 0;
}

```

Output :

```

DP Table:
0      0      0      0      0      0
0      0      3      3      3      3
0      0      3      4      4      7
0      0      3      4      5      7
0      0      3      4      5      8
Selected items: 4
Maximum profit: 8

```

Find Minimum Cost Spanning Tree of a given undirected graph using Prim's algorithm.

```

#include <stdio.h>
#include <limits.h>

#define MAX_VERTICES 5

int minKey(int n, int key[], int mstSet[]) {
    int min = INT_MAX, min_index;

    for (int v = 0; v < n; v++) {
        if (mstSet[v] == 0 && key[v] < min) {
            min = key[v];
            min_index = v;
        }
    }

    return min_index;
}

void printMST(int n, int parent[], int cost[MAX_VERTICES][MAX_VERTICES]) {
    int sum = 0;

    printf("Edges in MST:\n");
    for (int i = 1; i < n; i++) {
        printf("%d - %d\n", parent[i], i);
        sum += cost[i][parent[i]];
    }

    printf("Cost of MST is: %d\n", sum);
}

void primMST(int n, int cost[MAX_VERTICES][MAX_VERTICES]) {
    int parent[MAX_VERTICES];
    int key[MAX_VERTICES];
    int mstSet[MAX_VERTICES];

    for (int i = 0; i < n; i++) {
        key[i] = INT_MAX;
        mstSet[i] = 0;
    }

    key[0] = 0;
    parent[0] = -1;

```

```

    for (int count = 0; count < n - 1; count++) {

        int u = minKey(n, key, mstSet);
        mstSet[u] = 1;

        for (int v = 0; v < n; v++) {

            if (cost[u][v] && mstSet[v] == 0 && cost[u][v] < key[v]) {
                parent[v] = u;
                key[v] = cost[u][v];
            }
        }
    }

    printMST(n, parent, cost);
}

int main() {
    int n = MAX_VERTICES;
    int cost[MAX_VERTICES][MAX_VERTICES] = {
        {0, 2, 0, 6, 0},
        {2, 0, 3, 8, 5},
        {0, 3, 0, 0, 7},
        {6, 8, 0, 0, 9},
        {0, 5, 7, 9, 0}
    };

    printf("Cost adjacency matrix:\n");
    for (int i = 0; i < n; i++) {
        for (int j = 0; j < n; j++) {
            printf("%d ", cost[i][j]);
        }
        printf("\n");
    }

    primMST(n, cost);

    return 0;
}

```

Output :

```
Cost adjacency matrix:
```

```
0 2 0 6 0
```

```
2 0 3 8 5
```

```
0 3 0 0 7
```

```
6 8 0 0 9
```

```
0 5 7 9 0
```

```
Edges in MST:
```

```
0 - 1
```

```
1 - 2
```

```
0 - 3
```

```
1 - 4
```

```
Cost of MST is: 16
```

Lab 10

1. Find Minimum Cost Spanning Tree of a given undirected graph using Kruskal's algorithm.

2. From a given vertex in a weighted connected graph, find shortest paths to other vertices using Dijkstra's algorithm.

```
#include <stdio.h>
#include <stdlib.h>
#include <stdbool.h>
#include <limits.h>

#define MAX 100
#define INF 9999

typedef struct Edge {
    int src, dest, weight;
} Edge;

int find(int parent[], int i) {
    if (parent[i] == i)
        return i;
    return find(parent, parent[i]);
}

void Union(int parent[], int rank[], int x, int y) {
    int xroot = find(parent, x);
    int yroot = find(parent, y);

    if (rank[xroot] < rank[yroot])
        parent[xroot] = yroot;
    else if (rank[xroot] > rank[yroot])
        parent[yroot] = xroot;
    else {
        parent[yroot] = xroot;
        rank[xroot]++;
    }
}

int compareEdges(const void* a, const void* b) {
    Edge* edgeA = (Edge*) a;
    Edge* edgeB = (Edge*) b;
    return edgeA->weight > edgeB->weight;
}

void KruskalMST(int graph[MAX][MAX], int numVertices) {
```

```

int E = 0;
Edge edges[MAX * MAX];
for (int i = 0; i < numVertices; i++) {
    for (int j = i + 1; j < numVertices; j++) {
        if (graph[i][j] != 0 && graph[i][j] != INF) {
            edges[E].src = i;
            edges[E].dest = j;
            edges[E].weight = graph[i][j];
            E++;
        }
    }
}

qsort(edges, E, sizeof(edges[0]), compareEdges);

int parent[numVertices];
int rank[numVertices];
for (int v = 0; v < numVertices; v++) {
    parent[v] = v;
    rank[v] = 0;
}

Edge result[numVertices];
int e = 0, i = 0;

while (e < numVertices - 1 && i < E) {
    Edge next_edge = edges[i++];
    int x = find(parent, next_edge.src);
    int y = find(parent, next_edge.dest);

    if (x != y) {
        result[e++] = next_edge;
        Union(parent, rank, x, y);
    }
}

printf("Edges in the MST:\n");
for (i = 0; i < e; i++)
    printf("%d -- %d == %d\n", result[i].src, result[i].dest,
result[i].weight);
}

int minDistance(int dist[], bool sptSet[], int numVertices) {

```



```

    int min = INT_MAX, min_index;
    for (int v = 0; v < numVertices; v++)
        if (sptSet[v] == false && dist[v] <= min)
            min = dist[v], min_index = v;
    return min_index;
}

void printSolution(int dist[], int numVertices) {
    printf("Vertex \t Distance from Source\n");
    for (int i = 0; i < numVertices; i++)
        printf("%d \t\t %d\n", i, dist[i]);
}

void dijkstra(int graph[MAX][MAX], int src, int numVertices) {
    int dist[numVertices];
    bool sptSet[numVertices];

    for (int i = 0; i < numVertices; i++)
        dist[i] = INT_MAX, sptSet[i] = false;

    dist[src] = 0;

    for (int count = 0; count < numVertices - 1; count++) {
        int u = minDistance(dist, sptSet, numVertices);
        sptSet[u] = true;

        for (int v = 0; v < numVertices; v++)
            if (!sptSet[v] && graph[u][v] && dist[u] != INT_MAX
                && dist[u] + graph[u][v] < dist[v])
                dist[v] = dist[u] + graph[u][v];
    }

    printSolution(dist, numVertices);
}

int main() {
    int numVertices = 5;
    int graph[MAX][MAX] = {
        {0, 2, INF, 6, INF},
        {2, 0, 3, 8, 5},
        {INF, 3, 0, INF, 7},
        {6, 8, INF, 0, 9},
        {INF, 5, 7, 9, 0}
    };
}

```

```

};

printf("Kruskal's MST:\n");
KruskalMST(graph, numVertices);

printf("\nDijkstra's Shortest Paths from vertex 0:\n");
dijkstra(graph, 0, numVertices);

return 0;
}

```

Output :

```

Kruskal's MST:
Edges in the MST:
0 -- 1 == 2
1 -- 2 == 3
1 -- 4 == 5
0 -- 3 == 6

Dijkstra's Shortest Paths from vertex 0:
Vertex    Distance from Source
0          0
1          2
2          5
3          6
4          7

```

Implement Fractional Knapsack using Greedy technique.

```

#include <stdio.h>

void knapsack(int n, int p[], int w[], int W) {
    int used[n];
    for (int i = 0; i < n; ++i) {
        used[i] = 0;
    }

    int cur_w = W;
    float tot_v = 0.0;
    int i, maxi;

    while (cur_w > 0) {
        maxi = -1;
        for (i = 0; i < n; ++i) {
            if ((used[i] == 0) && ((maxi == -1) || ((float)p[i]/w[i] >
(float)p[maxi]/w[maxi]))) {
                maxi = i;
            }
        }

        if (maxi == -1) break; // no more items to select

        used[maxi] = 1;

        if (w[maxi] <= cur_w) {
            cur_w -= w[maxi];
            tot_v += p[maxi];
            printf("Added object %d (weight: %d, profit: %d) completely in
the bag. Space left: %d.\n", maxi + 1, w[maxi], p[maxi], cur_w);
        } else {
            int taken = cur_w;
            cur_w = 0;
            tot_v += (float)taken/w[maxi] * p[maxi];
            printf("Added %d%% (weight: %d, profit: %d) of object %d in the
bag.\n", (int)((float)taken/w[maxi] * 100), w[maxi], p[maxi], maxi + 1);
        }
    }

    printf("Filled the bag with objects worth %.2f.\n", tot_v);
}

int main() {

```

```

int n, W;
printf("Enter the number of objects: ");
scanf("%d", &n);

int p[n], w[n];

printf("Enter the profits of the objects: ");
for (int i = 0; i < n; i++) {
    scanf("%d", &p[i]);
}

printf("Enter the weights of the objects: ");
for (int i = 0; i < n; i++) {
    scanf("%d", &w[i]);
}

printf("Enter the maximum weight of the bag: ");
scanf("%d", &W);

knapsack(n, p, w, W);

return 0;
}

```

Output :

```

Enter the number of objects: 4
Enter the profits of the objects: 20 30 66 40
Enter the weights of the objects: 10 20 30 40
Enter the maximum weight of the bag: 50
Added object 3 (weight: 30, profit: 66) completely in the bag. Space left: 20.
Added object 1 (weight: 10, profit: 20) completely in the bag. Space left: 10.
Added 50% (weight: 20, profit: 30) of object 2 in the bag.
Filled the bag with objects worth 101.00.

```

Lab 11 :

Implement “N-Queens Problem” using Backtracking.

```

#include <stdio.h>
#include <stdbool.h>

bool place(int[], int);
void printSolution(int[], int);
void nQueens(int);

int main() {
    int n;
    printf("Enter the number of queens: ");
    scanf("%d", &n);
    nQueens(n);
    return 0;
}

void nQueens(int n) {
    int x[10] = {0}; // Initialize the array to zero
    int count = 0;
    int k = 1;

    while (k != 0) {
        x[k] = x[k] + 1;

        while (x[k] <= n && !place(x, k)) {
            x[k] = x[k] + 1;
        }

        if (x[k] <= n) {
            if (k == n) {
                printSolution(x, n);
                printf("Solution found\n");
                count++;
            } else {
                k++;
                x[k] = 0;
            }
        } else {
            k--;
        }
    }

    printf("Total solutions: %d\n", count);
}

```

```

bool place(int x[], int k) {
    for (int i = 1; i < k; i++) {
        if ((x[i] == x[k]) ||
            (i - x[i] == k - x[k]) ||
            (i + x[i] == k + x[k])) {
            return false;
        }
    }
    return true;
}

void printSolution(int x[], int n) {
    for (int i = 1; i <= n; i++) {
        printf("%d ", x[i]);
    }
    printf("\n");
}

```

Output:

```

Enter the number of queens: 4
2 4 1 3
Solution found
3 1 4 2
Solution found
Total solutions: 2

```