

Trained Spikingformer Weight Mapping

Checkpoint: model_best.pth.tar
Samples exported: 10000
Float top-1 on exported set: 95.48%
Fixed-point head top-1: 95.51%
Float/fixed prediction agreement: 99.78%
Feature gate: abs(feature) <= 2048 maps to zero
Feature-MAC skip opportunity: 57.81%
Feature scale: 0.00031901379
Weight scale: 2.5177103e-06
Mapped trained parameters inventoried: 9,295,978
RTL scope in this run: trained 384-to-10 Spikingformer classifier head over exported backbone features.
Full backbone scope captured in manifest: tokenizer convs, q/k/v/proj attention, MLP, BN-folded weights.


airplane
automobile
bird
cat
deer
dog
frog
horse
ship
truck
airplane
automobile
bird
cat
deer
dog
frog
horse
ship
truck
1.0
0.8
0.6
0.4
0.2
0.0
row-normalized count


trained weight values (log scale)
10^6
10^5
10^4
10^3
patch_embed.block0_conv
patch_embed.block1_conv
patch_embed.block2_conv
patch_embed.block3_conv
patch_embed.block4_conv
block.0.attn.q_conv
block.0.attn.k_conv
block.0.attn.v_conv
block.0.attn.proj_conv
block.0.mlp.mlp1_conv
block.0.mlp.mlp2_conv
block.1.attn.q_conv
block.1.attn.k_conv
block.1.attn.v_conv
block.1.attn.proj_conv
block.1.mlp.mlp1_conv
block.1.mlp.mlp2_conv
block.2.attn.q_conv
block.2.attn.k_conv
block.2.attn.v_conv
block.2.attn.proj_conv
block.2.mlp.mlp1_conv
block.2.mlp.mlp2_conv
block.3.attn.q_conv
block.3.attn.k_conv
block.3.attn.v_conv
block.3.attn.proj_conv
block.3.mlp.mlp1_conv
block.3.mlp.mlp2_conv
head