

# Managing Self Service Plug-ins

The JSS allows you to add the following plug-ins to Self Service to extend the functionality of the application:

- URL plug-ins that give end users quick, easy access to webpages
- Self Service Plug-in bundles allow end users to utilize plug-ins developed with the Self Service API


You can also use the JSS to edit URL plug-ins and remove both kinds of plug-ins from Self Service.

## URL Plug-ins

URL plug-ins display web clips in the Self Service interface, allowing end users to access webpages without leaving the application.

### To add a URL plug-in:

1. Log in to the JSS with a web browser.
2. Click the **Settings** tab.
3. Click the **Computer Management Framework Settings** link.
4. Click the **Self Service** tab.
5. Click the **Plug-ins** tab.
6. Click the **Add new plug-in** link.
7. Make sure the **URL** option is selected and then click **Next**.



8. In the **Display Name** field, enter a name of the webpage, such as “JAMF Software”.

The screenshot shows the 'Computer Management Framework Settings' dialog box with the 'Self Service' tab selected. The 'URL' section is active, showing fields for 'Display Name', 'Description', 'URL', and a 'Priority' dropdown menu. The 'Display Name' field is empty. The 'Description' field is empty. The 'URL' field is empty. The 'Priority' dropdown menu is set to '5'. Below the fields is a link that says 'Upload icon...'. At the bottom right are 'Cancel' and 'OK' buttons.

9. Enter a description in the **Description** field if desired.
10. Enter the URL of the webpage in the **URL** field. For example:  
http://example.com
11. Use the **Priority pop-up** menu to specify the order in which the plug-in should be displayed in the Plug-ins list. For example, choose “1” to display the plug-in at the top of the list.  
If you do not choose a priority, the plug-in is displayed in alphabetical order by display name.
12. To display an icon, click the **Upload icon** link. Click the **Choose File** button to select an icon and then click the **Upload Selected File** button to upload it.
13. Click the **OK** button, and then click **Save**.

#### To edit a URL plug-in:


1. Log in to the JSS with a web browser.
2. Click the **Settings** tab.
3. Click the **Computer Management Framework Settings** link.
4. Click the **Self Service** tab.
5. Click the **Plug-ins** tab.
6. Click the **Edit** link across from the plug-in you want to edit and make the necessary changes.

The screenshot shows the 'Computer Management Framework Settings' dialog box with the 'Self Service' tab selected and the 'Plug-ins' sub-tab active. The 'Self Service Plug-ins' section is displayed, showing a table with one plug-in named 'JAMF Software'. The table has columns for 'Name', 'Edit', and 'Delete'. Below the table is a link that says 'Add new plug-in...'. At the bottom right are 'Cancel' and 'Save' buttons.

7. Click the **OK** button, and then click **Save** for the changes to take effect.

### To remove a URL plug-in:

1. Log in to the JSS with a web browser.
2. Click the **Settings** tab.
3. Click the **Computer Management Framework Settings** link.
4. Click the **Self Service** tab.
5. Click the **Plug-ins** tab.
6. Click the **Delete** link across from the plug-in you want to remove from Self Service.



7. Click the **Save** button.

## Self Service Plug-in Bundles

The Self Service API allows developers to write their own plug-ins for Self Service. The Self Service API is available at:


`Self Service.app/Contents/Resources/SSPluginProtocol.h`

The following instructions explain how to add and remove Self Service Plug-in bundles.


### To add a Self Service Plug-in bundle:

1. Log in to the JSS with a web browser.
2. Click the **Settings** tab.
3. Click the **Computer Management Framework Settings** link.
4. Click the **Self Service** tab.
5. Click the **Plug-ins** tab.
6. Click the **Add new plug-in** link.


7. Select the **Self Service Plug-in Bundle** option and then click **Next**.



8. Enter a name in the **Display Name** field.



9. Use the **Priority** pop-up menu to specify the order in which the plug-in should be displayed in the Plug-ins list. For example, choose "1" to display the plug-in at the top of the list.  
If you do not choose a priority, the plug-in is displayed in alphabetical order by display name.
10. Click the **Upload Bundle** link.
11. Click the **Choose File** button and select a Self Service Plug-in bundle.  
This file must be a compressed .bundle file with a .zip file extension. For example:  
ExamplePluginB.bundle.zip




12. Click the **Upload Selected File** button.
13. Click the **OK** button, and then click **Save**.

#### To remove a Self Service Plug-in bundle:

1. Log in to the JSS with a web browser.
2. Click the **Settings** tab.
3. Click the **Computer Management Framework Settings** link.
4. Click the **Self Service** tab.

5. Click the **Plug-ins** tab.
6. Click the **Delete** link across from the plug-in you want to remove.



7. Click the **Save** button.