


-

[illegible]


B. Demonstrating How to Parse the Registry Hives (RegRipper)

- **Page 35, Step 5 Context:** Opening RegRipper (rr.exe) and seeing its main fields (Hive File, Report File, Profile, etc.).



Screenshot: The **RegRipper v2.8** main interface, the Hive File field populated with the path for the NTUSER.DAT file



- **Page 39, Section 4, Step 9 Context:** RegRipper has just finished parsing; the text field shows “plugins completed” and any errors or warnings.



Screenshot: NTuser - RegRipper output window right after you click “**Rip it**” and the parsing completes.

1. NTUSER.DAT


- **Page 48, Section 5, Step 12 Context:** Reviewing the TypedURLs registry key in the RegRipper output (shows what documents were opened or what URLs the user typed into Internet Explorer).



Screenshots: In the NT_User_report.txt - the TypedURLs block. Highlighting how RegRipper shows each URL and a LastWrite time.

2. SAM


- **Page 52, Section 6, Step 3 Context:** Shows user account information, Relative Identifiers (RIDs), password reset dates, login counts, etc.



Screenshot: Display the “User Information” lines in SAM_report.txt, focusing on the account names, RIDs, and last login timestamps.

3. SYSTEM


- **Page 58, Section 7, Step 11 Context:** The USBStor subkey, which lists removable devices connected to the system (vendor ID, serial number, last connection date/time).



Screenshot: In System_report.txt, showing the portion listing any connected USB drives and highlight the “LastWrite” timestamps.

4. SOFTWARE

- **Page 63, Section 8, Step 8 Context:** The WinNT_CV registry key, where RegRipper shows OS install date, build number, and registered owner.




Screenshot: Focus on Software_report.txt lines for ProductName, RegisteredOwner, and InstallDate to illustrate how you pinpoint OS details.

D. Corroborating Findings in the Registry with Files on the Source Device

1. Example: Matching the Comdlg32/RecentDocs Artifacts to a Real File


- **Page 15, Step 13 Context:** You locate the per-user NTUSER.DAT file inside the Documents and Settings\IEUser folder.



Screenshot: “IEUser” folder with ---README---.txt physically exists in that same path.

2. Page 45, Section 5, Step 6

- **Context:** RegRipper shows in NT_User_report.txt that ---README---.txt is the **most recently opened file** (via OpenSaveMRU and LastVisitedMRU).



Screenshot: This is where the registry points you to C:\Documents and Settings\IEUser\Desktop\---README---.txt.

Corroboration:

- After seeing ---README---.txt in the RegRipper output on **page 45, step 6**, you go back into FTK Imager (the folder structure from **page 15, step 13** and onward) and confirm that file is actually **present** in IEUser\Desktop.
- This verifies that the registry’s “LastOpenedFile” artifact aligns with an actual file on disk.

E. Why This Matters in Forensics

- **User Traces:** Hives like NTUSER.DAT and UsrClass.dat reveal a user’s recent activity, typed URLs, opened documents, and last-used programs.
- **System Accounts:** The SAM hive confirms which user accounts exist, their privileges, and login behavior—critical for attributing actions on a machine.
- **Network & Hardware:** The SYSTEM hive uncovers info about connected USB devices, IP addresses, and last shutdown times—often crucial in tracking external drives or establishing timelines.
- **Software & OS Info:** The SOFTWARE hive shows installed programs, default browser, OS installation date, and more, helping you confirm the environment in which suspicious actions might have occurred.