Nutrient data available for Broadbalk GRAIN samples

Nitrogen only

Nitrogen plus P, K, Ca, Mg, Na (and S from 1996)

Section

Cultivar	Year	1	9	0"	8\$	6#	5	3	7	4	2
Cappelle	1968	W	W	W	W	F	W	W	P	W	BE
Desprez	1969	W	W	W	W	W	F	W	BE	P	W
	1970	W	W	W	W	W	W	F	W	BE	Р
	1971	W	W	W	W	F	W	W	P	W	BE
	1972	W	W	W	F	W	F	W	BE	Р	W
	1973	W	W	W	W	W	W	F	W	BE	Р
	1974	W*	W	W	W	F	W	W	Р	W	BE
	1975	W	W	W	W	W	F	W	BE	Р	W
	1976	W	W	W	W	W	W	F	W	BE	Р
	1977	W	W	W	W	F	W	W	Р	W	BE
	1978	W	W	W	W	W	F	W	BE	P	W
Flanders	1979	W	W	W	W	W	W	F	W	Р	F
	1980	W	W	W	W	W	W	W	F	W	Р
	1981	W	W	W	F	W	W	W	Р	F	W
	1982	W	W	W	W	W	W	W	W	Р	F
	1983	W	W	W	W	W	W	W	F -	W	Р
	1984	W	W	W	W	W	W	W	Р	F	W
Brimstone	1985	W	W	W	W	W	F	W	W	Р	W
	1986	W	W	W	W	W	Р	F	W	W	W
	1987	W	W	W	M	W	W	P	M	W	F
	1988	W**	W	W	F	W	W	W	F P	W	P
	1989	W W	W W	W W	W W	W W	W F	W W	W	F P	W W
Apollo	1990 1991	W	W	W	W	W	P	۷۷ F	W	W	W
Apollo	1992	W	W	W	W	W	W	P	W	W	F
	1993	W	W	W	W	W	W	W	F	W	P
	1994	W	W	W	F	W	W	W	P	F	W
	1995	W	W	W	W	W	F	W	W	P	W
Hereward	1996	W	W	W	W	W	Р	0	W	W	W
	1997	W	W	W	W	W	W	М	W	W	0
	1998	W	W**	W	W	W	W	W	0	W	М
	1999	W	W	W	W	W	W	W	M	0	W
	2000	W	W	W	W	W	0	W***	W	M	W
	2001	W	W	W	F	W	М	0	W	W	W
	2002 ⁺	W	W	W	W	W	W	M	W	W	0
	2003	W	W	F(UC)	W	W	W	W	0	W	М
	2004	W	W	F(UC)	W	W	W	W	М	0	W
	2005	W	W	W	W	W	0	W	W	M	W
	2006	W	W	W	W	W	M	0	W	W	W
	2007	W	W	W	W	W	W	M	W	W	0
	2008	W	W	W	F	W	W	W	0	W	М
	2009	W	W	W	W	W	W	W	M	0	W
	2010	W	W W	W	W	W	0	W	W	M	W
	2011 2012	W W	W	W W	W W	W W	M W	O M	W W	W W	W O
Ca											
Crusoe ^a Crusoe	2013 2014	W W	W W	W W	W W	W W	W W	W	O M	W O	M W
Mulika ^b	2015	W	W	W	F	W	0	W	W	M	W
Crusoe	2016	W	W	W	F W	W	M	O M	W	W	W O
Crusoe	2017	W	W	W	W	W	W	M	VV		U

W=w.wheat, P=potatoes, BE=s.beans, F=fallow, O=w.oats, M=forage maize.

F(UC) Section 0 fallowed (uncultivated) in 2003 and 2004 in an attempt to control Equisetum and test various herbicides $W^* = \text{no data for plot } 11$, Section 1 1974 $W^{**} = \text{N data only for plot } 18$

W*** = no Na data for Section 3, 2000

2002⁺ = S data for Section 8 only

[&]quot; = straw incorporated since autumn 1986. \$ = no herbicides. # = restricted pesticide use since 1985.

^a Crusoe sown very late in harvest year 2013 (22 Feb 2013) due to very wet autumn/winter.

^b Mulika spring wheat sown as very wet autumn prevented sowing of winter wheat.