

# Woburn Long-term Liming Experiment Plans 1962-1996

**DOI:** 10.23637/wcs10-Plans

Prepared by: Margaret J Glendining, CAS Department, Rothamsted Research, Harpenden, Herts,

AL5 2JQ, UK.

Published by: Rothamsted Research

Date: December 2020

**Description**: Contains five standardized experiment plans for the Woburn Long-term Liming Experiment, 1962-1996, showing plot numbers, layout and treatment factors (not to scale).

- Plan 1: 1962-1973. Lime and PK treatments applied to whole plots
- **Plan 2:** 1974-1980. Mg treatments applied to sub-plots, lime and PK treatments to whole plots
- Plan 3: 1981-1986. Lime and P treatments to whole plots
- Plan 4: 1987-1990. Mn treatments applied to sub-plots, lime and P treatments to whole plots
- Plan 5: 1991-1996. S treatments applied to sub-plots, lime and P treatments to whole plots.

**Site:** W/CS/10. Stackyard field Section 3, Woburn Experimental Farm, Husborne Crawley, Woburn, Bedfordshire, UK. Latitude 52.0003, Longitude -0.6149

### **Related Resources:**

- Original hand drawn plans for individual years can be found here: http://www.era.rothamsted.ac.uk/eradoc/book/147
- Refer to website for more details: http://www.era.rothamsted.ac.uk/

**Cite as**: Glendining M.J. (2020) *Woburn Long-term Liming Experiment Plans 1962-1996. Rothamsted Research.* <u>10.23637/wcs10-Plans</u>

**Funding:** Rothamsted Research receives strategic funding from the UK Biotechnology and Biological Sciences Research Council (BBSRC). The Rothamsted Long-term Experiments National Capability is supported by the BBSRC Grant BBS/E/C/000J0300 and the Lawes Agricultural Trust.

### Licence and conditions of re-use:



These plans are published under the Creative Commons Attribution 4.0 International licence. CC BY 4.00

You are free to adapt, copy, redistribute these plans but must provide appropriate credit using the provided citation, including the DOI and indicate any changes made. You must not apply additional restrictions on the licence.

# Woburn long term liming experiment W/CS/10 Plan 1962-1973

Not to scale

Ν

Stacky	/ard
Judicit	, a. a

Plot

Lime

PK

Lime and PK plot treatments

Block	40	39	38	37	36	35	34	33
1	Н	L	0	М	L	Н	L	0
	К	Р	K	Р	К	PK	none	none
	48	47	46	45	44	43	42	41
1	Н	М	L	Н	М	0	М	0
	none	К	PK	Р	PK	Р	none	PK
76.8m								
	56	55	54	53	52	51	50	49
2	L	0	Н	0	Ο	М	L	L
	Р	none	PK	Р	К	PK	К	none
	64	63	62	61	60	59	58	57
2	М	М	Н	М	0	Н	L	Н
	К	Р	Р	none	PK	none	PK	K
▼								<del></del>

# 51.2m

# **Treatment factors:**

Lime	t CaCO <sub>3</sub> ha <sup>-1</sup> , total 1962-1973
0	0
L	5
M	12
ш	10

PK treatment:	kg ha	<sup>-1</sup> yr <sup>-1</sup>
1962-1980:	Р	K
none	0	0
K	0	104
P	27.5	0
PK	27.5	104

No P or K in fallow years, and different rate for potatoes.

# Woburn long term liming experiment W/CS/10

Plan 1974-1980

Mg applied to sub-plots

Stackyard Lime and PK whole plot treatments

Not to scale

Sub-plot
Mg
Lime
Mg
PK
Sub-plot

331	341	351	361	371	381	391	401
Mg	Mg	-	Mg	Mg	-	-	Mg
0	L	Н	L	M	0	L	Н
-	-	Mg	-	-	Mg	Mg	-
none	none	PK	K	Р	K	Р	K
332	342	352	362	372	382	392	402

1	391	401	Block
	-	Mg	
)	L	Н	1
g	Mg	-	
	Р	K	
2	392	402	

411	421	431	441	451	461	471	481
Mg	-	-	Mg	-	Mg	Mg	-
0	М	0	М	Н	L	M	Н
-	Mg	Mg	-	Mg	-	-	Mg
PK	none	Р	PK	Р	PK	K	none
412	422	432	442	452	462	472	482

76.8m

1

491	501	511	521	531	541	551	561
-	-	Mg	-	-	Mg	-	Mg
L	L	М	0	0	Н	0	L
Mg	Mg	-	Mg	Mg	-	Mg	-
none	K	PK	K	Р	PK	none	Р
492	502	512	522	532	542	552	562

2	

571	581	591	601	611	621	631	641
Mg	-	-	-	Mg	Mg	-	Mg
Н	L	Н	0	M	Н	M	M
-	Mg	Mg	Mg	-	-	Mg	-
K	PK	none	PK	none	Р	Р	K
572	582	592	602	612	622	632	642

2

51.2m

## **Treatment factors:**

Lime	t $CaCO_3$ ha <sup>-1</sup> , total 1962-1980	Mg	kgMg ha <sup>-1</sup> yr <sup>-1</sup>
0	0	-	0
L	6	Mg	112
M	14	Mg appl	ied 1974, 1976-78
Н	23		

PK treatment	kg ha	¹yr¹¹
1962-1980:	Р	K
none	0	0
K	0	105
P	27.5	0
PK	27.5	105

No P or K in fallow years, and different rate for potatoes.

See plans for previous years (1962-1973) for further details

Plot area 6.4m x 18.3m (6.4m x 18m 1974, 1976) Fallow 1979 & 1980

# Woburn long term liming experiment W/CS/10 Plan 1981-1986

Not to scale

	Stackyard			Lime and P plot treatments					
Plot	33	34	35	36	37	38	39	40	Block
Lime	0	L	Н	L	M	0	L	Н	1
Р	P0	P0	Р3	P1	P2	P1	P2	P1	
	41	42	43	44	45	46	47	48	1
	0	M	0	M	Н	L	M	Н	1
	Р3	P0	P2	Р3	P2	Р3	P1	Р0	
									76.8m
	49	50	51	52	53	54	55	56	
	L	L	М	0	0	Н	0	L	2
	P0	P1	Р3	P1	P2	Р3	P0	P2	
									,
	57	58	59	60	61	62	63	64	
	н	L	Н	0	M	Н	M	М	2
	P1	P3	P0	P3	P0	P2	P2	P1	

# 51.2m

# **Treatment factors:**

Lime	t CaCO <sub>3</sub> ha <sup>-1</sup> , total 1962-1986
0	0
L	8
M	24
ш	40

PK treatment	P treatment	kgP h	a <sup>-1</sup> total
1962-1980:	1981-1988:	1962-80	1981-86
None	P0	0	0
K	P1	0	100
P	P2	495	75
PK	Р3	495	200

# Woburn long term liming experiment W/CS/10

Plan 1987-1990 Mn a

Stackyard Lime

applie	<b>V</b>				
e and		N			
61	371	381	391	401	Block

Not to scale

1

1

76.8m

2

2

Sub-plot
Mn
Lime
Mn
Р
Sub-plot

331	341	351	361	371	381	391	401
-	-	-	-	-	-	-	-
0	L	Н	L	M	0	L	Н
Mn							
P0	P0	Р3	P1	P2	P1	P2	P1
332	342	352	362	372	382	392	402

411	421	431	441	451	461	471	481
-	-	-	-	-	-	-	-
О	М	0	М	Н	L	М	Н
Mn							
Р3	P0	P2	Р3	P2	Р3	P1	P0
412	422	432	442	452	462	472	482

491	501	511	521	531	541	551	561
Mn							
L	L	М	0	0	Н	0	L
-	-	-	-	-	-	-	-
P0	P1	Р3	P1	P2	Р3	P0	P2
492	502	512	522	532	542	552	562

571	581	591	601	611	621	631	641
Mn							
Н	L	Н	0	M	Н	M	M
-	-	-	-	-	-	-	-
P1	Р3	P0	Р3	P0	P2	P2	P1
572	582	592	602	612	622	632	642

51.2m

# **Treatment factors:**

Lime:	t CaCO <sub>3</sub> ha <sup>-1</sup> , total 1962-1987	Mn spr	ay treatment
0	0	1987-19	990:
L	9	-	not applied
M	25.5	Mn	foliar spray applied
Н	45.5		

PK treatment	P treatment	kgP h	kgP ha <sup>-1</sup> total	
1962-1980:	1981-1988:	1962-80	1981-88	
None	PO	0	0	
K	P1	0	125	
P	P2	495	100	
PK	Р3	495	275	

See plans for previous years (1962-1986) for further details Plot area 6.0m x 18.3m

# Woburn long term liming experiment W/CS/10 Not to scale Plan 1991-1996 S applied to sub-plots Stackyard Lime and P whole plot treatments N Sub-plot 331 341 351 361 371 381 391 401 Block S S <td

Sub-piot	221	341	221	201	3/1	201	221	401
S	S	-	-	S	S	-	-	-
Lime	0	L	Н	L	M	0	L	Н
S	-	S	S	-	-	S	S	S
Р	P0	P0	Р3	P1	P2	P1	P2	P1
Sub-plot	332	342	352	362	372	382	392	402
	411	424	424	4.41	454	1.01	171	401

41	1	421	431	441	451	461	471	481
S		-	S	S	S	S	S	-
0	)	М	0	М	Н	L	M	Н
-		S	-	-	-	-	-	S
P3	3	P0	P2	Р3	P2	Р3	P1	P0
41	2	422	432	442	452	462	472	482

1

76.8m

2

2

491	501	511	521	531	541	551	561
-	S	-	S	S	-	-	S
L	L	М	0	0	Н	0	L
S	-	S	-	-	S	S	-
Р0	P1	Р3	P1	P2	Р3	P0	P2
492	502	512	522	532	542	552	562

571	581	591	601	611	621	631	641
S	S	S	S	-	-	S	-
Н	L	Н	0	M	Н	M	M
-	-	-	-	S	S	-	S
P1	Р3	P0	Р3	P0	P2	P2	P1
572	582	592	602	612	622	632	642

51.2m

# **Treatment factors:**

Lime:	t CaCO <sub>3</sub> ha <sup>-1</sup> , total 1962-1987	S treatment	
0	0	1991-1996:	kgS ha <sup>-1</sup> yr <sup>-1</sup>
L	9	-	0
М	25.5	S	30
Н	45.5		

PK treatment	P treatment	kgP h	kgP ha⁻¹ total		
1962-1980:	1981-1988:	1962-80	1981-88		
None	P0	0	0		
K	P1	0	125		
P	P2	495	100		
PK	Р3	495	275		

See plans for previous years (1962-1990) for further details