

Exhaustion Land Experiment plans and fertilizer treatments, Phases I & II, 1856-1939

DOI: <u>10.23637/rex4-plansl&II-01</u>

Cite as: Rothamsted Research (2022) *Exhaustion Land Experiment plans and fertilizer treatments, Phases I & II, 1856-1939. Electronic Rothamsted Archive, Rothamsted Research, Harpenden, UK.* 10.23637/rex4-plansI&II-01

Prepared by: Glendining, M.J. and Poulton, P.R. Rothamsted Research, Harpenden, Herts, AL5 2JQ, UK.

Published by: Electronic Rothamsted Archive, Rothamsted Research, Harpenden, UK

Date: Created 2016, updated May 2022

Description: Plans and details of the fertilizer treatments and total nutrients applied to the Rothamsted Exhaustion Land Experiment, Phase I (1856-1901) and Phase II (1902-1939), not to scale.

- Page 1: Cover page
- Page 2: Experiment overview, 1856-present day
- Pages 3-4: Experiment plan Phases I and II
- Page 5: Total nutrients applied, Phase I

Site: R/EX/4. Hoos Field, Rothamsted Experimental Farm, Rothamsted Research, West Common, Harpenden, Hertfordshire, AL5 2JQ, UK. Latitude 51.812883, Longitude -0.375931

Derived from:

- Rothamsted Experimental Station (1970) Details of the Classical and Long-Term Experiments up to 1967, Rothamsted Experimental Station, Lawes Agricultural Trust, Harpenden UK DOI: 10.23637/ERADOC-1-192
- Rothamsted (1991) Guide to the Classical Field Experiments, Rothamsted Experimental Station, Lawes Agricultural Trust, Harpenden UK DOI: 10.23637/ERADOC-1-189
- Johnston, A. E. and Poulton, P. R.(1977) "Yields on the Exhaustion Land and changes in NPK content of the soils due to cropping and manuring, 1852-1975", Rothamsted Experimental Station Annual Report for 1976, Part 2, (53-85) DOI: 10.23637/ERADOC-1-34447

Funding: Rothamsted Research receives strategic funding from the UK Biotechnology and Biological Sciences Research Council (BBSRC). The Rothamsted Long-term Experiments National Capability is supported by the BBSRC Grant BBS/E/C/000J0300 and the Lawes Agricultural Trust.

Licence and conditions of re-use:

These plans are published under the Creative Commons Attribution 4.0 International licence. CC BY 4.0You are free to adapt, copy, redistribute these plans but must provide appropriate credit using the provided citation, including the DOI and indicate any changes made. You must not apply additional restrictions on the licence.

Exhaustion Land Experiment overview

Main plot number; treatment 1856-1901*

				Pł	nase I						
1	3	5	7	9		2	4	6	8	10	
Nil	FYM	N	NPK	Р		Nil	FYM	N	NPK	PK	
				Ph	nase II						
				Unfertilize	ed 1902-1	.939					
				Ph	ase III						
			— ı	PK residues (Ba	asal N) 19	40-1975	5 —				
		All	main plots	divided into 4	sub-plots	in 1976	with 4 N rat	tes			
			— РК	K residues (Rat	tes of N) 1	1976-198	85 —				
				Ph	ase IV						
		"P Test"		198	6-2006						
Rates of P (Basal K & N) 1986-92							PK residues (Rates of N) 1986-91				
								"K Test"			
No fresh P (Basal K & N) 1993-99						K residues (Basal P & N) 1992-2006					
Mainter	nance P (Basal	K & N) 20	000- (except	P0 plots)							
				Ph	ase V						
		"P Test"		2	007-			"K Test"			
Maintenance P (Basal K & N) 2000- (except P0 plots) P witheld from residual P plots (P1) since 2016				•			Rates of K	(Basal P &	& N) 2007-		

Cropping: 1856-1875 winter wheat; 1876-1901 potatoes. Spring barley most years 1902-1991, fallow in 1920, 1967 & 1975. Winter wheat since 1992 (except in 2001 when w.wheat failed and the experiment was re-sown to spring wheat)

Sources of data:

Johnston, A. E. and Poulton, P. R. (1977) "Yields on the Exhaustion Land and changes in NPK content of the soils due to cropping and manuring, 1852-1975", Rothamsted Experimental Station Annual Report for 1976, Part 2, 53-85

DOI: 10.23637/ERADOC-1-34447

Johnston, A.E., Poulton, P.R., White, R.P. and Macdonald, A.J. (2016) "Determining the longer term decline in plant-available soil phosphorus from short-term measured values", Soil Use and Management doi:10.1111/sum.12253

DOI: 10.1111/sum.12253

Poulton, P. R. , Johnston, A. E. and White, R. P. (2013) "Plant-available soil phosphorus. Part I: the response of winter wheat and spring barley to Olsen P on a silty clay loam", Soil Use and Management, 29, 4-11 10.1111/j.1475-2743.2012.00450.x

^{*} See 'Exhaustion Land plan & fertilizer treatments, Phases I & II' for full details of fertilizer treatments 1856-1901

Exhaustion Land Experiment Plan

Plot 6

1856-1901	Phase I	⊅N
1902-1939	Phase II	Plot No.

Plot 4

Plot 2

1876-1975

W wheat (1856-1875) PKNaMg	W whea (1856-18' NPKNaM	75) (1	W wheat 856-1875) N		W wheat (1856-1875) Nil	W wheat (1856-1875) Nil	
Potatoes (1876-1901) PKNaMg	Potatoe (1876-190 N*PKNaN	01) (1	Potatoes 876-1901) N*		Potatoes (1876-1901) FYM (N*P)	Potatoes (1876-1901) Nil (FYM)	
Cereals (1902-39) Nil	Cereals (1902-39 Nil		Cereals 1902-39) Nil		Cereals (1902-39) Nil	Cereals (1902-39) Nil	
] [
				1 F			
Plot 9	Plot 7		Plot 5		Plot 3	Plot 1	1876-1975
W wheat (1856-1875) PKNaMg	W whea (1856-18'	nt \\ 75) \((1	Plot 5 W wheat 856-1875) N		Plot 3 W wheat (1856-1875) Nil	Plot 1 W wheat (1856-1875) Nil	1876-1975
W wheat (1856-1875)	W whea	nt (1 75) (1 1g (1 01) (1	W wheat 856-1875)		W wheat (1856-1875)	W wheat (1856-1875)	1876-1975
W wheat (1856-1875) PKNaMg Potatoes (1876-1901)	W whea (1856-18' NPKNaM Potatoe (1876-196	at (175) (196) (19	W wheat 856-1875) N Potatoes 876-1901)		W wheat (1856-1875) Nil Potatoes (1876-1901)	W wheat (1856-1875) Nil Potatoes (1876-1901)	1876-1975

Plot 10

Annual Treatments per hectare, 1856-1901:

Nil: No fertilizer or manure

FYM: 35 of farmyard manure since 1876

Nil (FYM): FYM 1876-1881, no fertilizer or manure 1882-1901

FYM (P): FYM plus P until 1882, FYM only 1883-1901

FYM (N*P): FYM plus N* and P until 1881, FYM plus P 1882, FYM only 1883-1901

N: 96 kg N as ammonium salts (ammonium sulphate & ammonium chloride)

N*: 96 kg N as sodium nitrate

P: 34 kg P (as superphosphate 1876-96, from basic slag 1897-1901)

K: 137 kg K as potassium sulphate (91 kg K 1859-74)

Na: 16 kg Na as sodium sulphate

Mg: 11 kg Mg as magnesium sulphate

1902-1939: No fertilizer or manure applied, cereals grown most years

Previous cropping:

1852-1855 The 'Lois Weedon' plots, which tested different methods of husbandry. No fertilizer or manure applied to the whole experimental area, w wheat grown.

Sources of data:

Rothamsted (1970) "Details of the Classical and Long-Term Experiments up to 1967", Rothamsted Experimental Station, Lawes Agricultural Trust, Harpenden UK 10.23637/ERADOC-1-192

Rothamsted (1991) "Guide to the Classical Field Experiments", Rothamsted Experimental Station, Lawes Agricultural Trust, Harpenden UK 10.23637/ERADOC-1-189

R/EX/4 Exhaustion Land experiment
Experimental layout and total nutrients applied, Phase I

⊿ N

	This area unmanured 1856-75				
Plot No. 1856-1875>	1	2	3	4	V
1876-1975	10	8	6	4	2
1856-1901 Total nutrients applied in FYM and/or fertilizer kg/ha					
N	0	3870	3870	6364	1344
Р	1410	1410	0	1260	235
К	5040	5040	0	3920	900
1876-1975	9	7	5	3	1
N	0	3870	3870	5824	0
P	1410	1410	0	1260	0
К	1570	5040	0	3920	0

(not to scale)