


A



Question - Developer A: x

Not secure | <https://www.classmarker.com/online-test/?refreshTest#9>

Expression

StartsWith(Upper([Input Value]), "W")

Calculation Properties

Name: Answer = A

Description:

Expression

"A"

Validate Evaluate Expression Store Result In Output Value

Calculation Properties

Name: Answer = B

Description:

Expression

"B"

Validate Evaluate Expression Store Result In Output Value

Data Properties

Name: Output Value

Description:

Data Type: Text

Initial Value:

Exposure: None

Current Value:

Visibility: ☒ Hide from other pages in the process

Initialisation: ☒ Reset to Initial Value whenever this page runs

What will be the outcome after the page has run?

- ☐ A) Data Item Output Value contains "A"
- ☐ B) Data Item Output Value contains "B"
- ☐ C) Data Item Output Value contains "C"
- ☐ D) An Internal Exception will be thrown

Question - Developer A: x

Not secure | <https://www.classmarker.com/online-test/?refreshTest#9>

Data Properties

Name:

Descriptions:

Data Type:

Initial Value:

Exposure:

Current Value:

Visibility: ☒ Hide from other pages in the process

Initialisation: ☒ Reset to Initial Value whenever this page runs

What will be the outcome after the page has run?

- ☐ A) Data Item Output Value contains "A"
- ☐ B) Data Item Output Value contains "B"
- ☐ C) Data Item Output Value contains "C"
- ☒ D) An Internal Exception will be thrown

Next ▶

<https://www.classmarker.com/online-test/?refreshTest#>

1:19 PM 2/22/2017

Question - Developer A: x

Not secure | <https://www.classmarker.com/online-test/?refreshTest#10>

Actions

Element	Params	Condition	Type	Comparison	Value
Simba Login		Check Exists	Flag	= (Equal)	False

Move Up Move Down Add Remove

Inputs

Name	Datatype	Value

Timeout (secs):

The data item [GLOBAL Timeout - L] is a number data item configured to 60.

The wait stage will:

- ☐ A) Wait for 60 seconds before looking for the *Simba Login* element. If the element is found, the code will drop into the End Stage. If the element is not found, a System Exception will be thrown.
- ☐ B) Start looking for the *Simba Login* element immediately. If the element is found, the

1:20 PM 2/22/2017

Question - Developer A: X

Not secure | <https://www.classmarker.com/online-test/?refresh#test#10>

PROGRESS | DOWNLOAD | PAUSE | RESUME

Inputs

Name	Datatype	Value

Timeout (secs): [GLOBAL Timeout - L]

The data item [GLOBAL Timeout - L] is a number data item configured to 60.

The wait stage will:

- ☐ A) Wait for 60 seconds before looking for the *Simba Login* element. If the element is found, the code will drop into the End Stage. If the element is not found, a System Exception will be thrown.
- ☐ B) Start looking for the *Simba Login* element immediately. If the element is found, the code will wait for 60 seconds before dropping into the End Stage. If the element is not found after 60 seconds, a System Exception will be thrown.
- ☐ C) Start looking for the *Simba Login* element immediately. If the element is found, the code will immediately drop into the End Stage. If the element is not found after 60 seconds, a System Exception will be thrown.
- ☐ D) Start looking for the *Simba Login* element immediately. As soon as the element is not present, the code will immediately drop into the End Stage. If the element is still present on the screen after 60 seconds, a System Exception will be thrown.

Next >

1:20 PM 2/22/2017

Question - Developer A: X

Not secure | <https://www.classmarker.com/online-test/?refresh#test#11>

blueprism

Blue Prism Developer Accreditation

Time left: 0:29:09

Mayank Gangrade

Question 49 of 70

When considering an element's attributes in Application Modeller which of the following statements is NOT true?

- ☐ A) The attributes are provided to Blue Prism by the Target System.
- ☐ B) Selected attributes are shown as ticks in the Match column of Application Modeller.
- ☐ C) The initial selection of attributes made by Blue Prism will always result in a unique match for the element spied.
- ☐ D) The list of attributes may vary from application type to application type.

Next >

1:21 PM 2/22/2017

Question - Developer A: x

Not secure | <https://www.classmarker.com/online-test/?refresh#test#12>

blueprism

Blue Prism Developer Accreditation

Time left: 0:28:41

Mayank Gangrade

Question 50 of 70

A case that cannot be completed due to unexpected system responses/issues is what type of exception?

- ☒ A) System exception
- ☐ B) Business exception
- ☐ C) System exception or business exception
- ☐ D) System Launch or Login exception

Next ▶

Question - Developer A: x

Not secure | <https://www.classmarker.com/online-test/?refresh#test#13>

blueprism

Blue Prism Developer Accreditation

Time left: 0:28:41

Mayank Gangrade

Question 51 of 70

Examine the following process flow:

The Process is intended to attempt to perform the processing in the recover block, Block 2, a maximum of three times before throwing an exception.

Data Item "Attempts" is a number data item with an initial value of 0

Data Item "Max Attempts" is a number data item with an initial value of 3



To enable this to work correctly, what is the correct configuration for the 'Try Again' decision stage?



- ☒ A) Answer A

Decision Properties

Name: Try Again?

Description:





Question - Developer A: X

Not secure | <https://www.classmarker.com/online-test/?refreshTest#16>

Mayank Gangrade

Question 54 of 70

The Work Queue 'Test' has a number of Pending Items which may be tagged as "AA", "BB", "CC" or "DD". What is the correct configuration to get the next item from the queue that isn't tagged with "DD"?

Action Properties

Name: GET NEXT

Description:

Business Object: Internal - Work Queues

Action: Get Next Item

Name	Data Type	Value
Queue Name	Text	"Test"
Key Filter	Text	
Tag Filter	Text	

- ☐ A) Configure "<>DD" in the Tag Filter parameter
- ☐ B) Configure "& DD" in the Tag Filter parameter
- ☐ C) Configure "Not DD" in the Tag Filter parameter
- ☒ D) Configure "-DD" in the Tag Filter parameter

Next

1:24 PM 2/22/2017

Question - Developer A: X

Not secure | <https://www.classmarker.com/online-test/?refresh#test#17>

Count Rows

The Current Stage is highlighted. The properties of the current stage are as follows:

Page Reference Properties

Name: Load Risk TW1

Description:

Page: Load Risk TW1

Inputs Outputs Conditions

Name	Data Type	Value
------	-----------	-------

There are no breakpoints configured in the process.

If you do not wish to execute the Load Risk TW1 Page, what should you do?

- ☐ A) Use the Step (F11) Button to navigate through the diagram
- ☐ B) Use the Step Over (F10) button to step over page Load Risk TW1
- ☒ C) Highlight stage Get TW2 Risks and select 'Set Next Stage'
- ☐ D) It is not possible to skip steps in the process

Next

Question - Developer A: X

Not secure | <https://www.classmarker.com/online-test/?refresh#test#18>

blueprism

Blue Prism Developer Accreditation

Time left: 0:25:16

Mayank Gangrade

Question 56 of 70

Which part of Blue Prism would you replicate business decisions and rules?

- ☒ A) Process Studio
- ☐ B) Application Modeller
- ☐ C) Object Studio
- ☐ D) Control Room

Next

Question - Developer A: X

Not secure | <https://www.classmarker.com/online-test/?refreshTest#19>

Examine the Process below:

An error has been encountered on Page 1 and the exception has bubbled up to be recovered in the Recover1 stage. If there is an error in the Calc1 stage which path will the Process take?

- ☐ The Process will continue to the Throw Exception 1 Stage
- ☒ The Error will be recovered in the Recover2 Stage
- ☐ The Error will cause the Process to terminate
- ☐ The Error will cause the Process to jump to the End Stage

Next

Question - Developer A: X

Not secure | <https://www.classmarker.com/online-test/?refreshTest#20>

Mayank Gangrade

Question 58 of 70

When designing a Blue Prism solution a Blue Prism architect must respect the requirement that no customer data is visible within the Blue Prism log file.

Consider these possible design alternatives:

1. No customer data in the work queue
2. Encrypt the data in the work queue
3. Switch off all parameter logging

Which combination of the above will guarantee that no customer data is visible in the Blue Prism log file?

- ☐ A) 1 only
- ☒ B) 2 and 3
- ☐ C) 1 and 3
- ☐ D) None

Next

<https://www.classmarker.com/online-test/?refreshTest#>

Question - Developer A: x

Not secure | <https://www.classmarker.com/online-test/?refresh#test#32>

Page Reference Properties

Name: Load Risk TW1

Description:

Page: Load Risk TW1

Inputs | Outputs | Conditions

Name	Data Type	Value
------	-----------	-------

There are no breakpoints configured in the process.

What will be the effect of pressing the Step Out (Shift and F11) Button?

- ☐ A) The Process will step into the Load Risk TW1 page and will pause on the Start stage of that page.
- ☒ B) The Process will execute all the stages in the Load Risk TW1 page and move on to the Get TW2 Risks calculation stage where it will pause.
- ☐ C) The Process will skip the processing in the Load Risk TW1 page and move on to the Get TW2 Risks calculation stage where it will pause.
- ☐ D) The Process will execute all the stages on the current page and pause on the page that called the current page.

1:38 PM 2/22/2017