

A

Question - Developer A: X

Not secure | <https://www.classmarker.com/online-test/>

Mayank Gangrade

Question 1 of 70

In a Business Object a utility action called Find Image is being used to search for an image of a Log In button within the application. This action outputs a flag named Found indicating whether the image has been found or not. Consider the following process flow examples:

Example1

```

graph TD
    Start([Found]) --> Task1[Find Image - Log In button]
    Task1 --> Event1[Recover1]
    Event1 --> Task2[Throw Exception]
    Task2 --> Decision1{Found?}
    Decision1 -- No --> Task3[SE - Log In button]
    Decision1 -- Yes --> End1([End])
  
```

Example2

```

graph TD
    Start([Found]) --> Task1[Find Image - Log In button]
    Task1 --> Event1[Stage2]
    Event1 --> Decision1{Found?}
    Decision1 -- No --> Task2[Resume1]
    Decision1 -- Yes --> Task3[SE - Log In button]
    Task2 --> Task3
  
```

https://0cm.classmarker.com/3743488_EGAR3RBF.png

12:40 PM 2/22/2017

Question - Developer A: X

Not secure | <https://www.classmarker.com/online-test/>

Example2

Example3

Example4

Which of the above examples will not throw the correct exception if the image of the Log In button is not found within the application? i.e. the Found data item is set to False

☐ A) 2 and 4

☐ B) 2 and 3

☐ C) 3 only

☐ D) 1 and 4


Next

```
graph TD
    subgraph Example2
        Found2[/Found/] --> FindImage2[Find Image - Log In button]
        FindImage2 --> Found2_1{Found?}
        Found2_1 -- No --> Resume1[Resume1]
        Resume1 --> SE_LogIn2[SE - Log In button]
        Found2_1 -- Yes --> SE_LogIn2
    end
    subgraph Example3
        Found3[/Found/] --> FindImage3[Find Image - Log In button]
        FindImage3 --> Found3_1{Found?}
        Found3_1 -- No --> SE_LogIn3[SE - Log In button]
        Found3_1 -- Yes --> SE_LogIn3
    end
    subgraph Example4
        Found4[/Found: False/] --> FindImage4[Find Image - Log In button]
        FindImage4 --> Found4_1{Found?}
        Found4_1 -- No --> SE_LogIn4[SE - Log In button]
        Found4_1 -- Yes --> SE_LogIn4
    end
```

Question - Developer A: X

Not secure | <https://www.classmarker.com/online-test/#0>

When attempting to run a process in Control Room the following message appears.



Consider the following scenarios:

1. Resource BP0043 is not responding to requests from Control Room
2. Resource BP0043 is offline
3. Resource BP0043 is configured to only run one process at a time
4. Resource BP0043 is running a process with an exclusive object.

Which of the scenarios would invoke the message above?



☐ A) 1 only

☐ B) 4 only

☐ C) 2 and 3

☐ D) 2, 3 and 4

12:42 PM
2/22/2017



Question - Developer A: x

Not secure | <https://www.classmarker.com/online-test/#6>

Question 8 of 70

The Work Queue 'Test' has a number of Pending Items which may be tagged as "AA", "BB", or "CC". What is the correct configuration to get the next item from the queue that is tagged either "AA" or "BB"?

Action Properties

Name: GET NEXT
Description:

Business Object: Internal - Work Queues
Action: Get Next Item

Name	Data Type	Value
Queue Name	Text	"Test"
Key Filter	Text	
Tag Filter	Text	

- ☐ A) Configure "AA or BB" in the Tag Filter parameter
- ☐ B) Configure "-CC" in the Tag Filter parameter
- ☒ C) Configure "AA, BB" in the Tag Filter parameter
- ☐ D) Configure "AA + BB" in the Tag Filter parameter

Next ▶

12:45 PM 2/22/2017

Question - Developer A: x

Not secure | <https://www.classmarker.com/online-test/#7>

blueprism

Blue Prism Developer Accreditation

Time left: 1:04:48

Mayank Gangrade


Question 9 of 70


In which area of Blue Prism would you monitor the contents of a Work Queue?

- ☐ A) Object Studio
- ☐ B) Process Studio
- ☒ C) Control Room
- ☐ D) System Manager

Next ▶

12:45 PM 2/22/2017





Question - Developer A: x

Not secure | <https://www.classmarker.com/online-test/#10>

Blue Prism Developer Accreditation

Time left: 1:03:19

Mayank Gangrade

Question 12 of 70

An item is picked from a Blue Prism work queue using the Get Next Item action of the Internal - Work Queues business object. It is not marked as Complete or as an Exception. A second item is then picked from the same queue by another process.

What will happen to the first item picked from the queue?

- ☐ A) It will be automatically be marked as an exception
- ☐ B) It will be automatically marked as complete
- ☐ C) It will be automatically marked as pending
- ☒ D) Nothing will happen to the first item

Next ▶

12:47 PM 2/22/2017

Question - Developer A: x

Not secure | <https://www.classmarker.com/online-test/#11>

Blue Prism Developer Accreditation

Mayank Gangrade

Question 13 of 70

A screen contains two buttons, Cases and Logout. When the buttons are spied, the attributes are identical except for the Window Text attribute.

The values for the Windows Text attribute are 'Cases' for the Cases button and 'Logout' for the Logout button.

The Button to Select element has been spied and has the following attributes set:

Element Details

Name: Button to Select

Description:

Element Type: Window Data Type: Text


Name	Mat...	Match Type	Value
Window Text	<input checked="" type="checkbox"/>	Dynamic	Cases
Visible	<input checked="" type="checkbox"/>	= (Equal)	True
Screen Visible	<input checked="" type="checkbox"/>	= (Equal)	True
Enabled	<input checked="" type="checkbox"/>	= (Equal)	True
Class Name	<input checked="" type="checkbox"/>	= (Equal)	WindowsForms10...
Y	<input type="checkbox"/>	= (Equal)	109
X	<input type="checkbox"/>	= (Equal)	189
Width	<input type="checkbox"/>	= (Equal)	76
Type Name	<input type="checkbox"/>	= (Equal)	WindowsForms10...
Screen Bounds	<input type="checkbox"/>	= (Equal)	RECT: 734, 326, 399

12:47 PM 2/22/2017

Question - Developer A: X

Not secure | <https://www.classmarker.com/online-test/#11>

A navigate stage has been configured to press the cases button:



What additional configuration is required to ensure the cases button is selected by the navigation stage?

- ☐ A) The Params button must be selected and the parameter configured to override the Window Text attribute value to 'cases'
- ☐ B) None. The value 'cases' is already selected in Application Modeller
- ☐ C) A new element is required with the Window Text value set to 'cases' and the Match Type set to equal
- ☐ D) It is not possible to select the button with a navigate stage


Next >

12:48 PM 2/27/2017

Question - Developer A: X

Not secure | <https://www.classmarker.com/online-test/#12>

D) Answer D



Next >

<https://www.classmarker.com/online-test/#>

12:48 PM 2/27/2017

