Architecture and Design of Distributed Dependable Systems

Report on Extended Exercise Project

Department of Engineering - Aarhus University Group 3

Authors:

Stud. no.: 201270782	Torben Werenberg Vogt
Stud. no.: 201270097	Simon Østergaard Kristensen
Stud. no.: 201270762	René Rotvig Jensen
Stud. no.: 201270860	Kristoffer Sloth Gade
Stud. no.: 201270278	Ivan Bjerring Hansen

Supervisor:

Sebastian Steinhorst

Contents

1	Intr	Introduction 2				
	1.1	Intro t	o requirements for	the exercise project		
	1.2	Patter	ns used in the solu	tion		
2	Sol	ıtion		3		
	2.1	Discussion of architecture decisions				
	2.2	Deploy	ment diagram			
	2.3		_	on of client $\ldots \ldots 3$		
		2.3.1		client		
		2.3.2	_			
		2.3.3	=			
		2.3.4		etails		
	2.4	Design	_	on of server		
		2.4.1	_	server		
		2.4.2	_			
		2.4.3				
		2.4.4		etails		
		2.1.1	implementation a	Cuans		
3	Dis	cussion	of results	4		
4 Conclusion						
\mathbf{R}	evisi	on His	story			
7	⁄er.	Auth	or Date	Note		
0	1.1	KSG	30-09-2016	Report template created.		

1 Introduction

1.1 Intro to requirements for the exercise project

The goal for this project is to develop a distributed Blackjack card game. For this development, some of the concepts and patterns from the TI-ARDI course will be used, as specified in section 1.2.

Players will be implemented as clients that will connect to a server, which is the dealer, via a network socket. The players will then interact with the dealer as if playing a real Blackjack game. The rules for the Blackjack game will be implemented, but only to the extent that it makes sense for the project. I.e. splitting cards, doubling down and insurance will not be implemented, as it is not strictly necessary mechanisms for being able to play the game.

The description for this project gives some requirements, guiding the development of the Blackjack card game.

Requirements

- 1. Players must be implemented as clients
- 2. The dealer must be implemented as a server
- 3. Connection between client and server must be established through a network socket
- 4. More than one client must be able to establish connection
- 5. The decision to draw additional cards has to be made by the player within a timeout window
- 6. Players must be able to specify an amount of money to bet

1.2 Patterns used in the solution

2 Solution

- 2.1 Discussion of architecture decisions
- 2.2 Deployment diagram
- 2.3 Design and implementation of client
- 2.3.1 Intro to design of client
- 2.3.2 Class diagram
- 2.3.3 Sequence diagram
- 2.3.4 Implementation details
- 2.4 Design and implementation of server
- 2.4.1 Intro to design of server
- 2.4.2 Class diagram
- 2.4.3 Sequence diagram
- 2.4.4 Implementation details

3 Discussion of results

4 Conclusion