1689. Partitioning Into Minimum Number Of Deci-Binary Numbers

Solved

Medium Topics Companies Hint

A decimal number is called **deci-binary** if each of its digits is either `0` or `1` without any leading zeros. For example, `101` and `1100` are **deci-binary**, while `112` and `3001` are not.

Given a string `n` that represents a positive decimal integer, return *the **minimum** number of positive **deci-binary** numbers needed so that they sum up to* `n`.

Example 1:

```
Input: n = "32"
Output: 3
Explanation: 10 + 11 + 11 = 32
```

Example 2:

```
Input: n = "82734"
Output: 8
```

Example 3:

> **Input:** n = "27346209830709182346"
> **Output:** 9

Constraints:

- `1 <= n.length <= 10^5`
- `n` consists of only digits.
- `n` does not contain any leading zeros and represents a positive integer.

Python:

```python
class Solution:
    def minPartitions(self, n: str) -> int:
        return int(max(n))
```

JavaScript:

```javascript
const minPartitions = n => Math.max(...n.split(''))
```

Java:

```java
class Solution {
    public int minPartitions(String n) {
            int max = 0;
            for (int i=0; i<n.length(); i++) {
                    if (n.charAt(i) - '0' == 9) return 9;
                    max = Math.max(max, (n.charAt(i) - '0'));
            }
            return max;
}
}
```