

1980. Find Unique Binary String

Solved 

Medium

 Topics

 Companies

 Hint

Given an array of strings `nums` containing `n` **unique** binary strings each of length `n`, return a *binary string of length `n` that **does not appear** in `nums`*. If there are multiple answers, you may return **any** of them.

Example 1:

Input: `nums = ["01","10"]`

Output: `"11"`

Explanation: "11" does not appear in `nums`. "00" would also be correct.

Example 2:

Input: `nums = ["00","01"]`

Output: `"11"`

Explanation: "11" does not appear in `nums`. "10" would also be correct.

Example 3:

Input: `nums = ["111","011","001"]`

Output: `"101"`

Explanation: `"101"` does not appear in `nums`. `"000"`, `"010"`, `"100"`, and `"110"` would also be correct.

Constraints:

- `n == nums.length`
- `1 <= n <= 16`
- `nums[i].length == n`
- `nums[i]` is either `'0'` or `'1'`.
- All the strings of `nums` are **unique**.

Python:

class Solution:

def findDifferentBinaryString(self, nums: list[str]) -> str:

flip = lambda x: '0' if x=='1' else '1'

return ".join(map(flip,[nums[i][i] for i in range(len(nums))]))

JavaScript:

var findDifferentBinaryString = function(nums) {

let result = [];

for (let i = 0; i < nums.length; i++) {

if (nums[i][i] === '0') {

result.push('1');

} else {

result.push('0');

}

}

return result.join("");

};

Java:

```
class Solution {  
    public String findDifferentBinaryString(String[] nums) {  
  
        StringBuilder result = new StringBuilder();  
        for (int i = 0; i < nums.length; i++) {  
            result.append(nums[i].charAt(i) == '1' ? '0' : '1');  
        }  
        return result.toString(); }  
}
```