Q:1

- 1. Write 20 xpath from the website: www.redbus.com
- 2. Write 20 CSS selectors from website: www.flipkart.com
- 3. Write 5 Xpath using Multiple attributes in www.makemytrip.com
- 4. Write 5 Xpath using text function in www.ebay.com
- 5. Write 5 Xpath using Index function in www.amazon.com
- 6. Write 5 xpath using contains function in www.bigbasket.com

Redbus:

1. //div[@class='search-lbl']

2. //div[@class='stats-container']/div

3. (//div[@class='stats-container']/div)[1]

```
▼ <div class="stats-container"> (flex)
                        Kdiv class="sc-caSCKo cApyLZ" style="background"
                         </div> == $0
                       \div class="sc-caSCKo cApyLZ" style="background:
                        \div class="sc-caSCKo cApyLZ" style="background:
                       </div>
             div.
                  div.stats-wrapper
                                     div.stats-container
                                                         div.sc-caSCKo.cApyLZ
       bot
     역 (//div[@class='stats-container']/div)[1]
                                                                        1 of 1
4. (//div[@class='stats-container']/div)[1]/div[2]
                           <div class="sc-T0sTZ ktxHUD">36 Million</div>
                           <div class="sc-kgAjT eGhDFy">happy customers g
                         </ri>
               div.stats-container
                                   div.sc-caSCKo.cApyLZ div.sc-TOsTZ.ktxHUD
       apper
     Q (//div[@class='stats-container']/div)[1]/div[2]
                                                                        1 of 1
5. (//div[@class='stats-container']/div)[1]/div[3]
   •••
                          <div class="sc-kgAjT eGhDFy">happy customers glo
                        c/divs
               div.stats-container div.sc-caSCKo.cApyLZ
                                                         div.sc-kgAjT.eGhDFy
       apper
     Q (//div[@class='stats-container']/div)[1]/div[3]
                                                                     1 of 1
6. //div[@class='adv-flex']
                         ▶ <div class="adv-flex"> ••• </div>
                         ▶ <div class="adv-flex"> ••• </div>
                        </div>
                      c/divs
                                            div.adv-flexcontainer
                                                                  div.adv-flex
       c-root
               div.
                    div
                         div.adv-wrapper
     \mathsf{Q}_{\mathsf{M}}(\mathsf{Q}_{\mathsf{M}})
                                                                       1 of 3
7. //div[@class='adv-flex']//div[@class='adv-desc']
```

```
<div class="adv-desc">Find affordable trave
                               one place</div> == $0
                             </div>
                          </div>
                         ▶ <div class="adv-flex"> ••• </div>
            div.adv-flexcontainer
                                  div.adv-flex
                                                div.adv-content
                                                                 div.adv-desc
       ber
     '/div[@class='adv-flex']//div[@class='adv-desc \end{emails}
                                                                      1 of 3
8. (//div[@class='adv-flex']//div[@class='adv-desc'])[2]
                             ▶ <div class="adv-desc"> ••• </div> == $0
                            </div>
                          </div>
                         ▼<div class="adv-flex">
                             cimp class="adv-image" src="https://st.redhus.
            div.adv-flexcontainer
                                  div.adv-flex
                                                div.adv-content
                                                                 div.adv-desc
       ber
     Q (//div[@class='adv-flex']//div[@class='adv-des(⊗)
                                                                      1 of 1
9. //h1[@class='hero-tag' and contains(text(), 'now with')]
                               class= nero-tag-cont
                           <h1 class="hero-tag">Book your journey now
   •••
                           </h1> == $0
                        </div>
                        <img class="hero-image" src="https://st.redb</pre>
                       > <div class="main-wrapper search-box-wrapper"</p>
                     div.hero-wrapper
                                          div.hero-taq-cont
                                                               h1.hero-tag
         root
                div
         //h1[@class='hero-tag' and contains(t 😢
                                                                     1 of 1
```

10. //h1[@class='hero-tag' and contains(text(), 'now wih')]


11. //h1[contains(text(), 'now with')]


12. //h1[starts-with(text(), 'Book')]

13. //div[starts-with(text(), 'Log')]


```
<div class="rdc-login">Login</div> ==
                          ▶ <div id="walletbalance" class="walletBa
                          ▶ <div id="sign-in-icon-down" class="icon</p>
                         </div>
                       </div>
        div#signin-block.fr.signin-block.rdc-signin-block
                                                           div.rdc-login
        //div[starts-with(text(), 'Log')]
                                                                 1 of 1
14. //div[contains(text(), 'Man')]
               <div id="manageHeaderdd"</p>
                 <div class="manageHeaderLbl"> Manage Booking </div</pre>
                ▶ <div class="icon-down icon ich dib mbh"> • </div>
               </div>
            </div>
           ▶ <div class="fr rdc-config"> ... </div>
       der.rdc-manage div#manageHeaderdd
                                                  div.manageHeaderLbl
        //div[contains(text(), 'Man')]
                                                                 1 of 1
15. //div[contains(text(), 'Helping people')]
                        ▼<div class="content"> == $0
                           "Helping people book travel and accommoda
                           <br/>
<br/>
b>more than 20 years</b>
                         </div>
                         /imo_class="mmt-imo" src="httns://st_redhu/
                    div.mmt-wrapper
              div.
                                       div.mmt-container
                                                            div.content
        root
        //div[contains(text(), 'Helping people')] 😵
                                                                1 of 1
```

16. //*[contains(text(), 'Helping people')]





19. //*[contains(text(), 'redBus is the best platform')]



20. //*[contains(text(), 'redBus operates on over 7000')]




FlipKart

1. img



2. #






14. _3n8fna1co _3n8fna10j _3n8fnaod _3n8fna1 _3n8fnac7 _1i2djtb9 _1i2djt0 _1i2djtl6 _1i2djtix ha1_3n8fnac7_1i2djtb9_1i2djt0 div_3n8fna1co_3n8fna10j_3n8fnaod_3n8fna1_3n8fnac7_1i2djtb9_1i2djt0_1i2djtl6_1i2djtix 3n8fna1co _3n8fna10j _3n8fnaod _3n8fna1 _3n8fnac7 _1i2djtb9 _1i2djt0 _1i2djtl6 _1i2djtix 15. ._3n8fna1co._3n8fna10j._3n8fnaod._3n8fna1._3n8fnac7._1i2djtb9._1i2djt0._1i2djtl6._1i ha1._3n8fnac7._1i2djtb9._1i2djt0 div._3n8fna1co._3n8fna10j._3n8fnaod._3n8fna1._3n8fnac7._1i2djtb9._1i2djt0._1i2djtl6._1i2djttx Sn8fna1co 3n8fna10j 3n8fnaod 3n8fna1 3n8fnac7 1i2djtb9 1i2djt0 1i2djtl6 1i2djtix 16. #toast-ctn <div id="toast-ctn"></div> == \$0 </body> ▶ <grammarly-desktop-integration data-grammarly-shadow-root="tru html.en-fonts-loaded.useInterFont div#toast-ctn body #toast-ctn 1 of 1 17. *[type='application/json'] loaded.useInterFont body script#_LOADABLE_REQUIRED_CHUNKS *[type='application/json'] 1 of 2 18. [content="http://www.flipkart.com/"] <meta property="og:url" content="http://www.flipkart.com/"> ▼<style class="inline-critical-css"> html.en-fonts-loaded.useInterFont head meta [content="http://www.flipkart.com/"] 1 of 1 19. [fetchpriority="auto"] [fetchpriority="auto"] 1 of 58 Ø 20. [alt="Mobiles"]




MakeMyTrip

1. //span[@data-cy='closeModal' and @class='commonModal__close']




2. //input[@type='text' and @placeholder="Enter Email Address"]



3. //button[@class='capText font16' and @type='button']



4. //li[@class='active' and @data-acctype='personal']



//li[@class='actie' or @data-acctype='personal']



EBay

1. //*[text()='Motors'] <h3>Motors</h3> == \$0 _main div div.gh-categories__col div.gh-categories_group a.gh-categories_cat h3 //*[text()='Motors'] 1 of 3 2. //h3[text()='Motors'] <h3>Motors</h3> == \$0 div.gh-categories col div.gh-categories group a.gh-categories__cat Q //h3[text()='Motors'] 1 of 1 3. //h3[text()='Electronics'] <h3>Electronics</h3> == \$0 main div.gh-categories col div.gh-categories group a.gh-categories cat Q //h3[text()='Electronics'] 1 of 1 4. //*[text()='Search'] label">Search button#gh-search-btn.gh-search-button.btn.btn--primary span.gh-search-button label //*[text()='Search'] 1 of 1 5. //*[text()='Sports'] Q //*[text()='Sports'] 1 of 2 6. //a[text() = 'Electronics' or text() = 'Fashion'] <a href="https://www.ebay.com/b/Electronics/bn 7000259124"</pre> 75194.m1379.l3250">Electronics == \$0 div#vl-flyout-nav.vl-flyout-nav.evo ul.vl-flyout-nav container li.vl-flyout-nav js-tab //a[text() = 'Electronics' or text() = 'Fashion'] 1 of 4 7. //a[contains(text(), '&')] sp="m570.11545" href="https://www.ebay.com/help/home" deader#gh.gh-header nav.gh-nav div.gh-nav left-wrap span.gh-nav-link.help-deals

1 of 28

//a[contains(text(), '&')]

8. //a[starts-with(text(), 'El')]

Amazon

1. //li[@class='nav-li'][5]




2. //div[@id='nav-belt']/div[2]



3. //div[@id='gw-card-layout']/div[4]

4. //div[@id='desktop-btf-grid-1']/div/div[2]



Bigbasket

//input[contains(@placeholder, 'Search for Prod')]



2. //*[contains(text(), 'Shop by')]



3. //*[contains(text(), '24% OFF')]

```
l:text-sm leading-
                                                24% OFF</span> == $0
                                              </span>
                                            </span>
                                          </div>
ruf4-1.gJxZPQ.gKHXZJ span.font-semibold.lg\:text-xs.xl\:text-sm.leading-xxl.xl\:leading-md
 //*[contains(text(), '24% OFF')]
                                                                                    1 of 4
```

4. //*[contains(text(), 'Fruits')]

