

Q: 1

1. Write 20 xpath from the website : www.redbus.com
2. Write 20 CSS selectors from website : www.flipkart.com
3. Write 5 Xpath using Multiple attributes in www.makemytrip.com
4. Write 5 Xpath using text function in www.ebay.com
5. Write 5 Xpath using Index function in www.amazon.com
6. Write 5 xpath using contains function in www.bigbasket.com

1.Redbus:

1. `//img[@class='home-redirect rdc-redbus-logo ']`
2. `//h1`
3. `//div[starts-with(@class, 'sea') and contains(@class, 'lbl')]`
4. `//div[@class='stats-container']/div[1]/div[2]`
5. `(//div[@class='adv-content']/div[1])[1]`
6. `//div[@class='trvl-head']`
7. `//div[@class='trvl-container']/a`
8. `(//div[@class='trvl-container']/a//div[@class='bus-place'])[2]`
9. `//div[@class='common-head']`
10. `//b[text()='NASDAQ since 2010']`
11. `//b[text()='makemytrip.com and goibibo.com']`
12. `//div[contains(@class, 'air-head1')]`
13. `(//div[starts-with(@class, 'air'))][5]`
14. `(//div[contains(@class, 'content'))][1]`
15. `//div[text()='Here's what a few of our customers have to say about us']`
16. `(//div[starts-with(@class, 'safety'))][3]`
17. `(//div[starts-with(@class, 'pop'))][2]`
18. `//h2[text()='FAQs']`
19. `//span[@itemprop='text']/p`
20. `//h3`

2. Flipkart:

1. `Img`
2. `input[title='Search for Products, Brands and More']`

3. Input[title]
4. img[alt = 'Become a Seller']
5. input[placeholder^='Search for Products']
6. input[placeholder*='Search for Products']
7. img[alt*='Cart']
8. img[alt\$='Seller']
9. a[title='Mobiles']
10. a[title='Laptops']
11. a[title='TVs']
12. a[title^='Cloth']
13. button[title='Next Slide']
14. button[title^='Nex']
15. button[title\$='us Slide']
16. button[title*='us Sl']
17. img[alt='Image']
18. h2
19. br
20. b

3. MakeMyTrip:

1. //a[@data-cy='mmtLogo' and @class='mmtLogo makeFlex']
2. //p[@data-test = 'tripIdeaWrapper_heading' or @class = 'blackText']
3. //h2[@itemprop = 'name' and @class='latoBold font16 blackText appendBottom25 lineHeight22 heading']
4. //div[@data-cy="account" and @class='makeFlex spaceBetween column']
5. //li[@data-cy="menu_Homestays" and @class = 'menu_Homestays']

4. Ebay:

1. //a[text() = 'Daily Deals']
2. //a[text() = 'Brand Outlet']
3. //a[text() = 'Collectibles and Art']
4. //h2[text() = 'Shopping made easy']
5. //*[text() = 'Browse by categories']

5. Amazon:

1. (//a)[7]
2. (//h2)[3]
3. (//h5)[3]
4. (//a[@class='nav_a'])[5]

5. (`//ul[@class='a-unordered-list a-nostyle a-horizontal feed-carousel-shelf']/li`)[5]

6.BigBasket:

1. (`//div[contains(@class, 'break-words')]`)[1]
2. `//div[contains(@class, 'break-words')]`
3. (`//*[contains(@color, 'rossoCorsa')]`)[4]
4. `//h4[contains(@class, 'font-semibold text-white')]`
5. (`//span[contains(@class, 'Label-sc-15v1nk5')]`)[200]