# Presentation Title
## Presentation Subtitle

**Presented by**
Professor Firstname Lastname
Faculty, Centre, or Unit

THE UNIVERSITY OF
SYDNEY

# Section Divider Heading 1
Section Divider Subheading 1

# Slide Heading A

Here is a list:
- Item X.
- Item Y.

A numbered list:
1. Point 1
2. Point 2

# Slide Heading B

**The proof uses *reductio ad absurdum*.**

### Theorem

*There is no largest prime number.*

**1.** Suppose $p$ were the largest prime number.

**2.** Let $q$ be the product of the first $p$ numbers.

**3.** Then $q + 1$ is not divisible by any of them.

**4.** But $q + 1$ is greater than $1$, thus divisible by some prime number not in the first $p$ numbers.

# Slide Heading B

**The proof uses *reductio ad absurdum*.**

### Theorem

*There is no largest prime number.*

1. Suppose $p$ were the largest prime number.
2. Let $q$ be the product of the first $p$ numbers.
3. Then $q + 1$ is not divisible by any of them.
4. But $q + 1$ is greater than $1$, thus divisible by some prime number not in the first $p$ numbers.

# Slide Heading B

**The proof uses *reductio ad absurdum*.**

**Theorem**

*There is no largest prime number.*

1. Suppose $p$ were the largest prime number.
2. Let $q$ be the product of the first $p$ numbers.
3. Then $q + 1$ is not divisible by any of them.
4. But $q + 1$ is greater than $1$, thus divisible by some prime number not in the first $p$ numbers.

# Section Divider Heading 2
Section Divider Subheading 2

# Sample frame title

This is a text in first frame. This is a text in first frame. This is a text in first frame.

# Make Titles Informative.

You can create overlays. . .

- using the pause command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general uncover command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays...

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
  - First item.
  - Second item.
- using overlay specifications:
  - First item.
  - Second item.
- using the general `uncover` command:
  - First item.
  - Second item.

# Summary

- The first main message of your talk in one or two lines.
- The second main message of your talk in one or two lines.
- Perhaps a third message, but not more than that.

- Outlook
  - Something you haven't solved.
  - Something else you haven't solved.