

[REVISION SUBMISSION DATE]

The Editors
Nature Communications

Dear Dr. Bigorajski,

We submit our revised manuscript, “**Same Prompt, Different Answer: Hidden Non-Determinism in LLM APIs Undermines Scientific Reproducibility**”, for further consideration at *Nature Communications*. The revision incorporates 2,900 new controlled experiments across HumanEval (code generation), GSM8K (math reasoning), a cross-domain PubMed PM_{2.5} probe, and a multi-turn extension to gpt-4o and DeepSeek; it reframes the unit of analysis from “model” to “deployment stack” as Reviewer 1 proposed; and it adds a per-field reproducibility analysis and an in-paper LLM-as-judge triangulation that together address every substantive concern raised in the first round. We thank you and the three reviewers for the constructive engagement and the clearly articulated path to a stronger manuscript.

This revision is substantial. We have addressed every point raised by Reviewers 1 and 3 (Reviewer 2 co-reviewed without independent comments) and incorporated the editor’s specific request for experiments beyond summarisation. The major additions are:

1. **Conceptual reframe to deployment stacks (R1.1).** Following Reviewer 1’s central observation, we now treat the *deployment stack* — the tuple (model weights, provider, serving infrastructure, API layer) — as the unit of analysis. This reframe is now explicit in the abstract, introduction, methods, tables, figure captions, and discussion. The Together AI quasi-isolation result is now positioned as the mechanistic core of the paper: it demonstrates that the stack, not the abstract model, is the carrier of variation.
2. **Expansion to coding (HumanEval) and math reasoning (GSM8K) tasks (Editor; R1.8; R3.1).** Per the editor’s specific request, we ran new controlled experiments on 30 HumanEval problems and 30 GSM8K problems, evaluated under our standard greedy-decoding protocol across all stacks. We report *pass@1* for code and final-answer accuracy for math, alongside the same three-level reproducibility framework. The local-API gap persists in both new domains, with substantively analogous patterns to summarisation/extraction.
3. **Field-level reproducibility analysis (R1.5).** We now compute every reproducibility metric per JSON output field. The result reveals an unexpected and stronger argument than we initially anticipated: BERTScore F1 is structurally saturated and unable to discriminate conclusion-relevant from metadata fields, while EMR exposes a paired Cohen’s $d = +1.41$ gap between conclusion-relevant fields ($\overline{\text{EMR}} = 0.455$) and metadata fields ($\overline{\text{EMR}} = 0.684$). This resolves the apparent contradiction between “textual not semantic” and “substantive content”: BERTScore alone is the wrong instrument; the three-level framework we propose is necessary.
4. **Multi-turn extension to gpt-4o and DeepSeek (R3.3).** We extended the three-turn refinement protocol to OpenAI gpt-4o and DeepSeek Chat, confirming that near-zero reproducibility under multi-turn regimes is universal across major cloud-served stacks rather than a Claude/Gemini-specific anomaly. RAG-extraction coverage remains as in

the original analysis (Claude and Gemini); we acknowledge this scope explicitly in the Limitations.

5. **Applied evidence-synthesis impact and triangulation (R1.9; R3.6).** We promote the PM_{2.5}/respiratory-health analysis to a dedicated Results subsection (“Applied impact in evidence synthesis”). For an in-paper validation of the divergence claim, we ran a two-judge LLM-as-judge protocol (Claude Opus 4.7 and gpt-4o, blind, three pre-registered criteria) on a new 30-case sample distinct from the 23 study-level effects of the companion paper; both judges classify the majority as truly contradictory (Claude 22/30, gpt-4o 27/30; inter-judge Cohen’s $\kappa = 0.29$). A complementary human-rater validation by two independent epidemiologists (including coauthor Y.S.T.) on a 10-case subsample, with Cohen’s κ reported, will accompany the resubmission package.
6. **Reframed quasi-isolation claim (R3.2).** The original strong claim that “cloud deployment does not preclude reproducibility” is reformulated as a defensible weaker claim, with explicit acknowledgement that the argument is partial evidence for closed-source proprietary stacks (which cannot be locally compared).
7. **Mechanism-by-stack mapping (R3.5).** A new Extended Data Table maps each of the six known mechanisms of distributed-inference non-determinism to each deployment stack, with explicit labels (active / likely / possible / not applicable) and an inferential caveat for closed-source stacks.
8. **Cloud vs. production-serving infrastructure distinction (R1.4).** Methods now explicitly separates “cloud deployment factors” from “production-serving infrastructure factors”, with concrete enumerations of each.
9. **Added ten PubMed PM_{2.5}/respiratory-health abstracts (R3.4)** to demonstrate the reproducibility pattern outside the AI/ML domain.
10. **Concrete divergence examples (R1.12).** A new Extended Data Figure shows side-by-side examples of cosmetic versus substantive divergences from the existing dataset.
11. **Editorial requirements.** We have completed the Code/Software submission checklist, the Machine Learning checklist, and the Reporting Summary update. All authors have linked ORCID identifiers on the Manuscript Tracking System. The full code and experimental records are deposited at <https://github.com/Roverlucas/genai-reproducibility-protocol> (MIT licence, archived to Zenodo with persistent DOI on acceptance) and on figshare (DOI: <https://doi.org/10.6084/m9.figshare.31653373>, CC-BY 4.0).

The companion paper currently submitted to *Research Synthesis Methods* (Rover & Tadano, 2026) reports the full 500-abstract PM_{2.5}/respiratory-health analysis. To avoid duplicate publication, the present manuscript reports only the aggregate propagation finding (23 effects appear/disappear depending on which run is used) and the validation outcome, with full per-abstract data residing in the companion paper, which is cited.

A point-by-point response addressing every reviewer comment is provided as a separate document, together with the revised manuscript with all changes marked. Track changes were generated via `latexdiff` between the submitted version and the revised version. We hope the revisions meet the high standard you and the reviewers have set.

This manuscript has not been published elsewhere and is not under consideration by any other journal. All authors have approved the revision. We declare no competing interests.

Yours sincerely,

Lucas Rover

on behalf of all authors

lucasrover@alunos.utfpr.edu.br

On behalf of all authors:

Lucas Rover, Hugo Valadares Siqueira, Eduardo Tadeu Bacalhau, Anibal Tavares de Azevedo,
and Yara de Souza Tadano