Section 1: How sound moves

Sound travels as a pressure wave through air at roughly 343 metres per second [11]. Early experiments measured this speed with cannons and stopwatches (Smith, 2020), and later work refined the figure with electronic timing. Researchers found that temperature changes the result noticeably.11 Warmer air carries sound faster, a point discussed at length elsewhere (Lee & Park, 2019; Ode et al., 2021). A full data set is available at https://example.org/sound-data for anyone who wants to check the numbers. The figures are summarised in the appendix [12-14]. Humidity has a smaller effect than temperature, but it is still measurable with careful instruments. Engineers designing concert halls take all of these factors into account when they plan the shape of a room.

Sound travels as a pressure wave through air at roughly 343 metres per second [12]. Early experiments measured this speed with cannons and stopwatches (Smith, 2020), and later work refined the figure with electronic timing. Researchers found that temperature changes the result noticeably.12 Warmer air carries sound faster, a point discussed at length elsewhere (Lee & Park, 2019; Ode et al., 2021). A full data set is available at https://example.org/sound-data for anyone who wants to check the numbers. The figures are summarised in the appendix [13-15].

Humidity has a smaller effect than temperature, but it is still measurable with careful instruments. Engineers designing concert halls take all of these factors into account when they plan the shape of a room.

Sound travels as a pressure wave through air at roughly 343 metres per second [13]. Early experiments measured this speed with cannons and stopwatches (Smith, 2020), and later work refined the figure with electronic timing. Researchers found that temperature changes the result noticeably.13 Warmer air carries sound faster, a point discussed at length elsewhere (Lee & Park, 2019; Ode et al., 2021). A full data set is available at https://example.org/sound-data for anyone who wants to check the numbers. The figures are summarised in the appendix [14-16]. Humidity has a smaller effect than temperature, but it is still measurable with careful instruments. Engineers designing concert halls take all of these factors into account when they plan the shape of a room.

Section 2: Temperature

Sound travels as a pressure wave through air at roughly 343 metres per second [21]. Early experiments measured this speed with cannons and stopwatches (Smith, 2020), and later work refined the figure with electronic timing. Researchers found that temperature changes the result noticeably.21 Warmer air carries

sound faster, a point discussed at length elsewhere (Lee & Park, 2019; Ode et al., 2021). A full data set is available at https://example.org/sound-data for anyone who wants to check the numbers. The figures are summarised in the appendix [22-24]. Humidity has a smaller effect than temperature, but it is still measurable with careful instruments. Engineers designing concert halls take all of these factors into account when they plan the shape of a room.

Sound travels as a pressure wave through air at roughly 343 metres per second [22]. Early experiments measured this speed with cannons and stopwatches (Smith, 2020), and later work refined the figure with electronic timing. Researchers found that temperature changes the result noticeably.22 Warmer air carries sound faster, a point discussed at length elsewhere (Lee & Park, 2019; Ode et al., 2021). A full data set is available at https://example.org/sound-data for anyone who wants to check the numbers. The figures are summarised in the appendix [23-25]. Humidity has a smaller effect than temperature, but it is still measurable with careful instruments. Engineers designing concert halls take all of these factors into account when they plan the shape of a room.

Sound travels as a pressure wave through air at roughly 343 metres per second [23]. Early experiments measured this speed with cannons and stopwatches (Smith, 2020), and later work

refined the figure with electronic timing. Researchers found that temperature changes the result noticeably.23 Warmer air carries sound faster, a point discussed at length elsewhere (Lee & Park, 2019; Ode et al., 2021). A full data set is available at https://example.org/sound-data for anyone who wants to check the numbers. The figures are summarised in the appendix [24-26]. Humidity has a smaller effect than temperature, but it is still measurable with careful instruments. Engineers designing concert halls take all of these factors into account when they plan the shape of a room.

Section 3: Humidity

Sound travels as a pressure wave through air at roughly 343 metres per second [31]. Early experiments measured this speed with cannons and stopwatches (Smith, 2020), and later work refined the figure with electronic timing. Researchers found that temperature changes the result noticeably.31 Warmer air carries sound faster, a point discussed at length elsewhere (Lee & Park, 2019; Ode et al., 2021). A full data set is available at https://example.org/sound-data for anyone who wants to check the numbers. The figures are summarised in the appendix [32-34]. Humidity has a smaller effect than temperature, but it is still measurable with careful instruments. Engineers designing concert halls take all of these factors into account when they plan the shape of a room.

Sound travels as a pressure wave through air at roughly 343 metres per second [32]. Early experiments measured this speed with cannons and stopwatches (Smith, 2020), and later work refined the figure with electronic timing. Researchers found that temperature changes the result noticeably.32 Warmer air carries sound faster, a point discussed at length elsewhere (Lee & Park, 2019; Ode et al., 2021). A full data set is available at https://example.org/sound-data for anyone who wants to check the numbers. The figures are summarised in the appendix [33-35]. Humidity has a smaller effect than temperature, but it is still measurable with careful instruments. Engineers designing concert halls take all of these factors into account when they plan the shape of a room.

Sound travels as a pressure wave through air at roughly 343 metres per second [33]. Early experiments measured this speed with cannons and stopwatches (Smith, 2020), and later work refined the figure with electronic timing. Researchers found that temperature changes the result noticeably.33 Warmer air carries sound faster, a point discussed at length elsewhere (Lee & Park, 2019; Ode et al., 2021). A full data set is available at https://example.org/sound-data for anyone who wants to check the numbers. The figures are summarised in the appendix [34-36]. Humidity has a smaller effect than temperature, but it is still measurable with careful instruments. Engineers designing concert

halls take all of these factors into account when they plan the shape of a room.

Section 4: Rooms and echoes

Sound travels as a pressure wave through air at roughly 343 metres per second [41]. Early experiments measured this speed with cannons and stopwatches (Smith, 2020), and later work refined the figure with electronic timing. Researchers found that temperature changes the result noticeably.41 Warmer air carries sound faster, a point discussed at length elsewhere (Lee & Park, 2019; Ode et al., 2021). A full data set is available at https://example.org/sound-data for anyone who wants to check the numbers. The figures are summarised in the appendix [42-44]. Humidity has a smaller effect than temperature, but it is still measurable with careful instruments. Engineers designing concert halls take all of these factors into account when they plan the shape of a room.

Sound travels as a pressure wave through air at roughly 343 metres per second [42]. Early experiments measured this speed with cannons and stopwatches (Smith, 2020), and later work refined the figure with electronic timing. Researchers found that temperature changes the result noticeably.42 Warmer air carries sound faster, a point discussed at length elsewhere (Lee & Park, 2019; Ode et al., 2021). A full data set is available at

https://example.org/sound-data for anyone who wants to check the numbers. The figures are summarised in the appendix [43-45]. Humidity has a smaller effect than temperature, but it is still measurable with careful instruments. Engineers designing concert halls take all of these factors into account when they plan the shape of a room.

Sound travels as a pressure wave through air at roughly 343 metres per second [43]. Early experiments measured this speed with cannons and stopwatches (Smith, 2020), and later work refined the figure with electronic timing. Researchers found that temperature changes the result noticeably.43 Warmer air carries sound faster, a point discussed at length elsewhere (Lee & Park, 2019; Ode et al., 2021). A full data set is available at https://example.org/sound-data for anyone who wants to check the numbers. The figures are summarised in the appendix [44-46]. Humidity has a smaller effect than temperature, but it is still measurable with careful instruments. Engineers designing concert halls take all of these factors into account when they plan the shape of a room.