Intro to Java Week 3 Coding Assignment

Points possible: 70

Category	Criteria	% of Grade
Functionality	Does the code work?	25
Organization	Is the code clean and organized? Proper use of white space, syntax, and consistency are utilized. Names and comments are concise and clear.	25
Creativity	Student solved the problems presented in the assignment using creativity and out of the box thinking.	25
Completeness	All requirements of the assignment are complete.	25

Instructions: In Eclipse, or an IDE of your choice, write the code that accomplishes the objectives listed below. Ensure that the code compiles and runs as directed. Take screenshots of the code and of the running program (make sure to get screenshots of all required functionality) and paste them in this document where instructed below. Create a new repository on GitHub for this week's assignments and push this document, with your Java project code, to the repository. Add the URL for this week's repository to this document where instructed and submit this document to your instructor when complete.

Coding Steps:

- 1. Create an array of int called ages that contains the following values: 3, 9, 23, 64, 2, 8, 28, 93.
 - a. Programmatically subtract the value of the first element in the array from the value in the last element of the array (i.e. do not use ages[7] in your code). Print the result to the console.
 - b. Add a new age to your array and repeat the step above to ensure it is dynamic (works for arrays of different lengths).
 - c. Use a loop to iterate through the array and calculate the average age. Print the result to the console.

- 2. Create an array of String called names that contains the following values: "Sam", "Tommy", "Tim", "Sally", "Buck", "Bob".
 - a. Use a loop to iterate through the array and calculate the average number of letters per name. Print the result to the console.
 - b. Use a loop to iterate through the array again and concatenate all the names together, separated by spaces, and print the result to the console.
- 3. How do you access the last element of any array? You can refer to the last element of any array by using the method .length 1.
- 4. How do you access the first element of any array? You can refer to the first element of any array by using the number 0 for the index, like array[0][0].
- 5. Create a new array of int called nameLengths. Write a loop to iterate over the previously created names array and add the length of each name to the nameLengths array.
- 6. Write a loop to iterate over the nameLengths array and calculate the sum of all the elements in the array. Print the result to the console.
- 7. Write a method that takes a String, word, and an int, n, as arguments and returns the word concatenated to itself n number of times. (i.e. if I pass in "Hello" and 3, I would expect the method to return "HelloHelloHello").
- 8. Write a method that takes two Strings, firstName and lastName, and returns a full name (the full name should be the first and the last name as a String separated by a space).
- 9. Write a method that takes an array of int and returns true if the sum of all the ints in the array is greater than 100.
- 10. Write a method that takes an array of double and returns the average of all the elements in the array.
- 11. Write a method that takes two arrays of double and returns true if the average of the elements in the first array is greater than the average of the elements in the second array.
- 12. Write a method called willBuyDrink that takes a boolean isHotOutside, and a double moneyInPocket, and returns true if it is hot outside and if moneyInPocket is greater than 10.50.
- 13. Create a method of your own that solves a problem. In comments, write what the method does and why you created it.

Screenshots of Code:

b.

```
Console X
<a href="https://www.echanol.gov/en/"><a href="https://www.echanol.gov/en/">
https://www.echanol.gov/en/<a href="https://www.echanol.gov/en/">
https://www.echanol.gov/en/<a
```

c.

2. a.



b.

```
package com.week3.app;

public class Week3codingassignment {

public static void main(String[] args) {
    // TODO Auto-generated method stub

String[] names = {"Sam", "Tommy", "Tim", "Sally", "Buck", "Bob"};

double numberOfLetters=0;
for (String name : names) {
    numberOfLetters += name.length();
}

// System.out.println(numberOfLetters/names.length);
String concatenationString = "";
for (int i = 0; i < names.length; i++) {
    concatenationString += names[i] + " ";
}

System.out.println(concatenationString);

// System.out.println(concatenationString);

// System.out.println(concatenationString);
</pre>
```

cterminated> Week3codingassignment [Java Application] /Library/Java/JavaVirtualMachines/jdk-17.jdk/Cont Sam Tommy Tim Sally Buck Bob

6.


```
package com.weeks.app;
public class Week3codingassignment {
    public static void main(String[] args) {
        // TODO Auto-generated method stub

    String[] names = {"Sam", "Tommy", "Tim", "Sally", "Buck", "Bob"};
    double numberOfletters=0;
    for (String name : names) {
        numberOfletters += name.length();
    }

// System.out.println(numberOfletters/names.length);
String concatenationString = ";
    for (int i = 0; i < names.length i++) {
            concatenationString += names[i] + ";
    }

// System.out.println(concatenationString);

int[] nameLengths = new int[6];
    for (int i = 0; i < names.length; i++) {
            nameLengths i += names[i].length();
    }
    int sum = 0;
    for (int num: nameLengths) {
        sum += num;
    }
    System.out.println(sum);
}
</pre>
```



8.

```
System.out.println(fullName("Rowan", "Bear"));
 31
 32
 33
 34
          public static String repeatWord(String word, int n ) {
   String concatenatedString = "";
   for (int i = 1; i <= n; i++) {</pre>
 35
     //
 36
     //
 37
     //
 38
                   concatenatedString += word;
     //
 39
     //
 40
     //
               return concatenatedString;
 41
     //
 42
 43⊖
          public static String fullName(String firstName, String lastName) {
 44
               return firstName + " " + lastName;
 45
 46
                                                            Con:
<terminated> Week3codingassignment [Java Application] /Library/Java/JavaVirtualMachines/jdk-17.jdk/Cor
```

9.

```
int[] array = [[1, 2, 3, 4, 500];
System.out.println(allIntsOver100(array));
  33
             }
  34
  35
  36
             public static String repeatWord(String word, int n ) {
   String concatenatedString = "";
   for (int i = 1; i <= n; i++) {
      concatenatedString += word;
   }
}</pre>
  37
38
       //
  39
40
  41
       //
  42
43
                   return concatenatedString;
  44
      //
  45
46
             public static String fullName(String firstName, String lastName) {
    return firstName + " " + lastName;
  47
  48
49
       // }
  50⊝
             public static boolean allIntsOver100(int[] array) {
                   int totalSum = 0;
for (int number : array) {
   totalSum += number;
  51
  52
  53
  54
  55
                   return totalSum > 100;
  56
  57
  58
      }
                                                                             <terminated> Week3codingassignment [Java Application] /Library/Java/JavaVirtualMachines/jdk-17.jdk/Conf
true
```

10.

```
double[] array = (i, 2, 3, 4, 500);

33  // System.out.print(infalintsOver100(array));

35  }

36  }

37  public static String repeatWord(String word, int n ) {

38  // public static String repeatWord(String word, int n ) {

39  // String concatenatedString = "";

40  // for (AR i = 1; i <= n; i ++) {

41  // concatenatedString;

42  // ;

43  // return concatenatedString;

44  // }

46  // public static String fullName(String firstName, String return firstName + " " + lastName;

47  // return firstName + " " + lastName;

49  // }

50  // int totalSum = 0;

51  // public static boolean allIntsOver100(int[] array) {

52  // int totalSum = mumber;

53  // for (AR number: array) {

54  // totalSum = number;

55  // return totalSum > 100;

57  // }

58  public static double averageOffElements(double[] array) {

61  total += number;

62  for (double number: array) {

63  total += number;

64  return total/array.length;

65  }

66  }
                        // public static String repeatWord(String word, int n ) {
    String concatenatedString = "";
    // or (int i = 1; i = n; i++) {
        concatenatedString += word;
} // return concatenatedString;
// }
                        // public static String fullName(String firstName, String lastName) {
// return firstName + " " + lastName;
// }
   © 0
                                                                                                                                                                                                                                                                                      ■ X ¾ 🖺 🔐 🗗 🗗 📑 - 📸 +
```

11.

```
double[] array = {1, 2, 3, 4, 500};
double[] array2= {1, 1, 1, 1, 1, 1;
System.out.println(allnts0ver100(array));
System.out.println(isArrayAverageGreater(array, array2));
   33
33
35
37
38
39
41
42
44
45
47
48
49
55
55
55
66
66
66
67
70
77
77
77
77
77
77
           //
          // public static String fullName(String firstName, String lastName) {
// return firstName + " " + lastName;
//
// }
          // //
// public static boolean allIntsOver100(int[] array) {
// int totalSum = 0;
// for (int number : array) {
// totalSum + number;
// }
// return totalSum > 100;
// public static double averageOffElements(double[] array) {
// double total = 0;
// for (double number : array) {
// total += number;
// total += number;
// public static boolean isArrayAverageGreater(double[] are
public static boolean isArrayAverageGreater(double[] are
public static boolean isArrayAverageGreater(double[] are
                    public static boolean isArrayAverageGreater(double[] arr1, double[] arr2) {
   double total1 = 0;
   double total2 = 0;
   for (double number : arr1) {
   total1 ** number;
                              for (double number2 : arr2) {
total2 += number2;
                             return total1/arr1.length > total2/arr2.length;
```

boolean isHotOutside = true; double moneyInPocket = 200; System.out.println(willBuyDrink(isHotOutside, moneyInPocket)); 37 38 39 40 12. public static boolean willBuyDrink(boolean isHotOutside, double moneyInPocket) { 41⊖ 42 return isHotOutside && moneyInPocket > 10.50; 43 44 public static String repeatWord(String word, int n) {
 String concatenatedString = ""; 45 46 // for (int i = 1: $i \le n$: i++) { - X 🐒 🔒 🚮 🗗 🚑

```
boolean fingernailsClipped = true;
                 int minutesBeforeBedTime = 35;
 41
                 System.out.println(canPlayGuitar(fingernailsClipped, minutesBeforeBedTime));
 42
 43
 44⊖
           public static boolean canPlayGuitar(boolean fingernailsClipped, int minutesBeforeBedTime) {
 45
                 return fingernailsClipped && minutesBeforeBedTime >= 30;
 46
 47
           // This method allows the user to quickly figure out whether or not they have enough time to get lost // in the magical world of guitar playing before it is time to go to bed. I chose this because // sometimes I end up playing for too long past my bed time if I don't plan accordingly!
 48
 49
 50
                                                                                                       <terminated> Week3codingassignment [Java Application] /Library/Java/JavaVirtualMachines/jdk-17.jdk/Contents/Home/bin/java (Nov 8, 2021, 4:22:35 PM - 4
```

URL to GitHub Repository: https://github.com/Rowan-Bear/week3codingassignment