Journal of Open Aviation Science

JOAS

ARTICLE (*Pre-print*)

Evaluating the Impact of ADS-B Data Cleaning on Algorithm Performance

Ruolan REN,[*,1] Jingcheng ZHONG,[1] Dizhi GUO,[1] Ruixin WANG,[*,1] and Christophe HURTER[*,2]

[1]Civil Aviation University of China, Tianjin, China
[2]Université de Toulouse, ENAC, Toulouse, France
[3]IPAL Singapore, Singapore

*Corresponding author: rowanren@qq.com; ruixin.wang@recherche.enac.fr; christophe.hurter@recherche.enac.fr

Abstract

Automatic Dependent Surveillance-Broadcast (ADS-B) data have become a key resource for research on trajectory prediction, conflict detection, and air traffic management. However, due to inherent limitations in data acquisition and transmission, ADS-B datasets often contain missing points, irregular sampling, and anomalies. To ensure usability, researchers typically perform data cleaning and preprocessing before analysis. While these operations improve consistency and completeness, they inevitably alter the original data characteristics, potentially causing deviations between algorithm outputs and actual operational patterns. Existing studies tend to focus on specific cleaning methods, but lack systematic and quantitative evaluations of how different cleaning strategies impact downstream applications. To address this gap, this paper proposes an indicator-driven, structured evaluation framework. The framework integrates a multi-level data quality metric system, datasets with varying levels of cleaning, and comparative experiments under a unified prediction and analysis setup to examine how data cleaning influences algorithm performance. Experimental results demonstrate that differences in cleaning strategies can substantially affect prediction accuracy and reliability, highlighting the importance of balancing data cleaning and fidelity. This study provides a systematic approach for evaluating ADS-B data quality and establishes a more robust data foundation for trajectory prediction, safety assessment, and air traffic management applications.

Keywords: ADS-B Data; Data Cleaning; Data Quality; Algorithm Performance

Abbreviations: JOAS: Journal of Open Aviation Science, ATM: Air Traffic Management

1. Introduction

With the rapid growth of global air traffic, traditional radar surveillance systems, such as primary surveillance radar (PSR) and secondary surveillance radar (SSR), have shown increasing limitations in coverage, accuracy, and cost. To address these issues, ADS-B technology was developed. Relying on satellite navigation and onboard sensors, ADS-B uses the Global Navigation Satellite System (GNSS) to obtain position and velocity information, which is then integrated with barometric altitude, inertial navigation, and airspeed measurements to generate flight state data. This information is periodically broadcast via ADS-B devices, including identifiers, position, altitude, velocity, and flight intent [1]. Compared with traditional radar, ADS-B significantly enhances situational awareness for both pilots and air traffic controllers, while reducing infrastructure and maintenance costs.

The development of ADS-B can be traced back to the 1970s, with its concept first proposed and later validated in the U.S. FAA's Safe Flight 21 project during the 1990s. The "Capstone Program" in Alaska (1999–2006) [2] further demonstrated its ability to improve safety and efficiency in remote airspace. In 2003, the 11th ICAO Air Navigation Conference officially recognized ADS-B as a surveillance method and promoted standardization. Since the 2010s, ADS-B has entered large-scale deployment: the U.S. FAA mandated "ADS-B Out" [3], Europe implemented ADS-B under the SESAR framework [4], and Australia, Singapore, and other countries followed suit, with China issuing its national implementation plan in 2015 [5]. More recently, space-based ADS-B technology [6] has extended global coverage, while open platforms such as OpenSky Network [7] have improved data accessibility and research value.

Beyond surveillance, ADS-B data are widely used in research and operational contexts. Typical studies include trajectory prediction [8, 9], flight phase identification [10], trajectory clustering and modeling [11], safety analysis [12] (e.g., conflict detection and collision risk assessment), and airport operations optimization [13] (e.g., runway occupancy and taxiing analysis). ADS-B has also become a key enabler for environmental studies such as fuel consumption estimation, contrail detection, and large-scale emissions assessment.

Despite these advances, ADS-B data quality remains a significant concern. Missing points, irregular sampling, and anomalies complicate processing and may bias analysis. To improve usability, researchers apply cleaning methods such as interpolation, smoothing, outlier removal, and resampling. However, these methods can also distort the statistical and physical characteristics of trajectories. For example, interpolation can mask subtle variations and increase prediction errors, while outlier removal may discard rare but genuine safety-critical events. These examples illustrate the conditional and sometimes counterproductive impact of cleaning on algorithm performance. Yet, existing studies rarely provide systematic and quantitative analysis of how different strategies influence downstream results.

To address this gap, we propose a structured, indicator-driven evaluation framework. It integrates:

- a multi-dimensional metric system to quantify data quality (e.g., completeness, reliability, consistency);
- controlled datasets of varying quality, generated from reference trajectories with injected anomalies; and
- comparative experiments under a unified algorithmic environment (e.g., trajectory prediction and air traffic management models).

This design enables robust, quantitative assessment of how data cleaning strategies affect algorithm accuracy, reliability, and reproducibility.

2. State of the Art

This chapter provides a systematic review of ADS-B technology and its current applications in aviation research. It begins with a review of the development and technical evolution of the ADS-B system, highlighting its role and advantages within modern air traffic management. Subsequently, based on a systematic literature review, the use of ADS-B data across different research domains is summarized and categorized, outlining the main directions and emerging trends. This overview lays the theoretical and practical foundation for the subsequent chapters on data cleaning and algorithm performance evaluation.

2.1 ADS-B History

In the early stages of civil aviation, air traffic controllers primarily relied on Primary Surveillance Radar (PSR) and Secondary Surveillance Radar (SSR) to monitor aircraft. However, with improvements in aircraft performance and the expansion of long-haul air routes, the limitations of PSR and SSR—such as restricted coverage, insufficient information accuracy, and delayed updates—gradually became apparent. These limitations not only increased the navigational difficulty for long-distance flights but also posed safety risks. For instance, in 1983, Korean Air Flight 007 deviated from its intended route due to insufficient radar coverage, navigation system malfunctions, and communication failures [14], ultimately entering Soviet airspace and being shot down, resulting in a major aviation accident.

To address these challenges, the aviation industry gradually developed the Automatic Dependent Surveillance–Broadcast (ADS-B) system over several decades. ADS-B leverages the Global Navigation Satellite System (GNSS) and onboard sensors, integrating information such as barometric altitude, inertial navigation, and airspeed measurements to generate aircraft state parameters. These parameters, including identification codes, position, altitude, velocity, and flight intent, are periodically broadcast via onboard ADS-B equipment [1]. Compared with traditional radar, ADS-B offers higher accuracy, shorter update intervals, broader coverage, and lower infrastructure and maintenance costs. It significantly enhances situational awareness for both pilots and air traffic controllers while reducing the burden on ground surveillance infrastructure.

The development of ADS-B can be traced back to the 1970s. In 1992, the Radio Technical Commission for Aeronautics (RTCA) first proposed ADS-related technical specifications in DO-212 [15], identifying it as a candidate technology for future air traffic surveillance. The DO-242 standard [16] issued in 1998 further established the technical framework and performance requirements for ADS-B systems. Between 1996 and 2006, the Federal Aviation Administration (FAA) conducted the CAPSTONE project in Alaska [2], demonstrating the potential of ADS-B to improve operational safety and efficiency in remote airspace. In 2003, the 11th Air Navigation Conference of the International Civil Aviation Organization (ICAO) formally recognized ADS-B as a critical surveillance technology for future air traffic management and promoted its standardization and adoption [17].

Since 2010, ADS-B has gradually entered large-scale global deployment. Various countries have promoted its adoption through regulations. The FAA requires all aircraft operating in controlled airspace to be equipped with ADS-B Out [3]; Europe has similarly mandated ADS-B under the SESAR framework [4], expecting to increase European airspace capacity by 80–100% by 2040. Australia [18] and Singapore have also implemented ADS-B mandates. In China, a national policy issued in 2015 [5] required the installation of ADS-B equipment on commercial aircraft. Meanwhile, satellite-based ADS-B [6] has enabled real-time and high-precision surveillance over approximately 70% of global airspace, and open platforms such as the OpenSky Network [7] provide large-scale ADS-B data resources for academic research.

2.2 ADS-B Data current usages

This section presents an overview of the current use of ADS-B data in the research domain, identifying and organizing clusters of algorithms and application areas. In this study, the collected literature is categorized into eight major domains, spanning from trajectory modeling and operational management to environmental sustainability and cybersecurity. These analyses provide a structured overview of the evolving research landscape surrounding ADS-B applications in aviation.

2.2.1 Paper Selection

This section describes the process of identifying, screening, and organizing research publications related to the application of ADS-B data. To ensure both representativeness and research quality, we focused on journals and conferences with high academic impact in the fields of air traffic management (ATM) and digital aviation. The primary sources include the *Digital Avionics Systems Conference (DASC)*, *SESAR Joint Undertaking Annual Conference*, *Air Traffic Management Seminar (ATM Seminar)*, *International Conference on Research in Air Transportation (ICRAT)*, *Transportation Research Part C: Emerging Technologies*, *IEEE Transactions on Intelligent Transportation Systems*, and the *Journal of Air Transport Management (JATM)*. Literature retrieval was mainly conducted through academic databases such as IEEE Xplore, ScienceDirect, and Elsevier Scopus, as well as publicly available proceedings from the aforementioned conferences.

Considering that large-scale implementation and operational use of ADS-B systems began worldwide around 2012, this year was set as the starting point for the large-scale research phase of ADS-B data. Therefore, this study selected English-language publications issued between 2012 and December 2024 as the objects of analysis. We manually collected research that explicitly utilized real ADS-B flight data from the selected journals and conferences, excluding studies that relied solely on simulated or synthetic datasets.

The detailed screening process was as follows:

- **Initial Screening:** Titles and abstracts were reviewed to confirm the study's relevance to the aviation domain, such as airspace optimization, trajectory prediction, or conflict detection and avoidance (DAA).
- **Keyword Filtering:** Only papers containing the term "ADS-B" in the title, abstract, or keywords were retained.
- **Data Authenticity Criterion:** Studies were required to clearly indicate the use of real ADS-B datasets. Papers using only simulated or artificially generated trajectories were excluded.
- **Duplication and Accessibility Review:** Duplicate publications and inaccessible preprints were removed to ensure the reproducibility and verifiability of the results.

After multiple rounds of screening and manual verification, a total of 145 papers were collected, covering representative applications of ADS-B data across diverse research domains. The distribution of the selected studies by source is illustrated in Figure 1.



Figure 1. Paper collection flow

2.2.2 Paper Clustering and Categorization

The screened publications provided a solid data foundation for the categorization and trend analysis of ADS-B applications in this study. To systematically organize the characteristics and focal points of different research directions, we employed a mixed quantitative–qualitative approach for feature extraction and clustering of the collected literature.

Using Excel spreadsheets and reference management tools, the following key features were extracted from each selected conference and journal:

- Publication year;
- Source conference or journal;
- Paper title and author keywords;
- Application scenario;

- Research focus or analytical perspective;
- Methods and algorithmic approaches (e.g., machine learning, optimization models, statistical analysis, simulation frameworks);
- Description of the ADS-B dataset used (e.g., public data repositories, airport-specific data, or crowdsourced datasets).

In the preliminary organization stage, the literature was grouped into four broad directions: trajectory prediction, air traffic management, aircraft performance estimation, and environmental sustainability. However, a subsequent systematic comparison and semantic analysis of all research features revealed significant overlaps and hierarchical relationships among different themes.

Therefore, this study adopted a combination of thematic synthesis and semantic grouping to reclassify the literature. This process comprehensively considered the research objectives, data utilization patterns, and the functional role of ADS-B within each study, aiming to establish a classification framework that systematically reflects the overall landscape of ADS-B research.

Finally, ADS-B–related studies were categorized into eight major domains: Trajectory Modeling and Prediction, Operational Optimization and Management, Operational Safety and Surveillance, Aircraft Performance and Efficiency, Data Engineering and Enhancement, Environment and Sustainability, Security and Cybersecurity, Methodology, Simulation, and Policy. This classification framework provides the structural foundation for the domain-specific analysis presented in the following sections.

As shown in Table 1, the classification results derived from thematic induction and semantic grouping are presented, covering typical application domains of ADS-B data across eight research categories and their representative algorithms. In the following sections, each category is further elaborated in terms of its research scope and representative studies.

Trajectory Modeling and Prediction. This domain focuses on modeling historical and real-time aircraft trajectories and predicting their future states. The core tasks include 4D prediction, estimated time of arrival (ETA) calculation, trajectory pattern clustering and quantification of prediction uncertainty. As the core data source, ADS-B provides continuous, high-precision measurements of aircraft position, velocity, and altitude, forming the foundation for trajectory modeling and prediction. The data quality directly affects model accuracy and reliability. Gui et al. [19] proposed a semantic trajectory representation for arrival flight clustering to support airspace design, flow management, and ETA estimation; Wang et al. [20] applied PCA-based dimensionality reduction and DBSCAN clustering for preprocessing, followed by a Multi-Cell Neural Network (MCNN) for short-term trajectory prediction in terminal maneuvering areas (TMA); and Wang et al. [21] integrated clustering-based preprocessing with hybrid MCNN models to improve ETA prediction accuracy.

Operational Optimization and Management. This domain focuses on improving the overall efficiency of airspace and airport operations, encompassing air traffic flow management, surface operations (taxiing and sequencing), terminal maneuvering area coordination, and airspace structure optimization. ADS-B data play a central role by providing continuous and fine-grained historical and real-time traffic information, serving as a reliable input for optimization models and decision-support systems. It enables accurate operational performance evaluation and data-driven strategy optimization. Research in this area often applies Linear Programming, Simulated Annealing, and heuristic algorithms to address sequencing, scheduling, and routing problems. Other studies employ queuing models and Key Performance Indicators (KPIs) for operational assessment or mine historical ADS-B data to identify bottlenecks such as taxiway congestion and sector capacity limits. Basora et al. [22] combined DBSCAN clustering with Random Forest regression for sector occupancy prediction, and Delahaye et al. [23] used hierarchical clustering with Transformer models for

Table 1. Summary of ADS-B Application Categories, Main Methods, and Data Roles

Category	Main Methods	Role of ADS-B Data
Trajectory Modeling and Prediction	Clustering (DBSCAN, K-means) LSTM/Transformer prediction Autoencoder feature extraction DTW PCA Hybrid physical–data models	**Core data source**
Operational Optimization and Management	MILP Simulated annealing Heuristic algorithms KPI-based performance metrics Historical traffic analysis	**Real-time/historical traffic input**
Operational Safety and Surveillance	DAA geometric models Anomaly detection (thresholds, clustering, autoencoc Monte Carlo risk evaluation	**Flight monitoring and safety baseline**
Aircraft Performance and Efficiency	Dynamic equation inversion Maximum likelihood estimation Bayesian inference Particle filtering Regression and neural networks	**Model calibration data source**
Data Engineering and Enhancement	Kalman filtering Map-matching Multisource fusion Data indexing Generative models (TimeGAN)	**Primary processing object**
Environment and Sustainability	Trajectory-based emission estimation Remote sensing data fusion Optimal control route planning	**Environmental assessment input**
Security and Cybersecurity	Intrusion detection (ML classifiers) Protocol vulnerability testing SDR signal analysis	**Research target**
Methodology, Simulation, and Policy	Open-source simulation platform development Data standardization Policy and privacy analysis	**Research infrastructure and policy object**

flow pattern detection and capacity management.

Operational Safety and Surveillance. This research domain aims to enhance aviation safety and situational awareness through data-driven analysis. It covers conflict detection and resolution (DAA / ACAS), abnormal event detection (e.g., go-arounds, unstable approaches), assessment of collision risk and airspace complexity, and performance evaluation of surveillance systems. As an independent surveillance source, ADS-B data provide continuous and high-precision trajectory and state information, enabling real-time monitoring of aircraft behavior, detection of potential conflicts and anomalies, and quantitative assessment of operational safety. Bonifazi et al. [24] identified unstable approaches and go-arounds using ADS-B data, employing rule-based methods and Gaussian Mixture Models (GMM) for anomaly detection and integrating runway and weather information for improved accuracy. Rorie et al. [25] conducted the first real-world evaluation of the ACAS Xr airborne collision avoidance system. Zhang et al. [26] investigated conflict-free routing strategies and compared multiple optimization algorithms, while Bao et al. [27] proposed a multi-airport terminal area risk prediction framework to assess inter-airport conflict probabilities.

Aircraft Performance and Efficiency. This research area focuses on deriving aircraft performance parameters from flight data to calibrate or complement existing models such as BADA, and to evaluate energy efficiency across aircraft types and flight phases. Key parameters include aircraft mass, drag polar, thrust settings, fuel consumption, and speed profiles. In this context, ADS-B data provide essential flight state information—such as ground speed, vertical rate, and heading—enabling large-scale, fleet-level performance analysis even in the absence of detailed design data. This supports more accurate and data-driven model calibration and validation. Sun et al. [28] developed a probabilistic framework to estimate aerodynamic parameters from operational data; Schultz et al. [29] integrated FDR and ADS-B data to model fuel consumption and operational efficiency using machine learning methods; and Alligier et al. [30] predicted aircraft mass and speed intent during climb to enhance physics-based trajectory prediction.

Data Engineering and Enhancement. This category focuses on improving the quality and usability of raw ADS-B data, which form the foundation for subsequent analytical and modeling applications. Key tasks include data cleaning and anomaly detection, missing-value imputation, multi-source data fusion, data compression and indexing, and synthetic data generation. In this domain, ADS-B data themselves are the core subject of engineering—aimed at producing cleaner, more complete, and more interoperable datasets that support trajectory prediction, operational analysis, and safety evaluation. Tabassum et al. [31] conducted long-term statistical analysis to identify anomalies and assess the impact of systematic errors on trajectory accuracy. Wandelt et al. [32] introduced an efficient compression and indexing framework to enable scalable querying and analytics of large-scale ADS-B records. Spinielli et al. [33] developed a reproducible reference trajectory dataset by integrating multiple surveillance sources for performance assessment under the EUROCONTROL PRU initiative.

Environment and Sustainability. This research area focuses on quantifying the environmental impact of aviation operations and exploring sustainable optimization strategies, including greenhouse gas and pollutant emission assessment, contrail formation detection and avoidance, and noise evaluation. Owing to its wide coverage and high temporal resolution, ADS-B data serve as a crucial source for environmental modeling and validation. For instance, Roosenbrand et al. [13] proposed a method to estimate contrail altitudes using shadows in Landsat satellite imagery, with ADS-B data employed as ground truth for validation. Sun et al. [34] integrated satellite-based and ground-based ADS-B data with wind field information to improve emission estimation and compared actual flight trajectories with optimal routes to quantify excess emissions.

Security and Cybersecurity. This domain focuses on identifying and mitigating cybersecurity threats targeting the ADS-B system itself, such as False Data Injection Attacks (FDIA), signal spoofing, and message tampering, to ensure the integrity and reliability of surveillance information. In this field, the ADS-B protocol, signal, and data link are the direct subjects of vulnerability analysis and protection technology research. For example, Cretin et al.[35] proposed a Domain-Specific Language (DSL)-based testing framework to evaluate the resilience of Air Traffic Control (ATC) systems against FDIA, while Khan et al. [36] employed machine learning techniques for ADS-B intrusion detection.

Methodology, Simulation, and Policy. This category provides foundational tools, frameworks, and policy support for aviation research. It includes the development of open-source simulation platforms, advocacy of reproducible research practices, establishment of data standards, and discussion of regulatory and privacy issues related to ADS-B deployment. In this context, ADS-B serves both as input data for constructing realistic scenarios in simulation environments and as a focal topic in advancing data-sharing policies, privacy protection, and industry standards. For example, Mehlitz et al. [37] proposed the RACE framework for comprehensive airspace data analysis, while Bolic et al. [38] systematically elaborated on the European ATM Open Science Alliance and its Open Performance Data Initiative (OPDI), which aim to foster transparency and open research in the ATM domain.

To provide a clearer overview of the application fields of ADS-B data, we conducted a quantitative analysis of field attribution for 145 valid papers from journals including DASC and SESAR, based on the eight aforementioned classification categories. The results are presented in Figure 2. It should be noted that some papers cover multiple fields (e.g., Data Engineering + Aircraft Performance Calculation) and are assigned to multiple application fields in accordance with the rule of "counting each involved field separately". Consequently, the total number of papers counted in the pie chart is greater than the actually counted 145 valid samples.

From the overall distribution, papers related to Operational Optimization and Management represent the most prominent field in ADS-B data research, accounting for 30.6%. This is followed by Operational Safety and Surveillance (23.6%) and Trajectory Modeling and Prediction (18.5%). These three fields collectively account for over 70% of the total, forming the mainstream directions of ADS-B data applications. This reflects a high alignment between ADS-B data-related research and the core application scenarios of ADS-B: Operational Optimization and Management directly addresses the efficiency needs of air traffic management (ATM) systems, such as "improving airspace utilization and reducing flight delays"; meanwhile, Operational Safety and Surveillance, as well as Trajectory Modeling and Prediction, leverage the "real-time positioning and dynamic tracking" capabilities of ADS-B to serve the safety requirements of "flight conflict early warning and rapid identification of abnormal states".

In contrast, the proportions of papers in the fields of Security and Cybersecurity (2.5%), Environment and Sustainability (5.1%), and Methodology, Simulation and Policy (5.1%) are relatively low, collectively accounting for less than 15%. These fields represent the directions with relatively smaller proportions in current ADS-B data application research.



Figure 2. Distribution of studies across 8 ADS-B application domains

3. Summary of ADS-B Cleaning Methods, work flow

3.1 Data Quality Issues in ADS-B Surveillance

Real-world ADS-B data often contain a considerable amount of noise and anomalous errors. Several studies have conducted in-depth analyses of these issues. For instance, Tabassum et al. [39] systematically demonstrates various types of anomalies found in ADS-B messages, while [40] and [41] provide detailed examinations of noise sources and error mechanisms within crowdsourced datasets.

These studies collectively indicate that ADS-B data quality is heavily influenced by factors such as hardware performance, signal environment, and network structure, resulting in inconsistencies and unreliability across raw observations.

In general, the quality issues of ADS-B data can be categorized into four dimensions:

(1) **Completeness**: ADS-B data often suffer from message loss, missing fields, and update interruptions, leading to temporal or spatial discontinuities in flight trajectories. Such problems are mainly caused by variations in receiver performance, signal attenuation, and the instability of crowdsourced networks, resulting in insufficient data coverage.

(2) **Consistency**: Some data exhibit internal contradictions in temporal, spatial, or physical attributes, such as out-of-order timestamps, abrupt altitude jumps, or unrealistic speed values. These issues typically arise from clock drift, decoding errors, or improper data aggregation from multiple sources, undermining the logical coherence of trajectories.

(3) **Accuracy**: Systematic deviations may exist between the reported ADS-B values and the actual flight states—for example, discrepancies between barometric and geometric altitude or significant errors in reported positions and speeds. The main causes include quantization errors, receiver precision limitations, and environmental interference.

(4) **Reliability**: ADS-B datasets may contain random noise, falsified messages, or artifacts introduced by multi-source fusion, all of which degrade the credibility and usability of the information. Such reliability issues are particularly prominent in open, crowdsourced data collection environments, increasing uncertainty in subsequent analyses and modeling.

In summary, various types of errors may occur throughout the collection, transmission, and aggregation of ADS-B data. Without proper treatment, these problems can severely affect the performance of downstream algorithms and compromise the reliability of analytical results. Therefore, systematic data cleaning and quality control are essential prerequisites to ensure the usability and accuracy of ADS-B data for further research and algorithmic applications.

3.2 Data cleaning methods

3.2.1 Task-Oriented Filtering

Filtering ADS-B data is typically the initial step in data cleaning. Depending on the research objectives and application scenarios, most studies perform preliminary filtering of raw ADS-B data before analysis to ensure that the data used are relevant and representative. Common filtering strategies can be broadly categorized into range-based filtering and attribute-based filtering.

(1) Range-Based Filtering

This approach primarily selects ADS-B data based on temporal or spatial ranges. Temporal filtering can limit the data to specific seasons, dates, or time periods to match the study timeframe. Spatial filtering focuses on particular routes, airspaces, or airport operations. Additionally, trajectories within specific geographic boundaries (e.g., latitude/longitude ranges or airspace altitude layers) may be extracted to construct local operational networks or airspace models.

(2) Attribute-Based Filtering

Beyond temporal and spatial constraints, researchers may remove trajectories that are irrelevant or do not meet task-specific criteria. This type of filtering is often based on flight rules, operational states, aircraft types, or flight phases. For example, Dhief et al. [42] excluded flights operating under Visual Flight Rules (VFR) in a go-around behavior study. Similarly, Liu et al. [**LIU2024104652id**] filtered trajectories under consistent weather conditions in their study on taxiing optimization at Shenzhen Bao'an Airport to reduce the influence of weather variations and runway configurations.

3.2.2 Outlier Detection and Removal

After the initial filtering, it is usually necessary to identify and remove outliers in order to ensure the reliability of subsequent analyses. [1] review summarized and investigated common methods for outlier detection and handling. Common outlier handling methods include the removal of entire trajectories, local cleaning of individual abnormal points, and automated detection based on clustering or deep learning techniques.

The most common approach is the removal of entire trajectories. Outlier trajectories can arise from various reasons, the most frequent being incomplete data, such as trajectories with too few sampling points to accurately represent the flight process, which need to be excluded.

For trajectories that are generally valid but contain a few abnormal points, researchers typically perform local cleaning. Common types of noise include duplicate points and physically impossible "jump points." Methods such as Gaussian filtering or particle filtering are often used to smooth trajectories and correct these anomalies.

In addition, density-based clustering algorithms like DBSCAN are widely applied in outlier detection and cleaning. DBSCAN can automatically identify outliers based on point density and separate them from normal trajectories, allowing simultaneous trajectory clustering and outlier removal. Compared to traditional filtering methods, DBSCAN offers greater flexibility and automation, particularly for trajectory data with uneven spatial distribution.

Autoencoders (AE), as a deep learning approach, can also be employed for anomaly detection. AE learns typical patterns of normal trajectories during training, and abnormal trajectories or points usually exhibit larger reconstruction errors. These errors can then be used to identify and remove outliers. AE is capable of capturing nonlinear relationships in data, making it particularly suitable for high-dimensional and time-series ADS-B trajectory data, and it can be combined with filtering or clustering methods for more precise cleaning.

3.2.3 Interpolation and resampling

In ADS-B data processing and trajectory reconstruction, interpolation and resampling are two essential preprocessing techniques. Interpolation focuses on repairing missing data points and ensuring trajectory continuity, while resampling aims to unify the temporal or spatial distribution of data, thereby improving the stability of subsequent analysis and model training. Since both techniques are often applied together in practice, they are presented here in an integrated discussion.

(1)Interpolation

The objective of interpolation is to estimate missing values between known points, thereby converting discrete trajectories into continuous and smooth curves. Depending on the fitting principle, common interpolation methods can be categorized into three groups:

Linear and Polynomial Interpolation This is the most widely used class of interpolation techniques, which assumes that variations between adjacent points follow a linear or low-order polynomial relationship. These methods are computationally efficient and suitable for short time intervals or smooth motion, but their ability to capture nonlinear behavior—such as turning or climbing—is limited. Representative methods include linear interpolation [43] and polynomial interpolation.

Spline-Based Interpolation Spline methods fit piecewise polynomial functions while maintaining continuity at segment boundaries, achieving higher smoothness and stability. Typical examples include linear spline interpolation [44], cubic spline interpolation [45], and piecewise cubic Hermite interpolation (PCHIP) [46], which introduces shape-preserving constraints to prevent unrealistic oscillations. Compared with simple linear methods, spline-based interpolation offers superior smoothness and shape retention, making it widely used for flight trajectory reconstruction and long-duration signal completion.

Spatially Adaptive Interpolation This approach ensures consistent spatial resolution along the trajectory, achieving globally uniform point density while preserving geometric accuracy and spatial consistency.

(2) Resampling Methods

Resampling aims to transform irregularly spaced ADS-B data into a unified format suitable for downstream analysis and model input. According to the dimension of unification, resampling techniques can be classified into four categories:

Fixed-Time Interval Resampling This method extracts or generates data points at a fixed temporal interval, ensuring uniform time distribution along the trajectory. It is the most fundamental form of temporal standardization, with sampling intervals ranging from one second [47] to several minutes [48], depending on the temporal resolution required by the study.

Trajectory Feature-Based Resampling Instead of relying on fixed intervals, this approach resamples according to geometric characteristics such as turning points or curvature changes, thereby reducing redundancy while preserving essential trajectory features.The representative algorithms are: RDP Algorithm (Douglas–Peucker) [49]: Iteratively removes points with distances below a given threshold from the line connecting the start and end points, retaining only key inflection points. This reduces data volume while maintaining the overall geometric structure of the trajectory. Fixed Number of Inputs algorithm: Uses interpolation to map each trajectory into a fixed number of points, ensuring consistent input dimensions for deep learning models such as autoencoders [50] and Transformers [51].

Spatial or Curve-Based Resampling This category focuses on spatial uniformity or curve smoothness. Points are extracted along the trajectory at fixed spatial intervals to achieve uniform spatial density, which is particularly useful for spatial analysis tasks such as airport vicinity trajectory density mapping or taxiway path planning, where uneven temporal sampling may otherwise cause spatial distortion.

3.2.4 Smoothing

After temporal or spatial resampling, researchers often apply trajectory smoothing to further suppress noise, reduce trajectory jitter, and preserve the essential motion trend, thereby providing more reliable inputs for subsequent analysis and model construction. According to their underlying principles and computational characteristics, trajectory smoothing methods can generally be categorized into three groups:

(1) Model-based filtering methods

These methods rely on state-space or probabilistic estimation models to describe the relationship between the aircraft's true motion states and observational noise, achieving optimal trajectory estimation and smoothing. Representative algorithms include the Kalman Filter [52] and Extended Kalman Filter, which obtain optimal state estimates by minimizing the covariance of recursive estimation errors. Owing to their strong dynamic modeling capability and physical interpretability, such methods are widely used for aircraft state estimation and altitude smoothing tasks.

(2) Signal processing–based filtering methods

In this approach, the trajectory is treated as a time-series signal, and digital filters are employed to suppress undesired frequency components, thus achieving trajectory smoothing. Typical examples include the finite impulse response (FIR) low-pass filter [53], the Exponential Moving Average (EMA) algorithm [54] , and the bilateral window averaging method [55]. By convolutional or recursive operations, these methods effectively remove oscillatory noise from uniformly sampled trajectories.

(3) Curve-fitting and geometric-statistical methods

These methods approximate the entire trajectory using mathematical curves or geometric-statistical representations to achieve global-level smoothing, producing continuous and geometrically consistent trajectories. For instance, the smoothing cubic spline [56] is a variational fitting technique that balances data fidelity and smoothness through an optimized regularization parameter. The Hough voting algorithm [57], based on the global geometric consistency of trajectories, maps local trajectory features into a parameter space and serves as a common tool for geometric trajectory reconstruction.

3.2.5 ADS-B data cleaning pipeline

Overall, ADS-B data cleaning typically follows a logical progression from macroscopic filtering to microscopic refinement.



Figure 3. Pipeline of ADS-B data cleaning

As illustrated in Figure 3, the cleaning process generally consists of the following steps:

First, the raw ADS-B data are filtered by temporal, spatial, and flight-related attributes according to the research objectives, in order to extract a subset that meets the analysis requirements. Next, preliminary denoising is performed, including duplicate removal, elimination of trajectories with excessive missing data, and correction of abrupt anomalies, thereby improving data completeness and consistency. On this basis, interpolation and resampling are applied to fill missing values and to unify the temporal or spatial resolution, providing a structured foundation for subsequent algorithmic processing. Finally, trajectory smoothing is carried out to further suppress residual noise and random jitter, extracting the core motion trends that reflect the true flight dynamics.

In recent years, several open-source tools have provided comprehensive support for implementing the above data-cleaning procedures. Among them, the Traffic Library [58] has been widely adopted. It offers ready-to-use implementations for each stage of the workflow, greatly simplifying the preprocessing of ADS-B data. Researchers can transform raw data into high-quality trajectories without developing low-level algorithms manually, which significantly lowers the technical barrier to aviation data processing and allows greater focus on downstream analytical tasks.

It should be noted that the above workflow is derived from a systematic review and comparative analysis of the collected papers. However, the survey reveals significant inconsistencies in how data-cleaning procedures are described across studies. Some works mention only general terms such as “filtering” or “pre-processing” without detailing the specific methods or parameter configurations. This lack of transparency and consistency undermines the reproducibility and comparability of research outcomes and may also affect the reliability of conclusions regarding algorithmic performance.

3.3 Analysis of Data Cleaning Operations

The previously discussed data cleaning procedures can enhance the completeness, consistency, accuracy, and reliability of ADS-B data. However, their impact on downstream algorithms is complex and multifaceted.

Outlier Removal: Eliminating outliers helps filter noise and improve data purity, yet misjudgments may remove legitimate maneuvers (e.g., temporary avoidance), thereby reducing the accuracy of flight pattern modeling. Excessive removal of marginal data can also reduce the sample size and weaken the representativeness of rare conditions such as adverse weather or remote airspace. Moreover, among the two methods introduced earlier, DBSCAN is sensitive to uneven trajectory densities and may misclassify sparse but normal points as anomalies. The Autoencoder (AE), on the other hand, relies on sufficient and high-quality normal data for training; any bias in the training set may shift the anomaly detection threshold, causing normal trajectories to be incorrectly flagged as outliers and introducing additional judgment errors.

Interpolation and Resampling: These techniques are commonly used to fill missing points and unify temporal resolution, thereby improving the continuity and comparability of trajectories. However, excessive or improper interpolation may smooth out genuine micro-maneuvers (e.g., speed adjustments), while resampling, as a data transformation process, may introduce artificial variations in speed and acceleration. Such alterations can distort the instantaneous motion parameters of aircraft, making it difficult for models that depend on short-term motion states (e.g., LSTM-based trajectory prediction) to capture key dynamics, thus increasing prediction errors. In addition, interpolation may blur instantaneous proximity between aircraft, reducing the sensitivity of conflict detection and risk identification.

Smoothing: Kalman or low-pass filters effectively suppress high-frequency jitter in positional data, producing smoother trajectories and facilitating the calculation of derived features such as heading and curvature. Nevertheless, smoothing can weaken sharp trajectory characteristics, such as the precise onset and recovery points of turns, which may negatively affect maneuver-based anomaly detection (e.g., go-around identification) and flight phase classification models.

Overall, ADS-B data cleaning is a crucial step in improving data integrity and reliability. However, as the above limitations indicate, over-cleaning may remove essential flight characteristics, while insufficient cleaning may fail to meet the quality requirements for algorithmic processing. Both extremes can adversely affect downstream analysis and model performance.

Therefore, in practical applications, researchers need to balance data fidelity and usability when designing preprocessing pipelines. In the following chapters, the influence of different cleaning strategies on algorithm performance will be quantitatively evaluated through experiments.

References

[1] Xavier Olive, Jan Krummen, Benoit Figuet, and Richard Alligier. "Filtering Techniques for ADS-B Trajectory Preprocessing". In: *Journal of Open Aviation Science* 2.2 (2024).

[2] FAA, Alaskan Region, Capstone Program Management Office. *Capstone Program Plan Version 2.0.* Tech. rep. Anchorage, Alaska: Federal Aviation Administration, Mar. 2000.

[3] *14 CFR §91.225 – Automatic Dependent Surveillance–Broadcast (ADS-B) Out Equipment and Use.* Code of Federal Regulations, Title 14: Aeronautics and Space. U.S. Government Publishing Office. 2010.

[4] SESAR Joint Undertaking. *European air traffic management master plan.* 2009.

[5] Civil Aviation Administration of China (CAAC). *China Civil Aviation ADS-B Implementation Plan [in Chinese].* Beijing, China. Issued December 2015. Dec. 2015.

[6] Victor Monzonis Melero, Juan V Balbastre, and Alex Ganau. “SATERA Baseline: Identifying the Challenges of Space-Based Multilateration Systems”. In: *2024 SESAR Innovation days* (2024).

[7] Matthias Sch"afer, Martin Strohmeier, Vincent Lenders, Ivan Martinovic, and Matthias Wilhelm. “Bringing up OpenSky: A large-scale ADS-B sensor network for research”. In: *IPSN-14 proceedings of the 13th international symposium on information processing in sensor networks.* IEEE. 2014, pp. 83–94.

[8] Yuejingyan Wang, Liang Zhao, Yuyang Jia, and Kaiquan Cai. “A Performance Learning Method for Aircraft Trajectory Modeling”. In: *2021 IEEE/AIAA 40th Digital Avionics Systems Conference (DASC).* IEEE. 2021, pp. 1–7.

[9] Samantha J. Corrado, Tejas G. Puranik, Olivia Pinon Fischer, and Dimitri N. Mavris. “A Clustering-Based Quantitative Analysis of the Interdependent Relationship Between Spatial and Energy Anomalies in ADS-B Trajectory Data”. In: *Transportation Research Part C: Emerging Technologies* 131 (2021), p. 103331.

[10] Martin Schlosser, Hannes Braßel, and Hartmut Fricke. “Analysis of Aircraft Ground Trajectories: Map-Matching with Open Source Data for Modeling Safety-Driven Applications”. In: *Proceedings of the 11th International Conference on Research in Air Transportation (ICRAT 2024), Singapore.* 2024.

[11] Yash Guleria, Sameer Alam, Max Z. Li, et al. “A Machine Learned Traffic Flow Coordination Framework for Flow-Centric Airspace”. In: *Preprint* (). Manuscript status not specified.

[12] H. Mohd Noh, G. A. Rodrigo, N. A. Abdul Rahman, S. Ismail, M. A. Shafie, M. W. Zainal Abidin, A. A. Ahmad, R. Basit, A. Khalid, N. H. R. Yahaya, et al. “Aviation Gas Turbine Engine Emissions: Drop-In Alternative Fuel and Its Challenges”. In: *IOP Conference Series: Materials Science and Engineering*. Vol. 370. 1. IOP Publishing. 2018, p. 012036.

[13] Esther Roosenbrand, Junzi Sun, and Jacco Hoekstra. “Contrail Altitude Estimation Based on Shadows Detected in Landsat Imagery”. In: *Proceedings of the 13th SESAR Innovation Days, Sevilla, Spain.* 2023.

[14] Internation Civil Aviation Organization. *Destruction of Korean Air Lines Boeing 747 on 31 August 1983.* Ref. LE 4/19.4 - 93/68. Montreal, 1993.

[15] RCTA. *Minimum Operational Performance Standards for Airborne Automatic Dependent Surveillance (ADS) Equipment.* Washington, DC, 1992.

[16] RCTA. *Minimum Aviation System Performance Standards for Automatic Dependent Surveillance Broadcast (ADS-B).* Washington, DC, 1998.

[17] Internation Civil Aviation Organization. “Eleventh Air Navigation Conference”. In: *Eleventh Air Navigation Conference.* AN-Conf/11-WP/190. Montreal: ICAO, 2003.

[18] Civil Aviation Safety Authority (CASA). *Civil Aviation Order 20.18 (as amended): Aircraft Equipment – Basic Operational Requirements.* Compilation prepared by the Legislative Drafting Branch, Legal Services Division. Available at: https://www.legislation.gov.au/Series/F2005B01059. Canberra, Australia, May 2010.

[19] Gui Xuhao, Zhang Junfeng, and Peng Zihan. “Trajectory clustering for arrival aircraft via new trajectory representation”. In: *Journal of Systems Engineering and Electronics* 32.2 (2021), pp. 473–486.

[20] Zhengyi Wang, Man Liang, and Daniel Delahaye. “Short-term 4D Trajectory Prediction Using Machine Learning Methods”. In: *7th SESAR Innovation Days (SID 2017).* 2017.

[21] Zhengyi Wang, Man Liang, and Daniel Delahaye. “A hybrid machine learning model for short-term estimated time of arrival prediction in terminal manoeuvring area”. In: *Transportation Research Part C: Emerging Technologies* 95 (2018), pp. 280–294.

[22] Luis Basora, Valentin Courchelle, Judicaël Bedouet, and Thomas Dubot. “Occupancy peak estimation from sector geometry and traffic flow data”. In: *Proceedings of the 8th SESAR Innovation Days, Salzburg, Austria* (2018), pp. 3–7.

[23] Daniel Delahaye, Chunyao Ma, Sameer Alam, and Qing Cai. "Air traffic flow representation and prediction using transformer in flow-centric airspace". In: *SESAR Innovation Days*. 2022.

[24] Alberto Bonifazi, Junzi Sun, Gerben van Baren, and Jacco Hoekstra. "Modeling and Detecting Anomalous Safety Events in Approach Flights Using ADS-B Data". In: *Proceedings of the Fourteenth USA/Europe Air Traffic Management Research and Development Seminar (ATM2021), Virtual Event*. 2021, pp. 20–23.

[25] R Conrad Rorie and Casey L Smith. "Detect and Avoid and Collision Avoidance Flight Test Results with ACAS Xr". In: *2024 AIAA DATC/IEEE 43rd Digital Avionics Systems Conference (DASC)*. IEEE. 2024, pp. 01–10.

[26] Yi Zhang, Sheng Zhang, Yicheng Zhang, and Yifang Yin. "A study of TMA aircraft conflict-free routing and operation: With mixed integer linear programming, multi-agent path finding, and metaheuristic-based neighborhood search". In: *IEEE Transactions on Intelligent Transportation Systems* 25.10 (2024), pp. 13976–13990.

[27] Jie Bao, Zijie Zhang, Junfeng Zhang, Yixuan Chen, and Xuhao Gui. "Exploring the conflict risk characteristics of air weaving sections in Metroplex terminal areas with flight trajectory data and adaptive graph spatial-temporal transformer". In: *Journal of Air Transport Management* 120 (2024), p. 102667.

[28] Junzi Sun, Jacco M Hoekstra, and Joost Ellerbroek. "Aircraft drag polar estimation based on a stochastic hierarchical model". In: *Eighth SESAR innovation days* (2018), pp. 1–8.

[29] Michael Schultz, Judith Rosenow, and Xavier Olive. "Data-driven airport management enabled by operational milestones derived from ADS-B messages". In: *Journal of Air Transport Management* 99 (2022), p. 102164.

[30] Richard Alligier. "Predictive distribution of mass and speed profile to improve aircraft climb prediction". In: *Journal of Air Transportation* 28.3 (2020), pp. 114–123.

[31] Asma Tabassum, Nicholas Allen, and William Semke. "ADS-B message contents evaluation and breakdown of anomalies". In: *2017 IEEE/AIAA 36th Digital Avionics Systems Conference (DASC)*. IEEE. 2017, pp. 1–8.

[32] Sebastian Wandelt, Xiaoqian Sun, and Hartmut Fricke. "Ads-bi: Compressed indexing of ads-b data". In: *IEEE Transactions on Intelligent Transportation Systems* 19.12 (2018), pp. 3795–3806.

[33] Enrico Spinielli, Rainer Koelle, Massimiliano Zanin, and Seddik Belkoura. "Initial implementation of reference trajectories for performance review". In: *Proceedings of the 7th SESAR innovation days. Belgrade (Serbia)* (2017).

[34] Junzi Sun, Aidana Tassanbi, Piotrek Obojski, and Philip Plantholt. "Evaluating Transatlantic Flight Emissions and Inefficiencies Using Space-Based ADS-B Data". In: *Proceedings of the 13th SESAR Innovation Days, Sevilla, Spain*. 2023, pp. 27–30.

[35] Aymeric Cretin, Bruno Legeard, Fabien Peureux, and Alexandre Vernotte. "Increasing the resilience of ATC systems against false data injection attacks using DSL-based testing". In: *International Conference on Research in Air Transportation*. 2018.

[36] Suleman Khan, Joakim Thorn, Alex Wahlgren, and Andrei Gurtov. "Intrusion detection in automatic dependent surveillance-broadcast (ADS-B) with machine learning". In: *2021 IEEE/AIAA 40th Digital Avionics Systems Conference (DASC)*. IEEE. 2021, pp. 1–10.

[37] Peter Mehlitz, Dimitra Giannakopoulou, and Nastaran Shafiei. "Analyzing airspace data with race". In: *2019 IEEE/AIAA 38th Digital Avionics Systems Conference (DASC)*. IEEE. 2019, pp. 1–10.

[38] Tatjana Bolic, Andrew Cook, Rainer Koelle, Enrico Spinielli, Quinten Goens, and Martin Strohmeier. "Roadmap for a European open science alliance for ATM research". In: *European Journal of Transport and Infrastructure Research* 24.4 (2024), pp. 18–40.

[39] Asma Tabassum, Nicholas Allen, and William Semke. "ADS-B message contents evaluation and breakdown of anomalies". In: *2017 IEEE/AIAA 36th Digital Avionics Systems Conference (DASC)*. 2017, pp. 1–8. DOI: 10.1109/DASC.2017.8102001.

[40] Matthias Schäfer, Martin Strohmeicr, Matthew Smith, Markus Fuchs, Vincent Lenders, and Ivan Martinovic. "OpenSky Report 2018: Assessing the Integrity of Crowdsourced Mode S and ADS-B Data". In: *2018 IEEE/AIAA 37th Digital Avionics Systems Conference (DASC)*. 2018, pp. 1–9. DOI: 10.1109/DASC.2018.8569833.

[41] Xavier Olive, Jan Krummen, Benoit Figuet, and Richard Alligier. "Filtering Techniques for ADS-b Trajectory Preprocessing". In: *Journal of Open Aviation Science* 2.2 (Mar. 2025). DOI: 10.59490/joas.2024.7882.

[42] Imen Dhief, Sameer Alam, Chan Chea Mean, and Nimrod Lilith. "A Tree-based Machine Learning Model for Go-around Detection and Prediction". In: *Proceedings 11th SESAR Innovation Days* (2021).

[43] Martin Lindner, Thomas Zeh, Hannes Braßel, and Hartmut Fricke. "Aircraft performance-optimized departure flights using traffic flow funnels". In: *Proceedings of the Fourteenth USA/Europe Air Traffic Management Research and Development Seminar (ATM2021), Virtual Event*. 2021, pp. 20–23.

[44] Junzi Sun, Joost Ellerbroek, and Jacco M Hoekstra. "WRAP: An open-source kinematic aircraft performance model". In: *Transportation Research Part C: Emerging Technologies* 98 (2019), pp. 118–138.

[45] Hesam Shafienya and Amelia C Regan. "4D flight trajectory prediction using a hybrid Deep Learning prediction method based on ADS-B technology: A case study of Hartsfield–Jackson Atlanta International Airport (ATL)". In: *Transportation Research Part C: Emerging Technologies* 144 (2022), p. 103878.

[46] Seokbin Yoon and Keumjin Lee. "Improving Aircraft Trajectory Prediction Accuracy with Over-sampling Technique". In: *2023 IEEE/AIAA 42nd Digital Avionics Systems Conference (DASC)*. 2023, pp. 1–6. DOI: 10.1109/DASC58513.2023.10311324.

[47] "Automated data-driven prediction on aircraft Estimated Time of Arrival". In: *Journal of Air Transport Management* 88 (2020), p. 101840. ISSN: 0969-6997.

[48] RW Vos, Junzi Sun, and JM Hoekstra. "A Transformer-based Trajectory Prediction Model to Support Air Traffic Demand Forecasting". In: (2024).

[49] "Data-driven airport management enabled by operational milestones derived from ADS-B messages". In: *Journal of Air Transport Management* 99 (2022), p. 102164. ISSN: 0969-6997.

[50] Xavier Olive, Jeremy Grignard, Thomas Dubot, and Julie Saint-Lot. "Detecting controllers' actions in past mode S data by autoencoder-based anomaly detection". In: *SID 2018, 8th SESAR Innovation Days*. 2018.

[51] "Exploring the conflict risk characteristics of air weaving sections in Metroplex terminal areas with flight trajectory data and adaptive graph spatial-temporal transformer". In: *Journal of Air Transport Management* 120 (2024), p. 102667. ISSN: 0969-6997. DOI: https://doi.org/10.1016/j.jairtraman.2024.102667.

[52] Fei Lu, Zichen Chen, and Huiyu Chen. "Lateral collision risk assessment of parallel routes in ocean area based on space-based ADS-B". In: *Transportation Research Part C: Emerging Technologies* 124 (2021), p. 102970. ISSN: 0968-090X. DOI: https://doi.org/10.1016/j.trc.2021.102970. URL: https://www.sciencedirect.com/science/article/pii/S0968090X21000085.

[53] Andrew M Churchill and Michael Bloem. "Clustering aircraft trajectories on the airport surface". In: *Proceedings of the 13th USA/Europe Air Traffic Management Research and Development Seminar, Chicago, IL, USA*. 2019, pp. 10–13.

[54] Xinting Zhu, Ning Hong, Fang He, Yu Lin, Lishuai Li, and Xiaowen Fu. "Predicting aircraft trajectory uncertainties for terminal airspace design evaluation". In: *Journal of Air Transport Management* 113 (2023), p. 102473. ISSN: 0969-6997. DOI: https://doi.org/10.1016/j.jairtraman.2023.102473. URL: https://www.sciencedirect.com/science/article/pii/S0969699723001163.

[55] Zouhair Mahboubi and Mykel J. Kochenderfer. “Learning Traffic Patterns at Small Airports From Flight Tracks”. In: *IEEE Transactions on Intelligent Transportation Systems* 18.4 (2017), pp. 917–926. DOI: 10.1109/TITS.2016.2598064.
[56] Richard Alligier and David Gianazza. “Learning aircraft operational factors to improve aircraft climb prediction: A large scale multi-airport study”. In: *Transportation research part C: emerging technologies* 96 (2018), pp. 72–95.
[57] Yingli Liu, Minghua Hu, Jianan Yin, Jiaming Su, and Peiran Qiao. “Adaptive airport taxiing rule management: Design, assessment, and configuration”. In: *Transportation Research Part C: Emerging Technologies* 163 (2024), p. 104652. ISSN: 0968-090X. DOI: https://doi.org/10.1016/j.trc.2024.104652. URL: https://www.sciencedirect.com/science/article/pii/S0968090X24001736.
[58] Xavier Olive. “Traffic, a toolbox for processing and analysing air traffic data”. In: *Journal of Open Source Software* 4.39 (2019), pp. 1518–1.