

Good Energy - Complete Testing Guide

Windows Testing: Git Bash, PowerShell & VS Code

PREREQUISITES

Before testing, make sure you have:

-  Node.js installed (v16 or higher) - [Download here](#)
 -  Git installed - [Download here](#)
 -  VS Code installed - [Download here](#)
 -  Your Good Energy project folder
-

QUICK START - CHOOSE YOUR METHOD

Method 1: VS Code (EASIEST - RECOMMENDED)

Method 2: Git Bash

Method 3: Windows PowerShell

METHOD 1: VS Code (Recommended for Beginners)

Step 1: Open Your Project in VS Code

Option A: From VS Code

1. Open VS Code
2. Click **File** → **Open Folder**
3. Navigate to your Good Energy project folder
4. Click **Select Folder**

Option B: From File Explorer

1. Navigate to your Good Energy folder
2. Right-click in the folder
3. Select "**Open with Code**"

Option C: From Command Line

```
bash

# Navigate to your project folder first, then:
code .
```

Step 2: Set Up Your Project (First Time Only)

Open the Integrated Terminal

- Press **Ctrl** + ``` (backtick key, usually above Tab)
- OR: Click **Terminal** → **New Terminal** from the menu
- OR: Press **Ctrl** + **Shift** + ```

You should see a terminal panel open at the bottom of VS Code.

Check if Node.js is Installed

```
bash

node --version
npm --version
```

Expected output:

```
v18.17.0 (or similar - any v16+ is fine)
9.6.7 (or similar)
```

If you get "command not found":

- Download and install Node.js from nodejs.org
- Close and reopen VS Code after installation

Step 3: Replace Your App.jsx File

Option A: Manual Replacement (Easiest)

1. In VS Code, open your current `src/App.jsx` file
2. Select all content: **Ctrl + A**
3. Delete it: **Delete** or **Backspace**
4. Open the downloaded `GoodEnergy_COMPLETE.jsx` file
5. Select all: **Ctrl + A**
6. Copy: **Ctrl + C**
7. Go back to your `src/App.jsx` tab
8. Paste: **Ctrl + V**
9. Save: **Ctrl + S**

Option B: Using Terminal

```
bash

# From your project root directory
cp /path/to/GoodEnergy_COMPLETE.jsx src/App.jsx
```

Windows path example:

```
bash

cp C:/Users/YourName/Downloads/GoodEnergy_COMPLETE.jsx src/App.jsx
```

Step 4: Install Dependencies (First Time Only)

In the VS Code terminal, run:

```
bash

npm install
```

Expected output:

```
added 1423 packages, and audited 1424 packages in 45s
```

```
242 packages are looking for funding
```

```
run `npm fund` for details
```

```
found 0 vulnerabilities
```

This installs:

- React
- Vite
- Supabase client
- Lucide icons
- All other dependencies

Common Issues:

✗ "npm: command not found"

- Node.js isn't installed. Download from nodejs.org

✗ "EACCES: permission denied"

- Try: `npm install --legacy-peer-deps`

✗ "Cannot find package.json"

- Make sure you're in the project root (where package.json is)
- Run: `cd path/to/your/project`

Step 5: Start the Development Server

```
bash
```

```
npm run dev
```

Expected output:

VITE v4.5.0 ready in 423 ms

- Local: <http://localhost:5173/>
- Network: use --host to expose
- press h to show help

Step 6: Open in Browser

Automatic (Usually)

- Your browser should automatically open to <http://localhost:5173/>

Manual

- Hold **Ctrl** and click the link in the terminal
 - OR: Open your browser and go to: <http://localhost:5173/>
-

Step 7: Test All Features

✅ Demo Mode Testing Checklist

Splash Screen:

- ☐ See "Good Energy" logo and title
- ☐ See "Demo Mode" yellow banner (top right)
- ☐ Click "Get Started" → Goes to signup
- ☐ Click "Log In" → Goes to login
- ☐ Click "Terms" → Opens Terms modal
- ☐ Click "Privacy" → Opens Privacy modal

Signup:

- ☐ Enter username (required)
- ☐ Enter email (required)
- ☐ Enter password (required)

- ☐ Confirm password (must match)
- ☐ Select birth date (MM/DD/YYYY)
- ☐ Check "I accept the Terms" box
- ☐ Click "Sign Up"
- ☐ See confirmation alert

Feed (Main Screen):

- ☐ See demo posts
- ☐ Click heart icon to react
- ☐ Add a comment (type and press Enter)
- ☐ Create new post (type in box, click "Post")
- ☐ See moderation work (try typing "stupid" - should be blocked)

Navigation:

- ☐ Click Home icon → Refreshes feed
- ☐ Click Users icon → Opens social search
- ☐ Click Settings icon → Opens settings modal
- ☐ Click Logout → Returns to splash screen

Premium Features:

- ☐ See premium banner (if not premium)
- ☐ Click "Upgrade" → Opens premium modal
- ☐ Click "Upgrade Now" → Becomes premium
- ☐ See crown icon next to name
- ☐ See Sparkles icon in header
- ☐ Click Sparkles → Opens Word Finder game

Word Finder Game (Premium):

- ☐ See 8x8 letter grid
- ☐ Drag across letters to select
- ☐ Form a 3+ letter word
- ☐ See if word is found
- ☐ See score increase
- ☐ Click "New Game" → Generates new grid

Social Features:

- ☐ Click Users icon

- ☐ Type username in search
- ☐ Click Search
- ☐ See mock results
- ☐ Click "Add Friend" on a user

Settings:

- ☐ Click Settings icon
- ☐ See aura status (should be "blue")
- ☐ See violations count (should be "0")
- ☐ Click "Terms of Service" → Opens terms
- ☐ Click "Privacy Policy" → Opens privacy

Moderation Testing:

- ☐ Try posting: "You are stupid" → Should be blocked
- ☐ Try posting: "This is great!" → Should work
- ☐ Try commenting: "trash post" → Should be blocked
- ☐ Try commenting: "I love this" → Should work

Reset Space (if black aura):

- ☐ See Tic-Tac-Toe board
 - ☐ Click squares to play
 - ☐ Play until X or O wins
 - ☐ Click "Reset Board" → Clears board
 - ☐ Click "Complete Reset" → Returns to feed with blue aura
-

VS Code Shortcuts & Tips

Essential Shortcuts

- **Ctrl + `** - Toggle terminal
- **Ctrl + B** - Toggle sidebar
- **Ctrl + P** - Quick file open
- **Ctrl + Shift + F** - Search across all files
- **Ctrl + /** - Comment/uncomment line
- **Alt + Up/Down** - Move line up/down

- **Ctrl + D** - Select next occurrence
- **F12** - Go to definition
- **Ctrl + Space** - Trigger autocomplete

Recommended VS Code Extensions

1. **ES7+ React/Redux/React-Native snippets** - Fast React coding
2. **Prettier - Code formatter** - Auto-format on save
3. **ESLint** - Catch errors as you type
4. **Auto Rename Tag** - Rename HTML/JSX tags together
5. **Color Highlight** - See colors in your code

Install Extensions

1. Click Extensions icon (left sidebar) or **Ctrl + Shift + X**
2. Search for extension name
3. Click **Install**

Common VS Code Issues & Fixes

Issue: Terminal Not Opening

Fix:

- Try: **Ctrl + Shift + `** (creates new terminal)
- OR: Menu → Terminal → New Terminal

Issue: Port Already in Use

Error: Port 5173 is already in use

Fix:

```
bash
```


Find and kill the process using the port

```
npx kill-port 5173
```

OR restart VS Code and try again

Issue: Hot Reload Not Working

Fix:

```
bash
```

Stop the server (Ctrl + C)

Delete node_modules and reinstall

```
rm -rf node_modules
```

```
npm install
```

```
npm run dev
```

Issue: React Not Defined

Fix:

- Make sure your imports are correct at the top of App.jsx:

```
javascript
```

```
import React, { useState, useEffect, useRef } from 'react';
```

Issue: Module Not Found

Error: `Cannot find module '@supabase/supabase-js'`

Fix:

```
bash
```

```
npm install @supabase/supabase-js lucide-react
```

Viewing Console Logs

Open Browser DevTools

- Press **F12** in your browser
- OR: Right-click → **Inspect**
- Click the **Console** tab

What to Look For

✅ Good signs:

Demo mode: Simulating signup for YourUsername

❌ Bad signs:

Uncaught ReferenceError: X is not defined

Warning: Invalid hook call

Debug in VS Code

1. Set breakpoints (click left of line number)
 2. Press **F5** to start debugging
 3. Choose "**Web App (Chrome)**" or "**Edge**"
-

METHOD 2: Git Bash

Git Bash provides a Unix-like terminal on Windows.

Step 1: Open Git Bash

Option A: From Start Menu

1. Press **Windows key**
2. Type "**Git Bash**"
3. Press **Enter**

Option B: From File Explorer

1. Navigate to your project folder

2. Right-click in empty space
 3. Select "**Git Bash Here**"
-

Step 2: Navigate to Your Project

```
bash

# Check where you are
pwd

# Navigate to your project (example)
cd /c/Users/YourName/Projects/good-energy

# OR if you opened Git Bash in the folder:
# You should already be there!

# Verify you're in the right place
ls -la

# Should see: package.json, src/, node_modules/, etc.
```

Step 3: Check Node.js Installation

```
bash

node --version
npm --version
```

If not installed:

1. Download from nodejs.org
 2. Install
 3. Close and reopen Git Bash
-

Step 4: Install Dependencies

```
bash  
  
npm install
```

Wait for it to complete (may take 1-2 minutes)

Step 5: Replace App.jsx

```
bash  
  
# Back up your current App.jsx (optional)  
cp src/App.jsx src/App.jsx.backup  
  
# Copy the new complete file  
cp /c/Users/YourName/Downloads/GoodEnergy_COMPLETE.jsx src/App.jsx  
  
# Verify the file was copied  
ls -lh src/App.jsx
```

Step 6: Start Development Server

```
bash  
  
npm run dev
```

Expected output:

```
VITE v4.5.0 ready in 423 ms  
  
→ Local: http://localhost:5173/
```

Step 7: Open in Browser

Hold Ctrl and click the link

<http://localhost:5173/>

OR manually open your browser:

- Chrome, Edge, or Firefox
 - Go to: <http://localhost:5173/>
-

Git Bash Tips

Useful Commands

bash

Clear the screen

clear

Stop the dev server

Ctrl + C

View file contents

cat src/App.jsx | less

Press Q to quit

Search for text in files

grep -r "useState" src/

Check git status

git status

View recent commits

git log --oneline -5

Copy/Paste in Git Bash

- **Copy:** Highlight text, right-click → Copy

- **Paste:** Right-click → Paste
 - **OR:** Shift + Insert to paste
-

METHOD 3: Windows PowerShell

PowerShell is Windows' native command-line interface.

Step 1: Open PowerShell

Option A: Search

1. Press **Windows** key
2. Type "**PowerShell**"
3. Click "**Windows PowerShell**"

Option B: Quick Access

- Press **Windows + X**
- Select "**Windows PowerShell**" or "**Terminal**"

Option C: From File Explorer

1. Navigate to your project folder
 2. Hold **Shift**, right-click in empty space
 3. Select "**Open PowerShell window here**"
-

Step 2: Navigate to Project

```
powershell
```

Check current location

Get-Location

Navigate to your project

cd C:\Users\YourName\Projects\good-energy

Verify you're in the right place

dir

Should see: package.json, src, node_modules, etc.

Step 3: Check Node.js

powershell

node --version

npm --version

Step 4: Install Dependencies

powershell

npm install

Note: PowerShell may ask for execution policy permissions. If so:

powershell

Run this if you get execution policy errors

Set-ExecutionPolicy -ExecutionPolicy RemoteSigned -Scope CurrentUser

Then try npm install again

npm install

Step 5: Replace App.jsx

```
powershell
```

```
# Back up current file (optional)
```

```
Copy-Item src\App.jsx src\App.jsx.backup
```

```
# Copy new complete file
```

```
Copy-Item C:\Users\YourName\Downloads\GoodEnergy_COMPLETE.jsx src\App.jsx
```

```
# Verify
```

```
Get-ChildItem src\App.jsx
```

Step 6: Start Dev Server

```
powershell
```

```
npm run dev
```

Step 7: Open Browser

```
powershell
```

```
# PowerShell can auto-open the browser
```

```
Start-Process "http://localhost:5173"
```

```
# OR manually go to:
```

```
# http://localhost:5173/
```

PowerShell Tips

Useful Commands

```
powershell
```


Clear screen

Clear-Host

OR: cls

Stop dev server

Ctrl + C

View file contents

Get-Content src\App.jsx | more

Search for text in files

Select-String -Path src*.jsx -Pattern "useState"

List files with details

Get-ChildItem -Force

Check running processes

Get-Process | **Where-Object** {\$_.ProcessName -like "*node*"}

Copy/Paste in PowerShell

- **Copy:** Highlight text, press **Enter** or right-click
- **Paste:** Right-click
- **OR:** **Ctrl + V** (in newer Windows Terminal)

TROUBLESHOOTING GUIDE

Problem: "npm not recognized"

Solution:

1. Install Node.js from nodejs.org
 2. Restart your terminal/VS Code
 3. Try again
-

Problem: Port 5173 Already in Use

Solution:

```
bash

# Kill the port
npx kill-port 5173

# OR find and kill the process manually
# Windows:
netstat -ano | findstr :5173
taskkill /PID <PID_NUMBER> /F
```

Problem: Module Not Found Errors

Solution:

```
bash

# Delete node_modules and package-lock.json
rm -rf node_modules package-lock.json

# Reinstall everything
npm install

# If that doesn't work:
npm install --legacy-peer-deps
```

Problem: "Cannot find module 'react'"

Solution:

```
bash

npm install react react-dom
```

Problem: "Cannot find module '@supabase/supabase-js'"

Solution:

```
bash  
npm install @supabase/supabase-js
```

Problem: "Cannot find module 'lucide-react'"

Solution:

```
bash  
npm install lucide-react
```

Problem: Blank White Screen

Check:

1. Open browser console (F12)
2. Look for red errors
3. Common fixes:
 - Missing imports
 - Syntax errors
 - Missing dependencies

Solution:

```
bash  
  
# Restart dev server  
Ctrl + C  
npm run dev  
  
# If still broken, check the browser console  
# Copy any error messages and we can debug them
```

Problem: Changes Not Showing Up

Solution:

1. Save the file (**Ctrl + S**)
 2. Check if dev server is running
 3. Hard refresh browser: **Ctrl + Shift + R**
 4. Clear cache: **Ctrl + Shift + Delete**
-

TESTING ON MOBILE (BONUS)

Want to test on your phone while developing?

Step 1: Find Your Computer's IP

```
bash

# Windows
ipconfig
# Look for "IPv4 Address" under your WiFi adapter
# Example: 192.168.1.100

# OR in your dev server output, look for:
# Network: http://192.168.1.100:5173/
```

Step 2: Start Dev Server with Host Flag

```
bash

npm run dev -- --host
```

Step 3: On Your Phone

1. Connect to the same WiFi network
2. Open browser
3. Go to: `http://YOUR_IP:5173/`
 - Example: `http://192.168.1.100:5173/`

SUCCESS CHECKLIST

You've successfully set up Good Energy when:

- ☒ Dev server starts without errors
 - ☒ Browser opens to splash screen
 - ☒ Demo Mode banner shows (yellow, top-right)
 - ☒ Can create account
 - ☒ Can see feed with demo posts
 - ☒ Can create posts and comments
 - ☒ Can upgrade to premium
 - ☒ Word Finder game works
 - ☒ Moderation catches negative words
 - ☒ All modals open properly
-

NEXT STEPS

Once everything is working:

1. Customize the App

- Change colors in the code
- Modify text and messages
- Add your own features

2. Set Up Supabase (for production)

- Create account at supabase.com
- Create new project
- Get your API keys
- Add to `.env` file

3. Deploy Your App

- Build for production: `npm run build`

- Deploy to Vercel, Netlify, or your host
 - Share with users!
-

NEED HELP?

If you're stuck:

1. Check the error message carefully
2. Search the error on Google
3. Check your browser console (F12)
4. Make sure all dependencies are installed
5. Try deleting `node_modules` and reinstalling

Common Commands Reference:

```
bash

npm install      # Install dependencies
npm run dev      # Start dev server
npm run build    # Build for production
npm run preview  # Preview production build
npx kill-port 5173 # Kill port 5173
```

🌟 You're All Set!

Your Good Energy app is now ready to test. Have fun exploring all the features you built! 🌱

Remember: In demo mode, everything works locally without needing Supabase. Perfect for testing and development!