

Troubleshooting Printers

DCA Imaging Systems



Presentation Topics



Print Engine Issue Symptoms, Causes, and Troubleshooting



Computer Related Print Issue Symptoms, Causes, and Troubleshooting




In-Depth Look at the Windows Print Spooler Live Demo



Question and Answer Session



Common Print Engine Problems



Ghost Images, Shadows

Causes of Printer Jams

- Overloaded Paper Tray
- Humid/Moist Paper
- Sheets Stuck Together
- Low Quality Paper
- Actual Machine Issue, Maintenance Needed

Troubleshooting Jams







Flip the Paper Stack



Fan Paper Stack



Completely Replace
Paper Stack, Have Printer
Serviced



Causes of Quality Issues

- Too Thick/Thin Paper
- Wrong Paper Tray Setting
- Bad Ink/Toner
- Machine Issue (Issues with Fuser or Drums)

Troubleshooting Image Quality Issues








Bad Toner/Ink Cartridge or Low



Inkjet Head Clogged, or Machine Needs Service






Don't let this happen to you!



Common Computer-Related Printing Issues



Checking Network Connectivity

- Look for Link Lights
- Make sure the printer has an IP address
- Try pinging the printer
- Check or replace the Ethernet cable



Checking USB Connectivity

- Make sure you have a USB Type-B Cable
- Unplug and reseat both ends of the USB cable
- Try different USB ports on the computer
- Try replacing the USB cable



Symptoms of a Bad Driver

- Machine clicks, makes noises, but doesn't actually print (Very Common with HP Printers)
- Garbled Characters or Data
- Missing Characters or Data

Example of Garbled Data on Printout

```
◆◆「◆V◆:◆◆◆○◆◆◆fv◆in◆KCf $◆piKOm918◆□、◆◆◆◆◆◆◆$;◆◆◆◆◆型□◆*◆◆J U◆◆◆□:◆◆◆n
OOEOOOVOOUOnOuM; OOO±OOOOLOXOOLO
ROOMOT. 60T>0000=s): 0020TOd, f) 0=1000000
                                                                                                       00:00000 y000
 -OROH6NJOUOcsIOO!:OOP:"O{OOOOO{FOOOOCOO8 00:OOLOO
OGBOOPOOJbOOi\O/OOOO1|-
 +0k00c030Wbr00dY00Y0v5000d007|F000C0000000D00;0r0W{+2100;000f00 0'000c00\0C0|
OMOOGOOVOXOA=O: O5@AO: ROngHO-DI"O"OOO? ] cLOOEOOcOONKOOJ
◆◆◆h37◆◆◆+◆◆◆◆+ (◆)◆◆G◆\B2◆15◆◆B◆9鐐◆trg◆D!VXXB◆efEK?◆◆E5◆9g-◆◆1◆◆◆Jm◆◆◆fc◆
 +��UVX�����=����g��9>$���J&�(�hh�#�21>i���<<�U�=M~J)w�pT��9#�-�jJM�U÷^j[��*�U��(
0000 0 0 00ea0000"00000W100*0000000000f00*00+00 Y000,M0b000010~0t5080080+0
VAO} 'ugOVbOOOXO:nOLOXOhO6gOOU +#OOrOI OOSOOOOO5OOFOEO00OOV8OO= hOOHOOOrO"p~[OOO
O (OOO OOOOOO (1OFAOONOOCOGC.
=b!Π3ΦPGOΦvΦ1ΦΦPΦ%ΦDB f>ΦHΦ ΦΦΦΦ1ΦA
LOOOODPOOOR10\OZmOOEOSOZWOOOO=O(O.OOOOGKO5O\O; †OFeOO26
TOnOO.e>0000hH0m00000W#000r001?00050#b0py0z0ip000t00010y000tm00000*T00/0 00p0
nG����k5$<6��Ef�v��1�#���n�1�s�o>�U
\��:��a���N�(C���s<���*��v�aW��H8U���,E� �,H ���X� ���]B���@ kð
 9���[s�ifw�y�u�u�u����e�k��^��h����0#xĀ[k(���*f(1��!�z�#群�`n�%��)�Ÿ�#+;; y��n]�n�
0090000#0000rx000i002f 00nP/00vmHB00Y0??00L000o0c0070VEOv0Z(i!WOT3mCOA
0\0,0100-0TJ.Zv100E00+0,0vV0 0;00000K000B
01 00 000000000000EA00000u0q700T, FE%00000Z100 0E00+L
KWE"bONOOOA"'OLOBBOOOOOOOOOOO*OiOX
F-. 0018:00-0 0d0 (0 $0000 (fM0, 0000000 v050 wt00
 ��wlo.c[����(xovm����, ���wé�^�a�vm����F���� ���?9ar�*�H�V)�$Hc���V
0U0z30A00v0 &0v?G00-000000/ u4$OURij0500000^0'#04b000c002002000.R.>U
000:000
n) 0"0|00J0m!ky0R00\\0F00@ 00000000.00s0ñ0Ii0?00>?000000
O*ROBOOOXOSOaOROOÑOO=OOOG
IWO 00014070\0000vu0+04
w�8��^Фσ��og��w骐�w����������,��ng□w���^)4�e/
00p0000t1z00c0003020"00000b0v2t000c,\-00?
0^000Tu00D0x000\100
$\phi \text{An } \partial \text{B } \phi \text{De } \phi \text{O } \phi \text{O } \phi \text{O } \phi \text{O } \tex
◆◆◆◆□◆◆・x;◆◆◆?x◆◆◆6jy>A◆Bc◆◆yP◆◆oB◆@◆4仂d◆◆ġu◆◆Ĕ/x◆◆◆◆-
0000DP@@f00[0z0000\@s02Z0&@$0-00f@1@i000z<d0z00N@
                                                                                                      0800d00e0A'00000rpH?
◆◆☆O&k◆"~◆◆Z◆" .O.=) To◆r◆w◆&◆◆☆◆編◆eP◆◆b◆z◆*M◆O◆◆.F◆◆vz ◆s◆◆◆?◆◆◆"/◆◆◆◆◆◆
 1; 0000000v+0&00 (00v0 0#0v00; 2000?^00f0 (0s000000f; 0000 000a0no. N. 0000f0a0! 0000 0?
$/u6$$$/E$k$03p1$F$v$$n=$o?$$, S$$$$$$V$o$$$VU~|F$4$$|$!$$Z$Hqv]
{Fr00000u~Fh0.0 00!;00A00060n0Ns\jzv0i|.w00"000{00|
 5000:00000nf0w000w00000000004i00gc000000f0f0;00n0!000c-00100000%+000a000a0k1
00/0ww~0005S+000010d0C; {v00nG0000|>0-:00ke0K000vh000R0b0}0}V00=^{-000
 \+\+\partial \+\partial \+\partia
ΦνΦπΦΦΑΦΙΦΦΤαΚ'ΦΦΝΦΦΦΦπτΦίΦΖΦΦΦΦ(1ΦΦΦΠΦΦΦ~ \unΦΦΦΡΥΦΦσΖΦRΦίΦΤRΦ9]ΦΦΦ (ZΦΥΦ9ΦΦUkn8NΦ>)
| ◆◆□◆◆◆Q◆Q◆T◆P◆◆◆ReaDv1E◆◆◆?w滲Db◆J◆1◆◆,Y◆ ◆◆x◆◆◆QU◆◆N◆◆◆◆◆◆w.gu◆3(*G◆:V◆◆(◆◆*T◆v◆g◆□)
$L$\n$$$\|\$$$$\$\]$npG6$$Jaw$M$\\$$\$$0$r/I$s$9T>$$
tb0-000000000000eavMX00000f) 04
```


Ensuring You Have the Correct Driver

- Only use drivers from the disk included with the printer, or from the Manufacturer's website.
- Be cautious not to get a fake driver from a phishing website
- Ensure the model on the driver matches the model on the printer.
- Do NOT use a Windows "WSD" driver

Symptoms of a Stuck Print Job

- Documents stuck in print queue
- No error notifications after printing, but nothing comes out
- Printer status light flashing

Tracking Down a Stuck Print Job



How to Check a Print Queue


Pro Tip:


- Use Windows Key + R to open the Run dialog
- Type "control printers"
- Press Enter
- Devices and Printers window will appear

How to Check a Print Queue

Pro Tip:


- Use Windows Key + R to open the Run dialog
- Type "control printers"
- Press Enter
- Devices and Printers window will appear






How to Check a Print Queue


- Right click the printer you're troubleshooting
- Select "See What's Printing"
- The print queue window will appear



DISK Device



- Highlight any jobs listed by clicking and dragging
- Right click once you have the jobs selected
- Choose "Delete"




- Highlight any jobs listed by clicking and dragging
- Right click once you have the jobs selected
- Choose "Cancel"

What is a Print Spooler?

- Applet/Service that acts as a middle man between the application and other layers
- Allows for applications to move on to other processing, or for the application to be closed
- Allows for multiple applications to write to the spooler or print queue at the same time
- Before Print Spoolers existed, applications and computers would be locked up until the entire print job was complete


How to Restart the Print Spooler

- Use Windows Key + R to open the Run dialog
- Type "services.msc"
- Press Enter
- Services window will appear




How to Restart the Print Spooler

- Use Windows Key + R to open the Run dialog
- Type "services.msc"
- Press Enter
- Services window will appear
- Select "Print Spooler"



How to Restart the Print Spooler

- Use Windows Key + R to open the Run dialog
- Type "services.msc"
- Press Enter
- Services window will appear
- Select "Print Spooler"
- Click "Restart"



How to Deep-Clean the Print Spooler

For really stuck print jobs

Overview:

- Stop the Print Spooler Service
- Navigate to C:\windows\system32\spool\printers
- Delete all files within that folder
- Restart the Print Spooler service



Live Demo

Thank you!

Any questions?