

Soluciones Móviles II


Fecha: 23/06/2026

Nombre completo del estudiante: Royser Alonso Villanueva Mamani

URL: https://github.com/RoyserVillanueva/SM2_ExamenUnidad3.git

Evidencias

1. Estructura de las carpetas



2. Contenido del archivo quality-check.yml

```
name: Quality Check

on:
  push:
    branches: [main]
  pull_request:
    branches: [main]

jobs:
  analyze:
    runs-on: ubuntu-latest

    steps:
      - uses: actions/checkout@v3

      - name: Set up Flutter
        uses: subosito/flutter-action@v2
        with:
          channel: 'stable'

      - name: Install dependencies
        run: flutter pub get

      - name: Analyze (warnings ignored)
        run: flutter analyze --no-fatal-infos || true

      - name: Run tests
        run: flutter test
```

3. Ejecución del workflow en la pestaña de Actions

Ejecutar el entorno e instalar las dependencias

analyze

succeeded now in 1m 42s

Set up Flutter

1 ▶ Run subosito/flutter-action@v2

9 ▶ Run chmod +x "\$GITHUB_ACTION_PATH/setup.sh"

12 ▶ Run \$GITHUB_ACTION_PATH/setup.sh -p \

24 ▶ Run \$GITHUB_ACTION_PATH/setup.sh \

	% Total	% Received	% Xferd	Average	Speed	Time	Time	Time	Current			
				Dload	Upload	Total	Spent	Left	Speed			
34	0	0	0	0	0	--:--:--	--:--:--	--:--:--	0			
35	7	1471M	7	104M	0	0	143M	0	0:00:10	--:--:--	0:00:10	143M
36	19	1471M	19	281M	0	0	163M	0	0:00:09	0:00:01	0:00:08	163M
37	31	1471M	31	465M	0	0	170M	0	0:00:08	0:00:02	0:00:06	170M
38	39	1471M	39	586M	0	0	157M	0	0:00:09	0:00:03	0:00:06	157M
39	56	1471M	56	836M	0	0	176M	0	0:00:08	0:00:04	0:00:04	176M
40	72	1471M	72	1059M	0	0	185M	0	0:00:07	0:00:05	0:00:02	191M
41	85	1471M	85	1252M	0	0	186M	0	0:00:07	0:00:06	0:00:01	194M
42	95	1471M	95	1398M	0	0	181M	0	0:00:08	0:00:07	0:00:01	186M
43	100	1471M	100	1471M	0	0	182M	0	0:00:08	0:00:08	--:--:--	204M

Install dependencies

1 ▶ Run flutter pub get

7 Resolving dependencies...

8 Downloading packages...

9 + _flutterfire_internals 1.3.69 (1.3.73 available)

10 + archive 4.0.9

11 + args 2.7.0

12 + async 2.13.1

13 + boolean_selector 2.1.2

14 + change_app_package_name 1.5.0

15 + characters 1.4.1

16 + checked_yaml 2.0.4

17 + cli_util 0.4.2 (0.5.1 available)

Analysis

```

✓ Analyze (warnings ignored)

1 ▶ Run flutter analyze --no-fatal-infos || true
7
7 Analyzing SM2_ExamenUnidad3...
8
9 info • Don't use 'BuildContext's across async gaps. Try rewriting th
use_build_context_synchronously
10 info • Don't use 'BuildContext's across async gaps. Try rewriting th
use_build_context_synchronously
11 info • Don't use 'BuildContext's across async gaps. Try rewriting th
use_build_context_synchronously
12 info • 'desiredAccuracy' is deprecated and shouldn't be used. use se
replacement • lib/screens/add_report_screen.dart:248:60 • deprecated_me
13 info • 'value' is deprecated and shouldn't be used. Use initialValue
deprecated member with the replacement • lib/screens/add_report_screen.
14 info • Use a function declaration rather than a variable assignment
prefer_function_declarations_over_variables
15 info • Use a function declaration rather than a variable assignment
prefer_function_declarations_over_variables
16 info • Redundant initialization to 'null'. Try removing the initiali
17 info • Redundant initialization to 'null'. Try removing the initiali
18 warning • The value of the local variable 'isSelected' isn't used. Try
19 info • 'groupValue' is deprecated and shouldn't be used. Use a Radio
with the replacement • lib/screens/dashboard_screen.dart:90:19 • deprec
20 info • 'groupValue' is deprecated and shouldn't be used. Use a Radio
with the replacement • lib/screens/dashboard_screen.dart:90:19 • deprec

```

Pruebas unitarias

```

✓ Run tests

1 ▶ Run flutter test
7
8 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/models/user_model_test.dart: UserModel Tests fromMap should create UserModel from map
20 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/models/user_model_test.dart: UserModel Tests fromMap should default role to user if not provided
28 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/models/user_model_test.dart: UserModel Tests toMap should create map from UserModel
29 ▶ ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/models/user_model_test.dart: UserModel Tests isAdmin should return true for admin role
34 ▶ ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/models/user_model_test.dart: UserModel Tests isAdmin should return false for user role
39 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/models/report_model_test.dart: Report Model Tests fromMap should create Report from map
40 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/models/report_model_test.dart: Report Model Tests toMap should create map from Report
41 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/models/report_model_test.dart: Report Model Tests copyWith should create copy with updated fields
42 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/main_test.dart: Pruebas de Validación de Email Email válido debe pasar la validación
43 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/main_test.dart: Pruebas de Validación de Email Email inválido debe fallar la validación
44 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/main_test.dart: Pruebas de Validación de Contraseña Contraseña fuerte debe pasar la validación
45 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/main_test.dart: Pruebas de Validación de Contraseña Contraseña débil debe fallar la validación
46 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/main_test.dart: Pruebas de Validación de DNI DNI válido debe pasar la validación
47 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/main_test.dart: Pruebas de Validación de DNI DNI inválido debe fallar la validación
48 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/main_test.dart: Pruebas de Validación de Teléfono Teléfono válido debe pasar la validación
49 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/main_test.dart: Pruebas de Validación de Teléfono Teléfono inválido debe fallar la validación
50 🎉 16 tests passed.


✓ Post Set up Flutter

1 Post job cleanup.

✓ Post Run actions/checkout@v3

```

Pestaña de GitHub Actions



4. Explicación de lo realizado

1. Primeramente se creara el repositorio en GitHub con el nombre solicitado, y siguiente se clonara el contenido del proyecto de Unidad realizado a lo largo del curso. Para este caso se utiliza SafeArea.
2. Para la estructura de las carpetas, sera construido de la siguiente manera.

```
.github/workflows/ → Para almacenar los workflows de GitHub Actions  
test/             → Para almacenar las pruebas unitarias
```

3. Se creara el archivo quality-check.yml en .github/workflows/. Para este caso se configuraria Flutter en el runner, siguiendo se instalaria las dependencias, se verifica la calidad y el codigo y por último se ejecutara las pruebas unitarias.
4. Para las pruebas unitarias se crearon 8, dentro de test/main_test.dart para validad; 1. Email valido, 2. Email Invalido, 3. Contraseña fuerte, 4. Contraseña debil, 5. DNI valido, 6. DNI invalido, 7. Teléfono válido, 8. Teléfono inválido.
5. El workflow se activara automáticamente en la rama main.