



Bug Reports — Enatega Multivendor Customer App

Tester: Rozagul Nodirbekova **Date:** 2026-08-10 **Flow under test:** Login → Browse Restaurant → Add to Cart → Checkout **App under test:** Enatega Multivendor — Customer (React Native / Expo)

Each report below uses the **exact Bug Report template from the assignment** (ID · Title · Severity · Priority · Environment · Preconditions · Steps to Reproduce · Expected Result · Actual Result · Attachments). After every table there is a 📌 **Where to see it in code** line pointing to the exact source path + line, so a developer can open the file and fix it directly.

Severity: 🟠 Critical · 🟡 Major · 🟠 Minor · ⬜ Trivial | **Priority:** 🟠 High · 🟡 Medium · ⬜ Low **Common environment:** Pixel 6 (emulator) · Android 14 (API 34) · App 1.1.31 (JS bundle 5.0.0) · Backend aws-server-v2.enatega.com **Repo of the app under test:** enatega/food-delivery-multivendor → paths below are relative to enatega-multivendor-app/

BUG-001 — Valid emails with modern TLDs are rejected at login

Field	Content
ID	BUG-001
Title	Login email validation rejects valid addresses whose TLD is longer than 3 characters (.store , .online , .info)
Severity	🟡 Major
Priority	🟠 High
Environment	Pixel 6 · Android 14 · App 1.1.31
Preconditions	App installed; on the Login (email) screen; network available
Steps to Reproduce	1. Launch app → tap Login . 2. In the email field type user@company.store . 3. Tap Continue .
Expected Result	The address is accepted as valid; the app proceeds to the password / registration step.
Actual Result	Inline error “Please enter a valid email” is shown and the flow is blocked. Any TLD of 4+ characters (.store , .online , .email , .museum) is rejected.
Attachments	../docs/evidence/MOB-1-code.png (see image below)

📌 **Where to see it in code:** enatega-multivendor-app/src/screens/Login/useLogin.js:80

```
const emailRegex = /^\\w+([\\\\.-]?\\w+)*@\\w+([\\\\.-]?\\w+)*\\.\\w{2,3}+$/  
// the final group (\\.\\w{2,3})+ caps the TLD at 2–3 chars; also [\\\\.-] wrongly escapes to backslash-
```

● ● ● MOB-1 — Login email regex rejects modern TLDs (.store/.info)BUG


enatega-multivendor-app/src/screens/Login/useLogin.js:80

```
76     if (!email.trim()) {
77         setEmailError(t('emailErr1'))
78         result = false
79     } else {
80         const emailRegex = /^\\w+([\\.-]?\\w+)*@\\w+([\\.-]?\\w+)*\\.\\w{2,3}+$/
81         if (emailRegex.test(email) !== true) {
82             setEmailError(t('emailErr2'))
83             result = false
84         }
85     }
86     if (!password && registeredEmail) {
87         setPasswordError(t('passErr1'))
88         result = false
89     }
90     return result
91 }
```

BUG-002 — Interactive elements expose no accessibility id / test id

Field	Content
ID	BUG-002
Title	Login inputs, buttons and cart quantity controls have no testID / accessibilityLabel , so they carry empty resource-id and content-desc
Severity	Major
Priority	High
Environment	Pixel 6 · Android 14 · App 1.1.31
Preconditions	adb / UI Automator available, or TalkBack screen reader enabled
Steps to Reproduce	1. Open the Login screen. 2. Run adb shell uiautomator dump (or enable TalkBack). 3. Inspect the email / password EditText and the Continue button.
Expected Result	Each control has a stable resource-id (from testID) and a meaningful content-desc (from accessibilityLabel) for automation and screen readers.
Actual Result	resource-id and content-desc are empty. TalkBack announces the buttons as “button, unlabeled”. Automation is forced onto brittle absolute XPath.
Attachments	../docs/evidence/MOB-3-code.png (see image below)

Where to see it in code: enatega-multivendor-app/src/screens/Login/Login.js:69 (email TextInput), :88 (password TextInput), :117 (submit TouchableOpacity) — none carry testID / accessibilityLabel .



BUG-003 — Password “show/hide” eye icon is inverted

Field	Content
ID	BUG-003
Title	On the password step the eye icon shows the <i>opposite</i> state of the field, confusing the user
Severity	Minor
Priority	Medium
Environment	Pixel 6 · Android 14 · App 1.1.31
Preconditions	Existing account; reached the password entry step
Steps to Reproduce	1. Enter a registered email → Continue. 2. Observe the password field (text is masked) and the eye icon. 3. Tap the eye icon and observe.
Expected Result	While the password is hidden , the icon should invite “show” (an open eye); tapping reveals the text and switches to a crossed-out eye.
Actual Result	Initial state is masked but the icon already shows <code>eye-slash</code> ; the affordance is reversed, so users tap expecting the wrong outcome.
Attachments	<code>../docs/evidence/MOB-2-code.png</code> (see image below)

📍 **Where to see it in code:** `enatega-multivendor-app/src/screens/Login/useLogin.js:33` (`showPassword` initialised to `true`) + `src/screens/Login/Login.js:88-89` (`secureTextEntry={showPassword}` and icon `showPassword ? 'eye-slash' : 'eye'`).

● ● ● MOB-2 — Password eye icon inverted (showPassword=true + secureTextEntry)BUG

enatega-multivendor-app/src/screens/Login/Login.js:88-89 (+ useLogin.js:33)

86

<View style={styles(currentTheme).passwordField}>

87

<TextInput secureTextEntry={showPassword} placeholder={t('password')} style={[[styles(currentTheme).text

88

<FontAwesome onPress={() => setShowPassword(!showPassword)} name={showPassword ? 'eye-slash' : 'eye'} /

89

</View>

90

BUG-004 — Demo credentials hard-coded in the client bundle

Field	Content
ID	BUG-004
Title	The client auto-fills a real account’s password and ships demo credentials in source
Severity	Major
Priority	Medium
Environment	Pixel 6 · Android 14 · App 1.1.31
Preconditions	None
Steps to Reproduce	1. On the email step, enter demo-customer@enatega.com → Continue. 2. Observe that the password field is pre-populated and login succeeds without typing a password.
Expected Result	No credential is ever hard-coded or auto-filled in the shipping client; demo data lives only on a seeded backend.
Actual Result	The password 123123 is injected client-side for the demo account; a commented defaultValue='demo-customer@enatega.com' also remains in source. Anyone reading the bundle obtains working credentials.
Attachments	../docs/evidence/MOB-4-code.png (see image below)

📍 **Where to see it in code:** enatega-multivendor-app/src/screens/Login/useLogin.js:63-64 (if (emailRef.current === 'demo-customer@enatega.com') setPassword('123123')) + src/screens/Login/Login.js:74 (commented demo default).

● ● ● MOB-4 — Demo password hard-coded in clientBUG

enatega-multivendor-app/src/screens/Login/useLogin.js:63-64

60

// Reset password when registeredEmail becomes true

61

useEffect(() => {

62

if (registeredEmail) {

63

if (emailRef.current === 'demo-customer@enatega.com') {

64

setPassword('123123')

65

} else {

66

setPassword('')

67

}

68

}


69

}, [registeredEmail])

BUG-005 — “Free Delivery” / “Accept Vouchers” offer filters return an empty list

Field	Content
ID	BUG-005
Title	Applying the Offers → Free Delivery or Accept Vouchers filter clears the entire restaurant list
Severity	🟡 Major
Priority	🟡 Medium
Environment	Pixel 6 · Android 14 · App 1.1.31
Preconditions	Logged in; on the Menu / Discovery screen with restaurants listed
Steps to Reproduce	1. Open the restaurant list. 2. Open Offers / Filters . 3. Select Free Delivery (or Accept Vouchers) → Apply .
Expected Result	The list is filtered to restaurants that offer free delivery / accept vouchers.
Actual Result	The list becomes empty for every location, because the backend returns <code>freeDelivery</code> / <code>acceptVouchers</code> as <code>false</code> / <code>null</code> for all restaurants (no admin UI ever sets them).
Attachments	../docs/evidence/MOB-7-code.png (see image below)

📌 **Where to see it in code:** filter reads `item?.freeDelivery` / `item?.acceptVouchers` in `enatega-multivendor-app/src/screens/Menu/Menu.js` ; full root-cause analysis in `enatega-multivendor-app/QUAL-012_BACKEND_INSTRUCTIONS.md` .



```
MOB-7 — Offer filters read flags the backend never sets BUG
↑ enatega-multivendor-app/src/screens/Menu/Menu.js:680,683

678     if (offers?.selected?.length > 0) {
679       if (offers.selected.includes('Free Delivery')) {
680         filteredData = filteredData.filter((item) => item?.freeDelivery)
681       }
682       if (offers.selected.includes('Accept Vouchers')) {
683         filteredData = filteredData.filter((item) => item?.acceptVouchers)
684       }
685     }
```

BUG-006 — Sign-up shows “All fields are required” even when fields look filled (web)

Field	Content
ID	BUG-006
Title	Create Account (web) rejects the form with a generic “All fields are required” and never says <i>which</i> field is missing

Field	Content
Severity	● Minor
Priority	● Medium
Environment	Web (enatega-multivendor-web , Next.js) · Chrome · Backend aws-server-v2.enatega.com
Preconditions	On the Let's get you started / Create Account modal
Steps to Reproduce	1. Open the web app → Login → Create account . 2. Fill name / phone / password but leave one field (e.g. email is still the greyed placeholder). 3. Tap Continue .
Expected Result	The form highlights the specific empty field with a clear message next to it.
Actual Result	A single red toast "Create User — All fields are required" appears top-right; no field is highlighted, so the user can't tell which one is missing. The check <code>Object.values(formData).some(val => !val)</code> flags any falsy value at once.
Attachments	../docs/evidence/WEB-4-code.png (see image below)

📌 **Where to see it in code:** enatega-multivendor-web/lib/ui/screen-components/un-protected/authentication/signup-with-email/index.tsx:70 (`Object.values(formData).some((val) => !val)`).

WEB-4 — Signup 'All fields are required' — fragile catch-all validation BUG

enatega-multivendor-web/lib/ui/screen-components/un-protected/authentication/signup-with-email/index.tsx:70

```
64   const handleSubmit = async (isPhoneExists = false) => {
65     try {
66       setIsLoading(true);
67       setIsRegistering(true);
68
69       // Required fields
70       if (Object.values(formData).some((val) => !val)) {
71         showToast({
72           type: "error",
73           title: t("create_user_label"),
74           message: t("all_fields_are_required_to_be_filled_message"),
75         });
76         return;
77       }
78     }
79   }
```

Summary

ID	Title	Severity	Priority	Where to see it in code
BUG-001	Valid modern-TLD emails rejected at login	● Major	● High	src/screens/Login/useLogin.js:80
BUG-002	No testID / accessibilityLabel on controls	● Major	● High	src/screens/Login/Login.js:69,88,117
BUG-003	Password eye icon inverted	● Minor	● Medium	src/screens/Login/useLogin.js:33 · Login.js:88-89

ID	Title	Severity	Priority	Where to see it in code
BUG-004	Demo credentials hard-coded in client	● Major	● Medium	src/screens/Login/useLogin.js:63-64 · Login.js:74
BUG-005	Offer filters return empty restaurant list	● Major	● Medium	src/screens/Menu/Menu.js · QUAL-012_BACKEND_INSTRUCTIONS.md
BUG-006	Web sign-up “All fields are required” (generic, no field highlighted)	● Minor	● Medium	enatega-multivendor-web/.../signup-with-email/index.tsx:70

 A fully colour-coded version of these tables is in [docs/pdf/bug-reports.pdf](#) .