

Don't

Public Law 103-141

protected Sunday, more;

protected rest day;

public rest day; public rest day;

observed; more;

public rest day; public rest day;

observed; public rest day;

public rest day; public rest day;

observed; public rest day;

public rest day;

public rest day; public rest day;

observed; public rest day;

public rest day; public rest day;

observed; public rest day;

public rest day; public rest day;

public rest day;

public rest day;

Bài 8.2

```
public class XeDap {  
    public void run() {  
        System.out.println("Xe dap đang  
        đang chạy nhanh");  
    }  
}
```

```
class XeDapBom extends XeDap {
```

```
    @Override  
    public void run() {  
        System.out.println("Xe đạp bom  
        đang chạy động cơ tên");  
    }  
}
```

```
public class Main {
```

```
    public static void main(String[] args) {  
        XeDap x = new XeDap();  
        XeDap x2 = new XeDapBom();  
        x.run();  
        x2.run();  
    }  
}
```

```

    this
    public HìnhChuThoi(double chieuDai,
    double chieuRong){
        this.chieuDai = chieuDai;
        this.chieuRong = chieuRong;
    }

```

@Override

```

    public void tinhDT(){
        double DT = chieuDai * chieuRong;
        System.out.println("DT HCN: " + DT);
    }

```

```

    }
    class Main
    public void main {
        public static void main(String[] args){
            HìnhHoc h1 = new HìnhHoc(5)
            HìnhHoc h2 = new HìnhHoc(4, 6)
            h1.tinhDT();
            h2.tinhDT();
        }
    }

```

Tính đa hình có nghĩa là cùng 1 hành động nhưng ở nhĩ ngữ cảnh + nhau cho ra nhĩ hành động + nhau

```

public class HinhThangHoc {
    public void xinHienTich () {
        System.out.println ("xin hien Dien Tich");
    }
}

```

```

class HinhThang extends HinhHoc {
    private double banKinh;
    public HinhThang (double banKinh) {
        this.banKinh = banKinh;
    }
}

```

@Override

```

public void xinHienTich () {
    double DienTich = Math.PI * banKinh *
    banKinh;
    System.out.println ("DT hinh thang: "
    + DienTich);
}
}

```

```

class HinhChuNhat extends HinhHoc {
    private double chieuDai;
    private double chieuRong;
}

```

Bài 5:

```
public class Car {
```

```
    public void Move() {
```

```
        System.out.println("Car Xe đang  
đang");
```

```
    }
```

```
class LandRover extends Car {
```

```
    @Override
```

```
    public void Move() {
```

```
        System.out.println("Land Rover
```

fahasa

```
car.Move();  
car = new Ford();  
car.Move();  
car = new Honda();  
car.Move();
```

```
}
```

```
}
```

b2. getRate();

System.out.println("Axis Rate: ");

b3. getRate();

}

}

```

}
class ICICI extends Bank {
    @Override
    public double getRate () {
        return 7.0;
    }
}

```

```

}
class AXIS extends Bank {
    @Override
    public double getRate () {
        return 9.0;
    }
}

```

```

public class Main {
    public static void main (String[] args) {
        Bank b1 = new SBI ();
        Bank b2 = new ICICI ();
        Bank b3 = new AXIS ();
        System.out.println ("SBI Rate: " + b1
getRate());
        System.out.println ("ICICI Rate: " +

```

```

emp.setName("An");
emp.setSalary(1000);
Manager mgr = new Manager();
mgr.setName("Binh");
mgr.setSalary(2000);
mgr.setAssistant(emp);
System.out.println(emp.getDetails());
System.out.println(mgr.getDetails());
}
}

```

Bài 4:

```

public class Bank {
    public double getRate() {
        return 0;
    }
}

class B1 extends Bank {
    @Override
    public double getRate() {
        return 8.0;
    }
}

```

di chuyển mình mà trên đường đi gặp

```
}  
class Ford extends Car {
```

```
    @Override
```

```
    public void Move();
```

```
        System.out.println("Ford đi thẳng  
    trên đường");  
}
```

```
}  
class Honda extends Car {
```

```
    @Override
```

```
    public void Move() {
```

```
        System.out.println("Honda tiết kiệm  
    nhiên liệu");  
}
```

```
}  
public class Main {
```

```
    public static void main (String[] args) {
```

```
        Car car;
```

```
        car = new LandRover();  
    }
```

```

    public String getDetails() {
        return super.getDetails() + " Salary: " + salary;
    }
}

```

```

class Manager extends Employee {
    private Employee assistant;
    public void setAssistant(Employee assistant) {
        this.assistant = assistant;
    }
}

```

```

@Override
public String getDetails() {
    return super.getDetails() +
    (assistant != null ? ", Assistant: " + assistant.name : "");
}
}

```

```

public class Main {
    public static void main (String[] args) {
        Employee emp = new Employee();
    }
}

```