

Results

Repeated Measures ANOVA

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	η^2
gaze_congruency	None	8928.025	1.000	8928.025	14.622	< .001	0.031
Residuals	None	26866.179	44.000	610.595			
action_consistecy	None	14979.851 ^a	2.000 ^a	7489.926 ^a	3.624 ^a	0.031 ^a	0.052
	Greenhouse-Geisser	14979.851	1.318	11362.944	3.624	0.051	0.052
Residuals	None	181874.743	88.000	2066.758			
	Greenhouse-Geisser	181874.743	58.006	3135.473			
gaze_congruency * action_consistecy	None	1266.975	2.000	633.487	1.039	0.358	0.004
	Greenhouse-Geisser	1266.975	1.981	639.529	1.039	0.358	0.004
Residuals	None	53650.566	88.000	609.666			
	Greenhouse-Geisser	53650.566	87.169	615.480			

Note. Sphericity corrections not available for factors with 2 levels.
Note. Type III Sum of Squares
^a Mauchly's test of sphericity indicates that the assumption of sphericity is violated ($p < .05$).

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p
Residuals	2.009×10 ⁺⁶	44	45648.564		


Note. Type III Sum of Squares

Descriptives

Descriptives

gaze_congruency	action_consistecy	N	Mean	SD	SE	Coefficient of variation
congruent	consistent	45	509.718	90.959	13.559	0.178
	inconsistent	45	520.600	95.557	14.245	0.184
	control	45	530.054	100.515	14.984	0.190
incongruent	consistent	45	526.423	92.383	13.772	0.175
	inconsistent	45	526.698	88.690	13.221	0.168
	control	45	541.754	87.770	13.084	0.162

Descriptives plots



Post Hoc Tests

Post Hoc Comparisons - gaze_congruency

		Mean Difference	SE	df	t	Ptukey	Pbonf
congruent	incongruent	-11.501	3.008	44	-3.824	.	< .001

Note. Results are averaged over the levels of: action_consistecy
Note. Tukey corrected p-values are not appropriate for repeated measures post-hoc tests (Maxwell, 1980; Field, 2012).

Post Hoc Comparisons - action_consistecy

		Mean Difference	SE	df	t	Ptukey	Pbonf
consistent	inconsistent	-5.578	3.641	44	-1.532	.	0.398
	control	-17.833	7.619	44	-2.340	.	0.072
inconsistent	control	-12.255	8.153	44	-1.503	.	0.420

Note. P-value adjusted for comparing a family of 3 estimates.
Note. Results are averaged over the levels of: gaze_congruency
Note. Tukey corrected p-values are not appropriate for repeated measures post-hoc tests (Maxwell, 1980; Field, 2012).

Post Hoc Comparisons - gaze_congruency * action_consistecy

		Mean Difference	SE	df	t	Ptukey	Pbonf
congruent, consistent	incongruent, consistent	-16.705	4.852	44	-3.443	.	0.019
	congruent, inconsistent	-10.881	4.688	44	-2.321	.	0.375
	incongruent, inconsistent	-16.979	4.258	44	-3.988	.	0.004
	congruent, control	-20.336	8.635	44	-2.355	.	0.346
	incongruent, control	-32.035	7.549	44	-4.244	.	0.002
incongruent, consistent	congruent, inconsistent	5.823	5.250	44	1.109	.	1.000
	incongruent, inconsistent	-0.275	5.850	44	-0.047	.	1.000
	congruent, control	-3.631	9.425	44	-0.385	.	1.000
	incongruent, control	-15.331	8.238	44	-1.861	.	1.000
congruent, inconsistent	incongruent, inconsistent	-6.098	5.030	44	-1.212	.	1.000
	congruent, control	-9.454	9.742	44	-0.971	.	1.000
	incongruent, control	-21.154	8.683	44	-2.436	.	0.284
incongruent, inconsistent	congruent, control	-3.356	9.488	44	-0.354	.	1.000
	incongruent, control	-15.056	7.958	44	-1.892	.	0.976
congruent, control	incongruent, control	-11.700	5.700	44	-2.053	.	0.691

Note. P-value adjusted for comparing a family of 15 estimates.
Note. Tukey corrected p-values are not appropriate for repeated measures post-hoc tests (Maxwell, 1980; Field, 2012).

rANOVA (ANCOVA) with action time as covar

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	η^2
gaze_congruency	None	0.749	1.000	0.749	0.001	0.973	3.238×10^{-7}
gaze_congruency * AC_action_time_mean	None	569.237	1.000	569.237	0.909	0.346	2.461×10^{-4}
gaze_congruency * NAC_action_time_mean	None	2.481	1.000	2.481	0.004	0.950	1.072×10^{-6}
Residuals	None	26287.787	42.000	625.900			
action_consistecy	None	1279.818 ^a	2.000 ^a	639.909 ^a	0.329 ^a	0.721 ^a	5.533×10^{-4}
	Greenhouse-Geisser	1279.818	1.355	944.808	0.329	0.636	5.533×10^{-4}
action_consistecy * AC_action_time_mean	None	15129.769 ^a	2.000 ^a	7564.885 ^a	3.885 ^a	0.024 ^a	0.007
	Greenhouse-Geisser	15129.769	1.355	11169.344	3.885	0.041	0.007
action_consistecy * NAC_action_time_mean	None	1121.377 ^a	2.000 ^a	560.688 ^a	0.288 ^a	0.751 ^a	4.848×10^{-4}
	Greenhouse-Geisser	1121.377	1.355	827.841	0.288	0.664	4.848×10^{-4}
Residuals	None	163571.411	84.000	1947.279			
	Greenhouse-Geisser	163571.411	56.892	2875.103			
gaze_congruency * action_consistecy	None	116.751	2.000	58.376	0.101	0.904	5.047×10^{-5}
	Greenhouse-Geisser	116.751	1.993	58.583	0.101	0.904	5.047×10^{-5}
gaze_congruency * action_consistecy * AC_action_time_mean	None	4668.986	2.000	2334.493	4.020	0.022	0.002
	Greenhouse-Geisser	4668.986	1.993	2342.778	4.020	0.022	0.002
gaze_congruency * action_consistecy * NAC_action_time_mean	None	133.315	2.000	66.658	0.115	0.892	5.763×10^{-5}
	Greenhouse-Geisser	133.315	1.993	66.894	0.115	0.891	5.763×10^{-5}
Residuals	None	48782.521	84.000	580.744			
	Greenhouse-Geisser	48782.521	83.703	582.806			

Note. Sphericity corrections not available for factors with 2 levels.
Note. Type III Sum of Squares
^a Mauchly's test of sphericity indicates that the assumption of sphericity is violated (p < .05).

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p
AC_action_time_mean	246106.478	1	246106.478	5.989	0.019
NAC_action_time_mean	79577.822	1	79577.822	1.937	0.171
Residuals	$1.726 \times 10^{+6}$	42	41093.261		


Note. Type III Sum of Squares

Descriptives

Descriptives

gaze_congruency	action_consistecy	N	Mean	SD	SE	Coefficient of variation
congruent	consistent	45	509.718	90.959	13.559	0.178
	inconsistent	45	520.600	95.557	14.245	0.184
	control	45	530.054	100.515	14.984	0.190
incongruent	consistent	45	526.423	92.383	13.772	0.175
	inconsistent	45	526.698	88.690	13.221	0.168
	control	45	541.754	87.770	13.084	0.162

Descriptives plots



Post Hoc Tests

Post Hoc Comparisons - gaze_congruency

		Mean Difference	SE	df	t	Ptukey	Pbonf
congruent	incongruent	-11.501	3.045	42	-3.777	.	< .001

Note. Results are averaged over the levels of: action_consistecy
Note. Tukey corrected p-values are not appropriate for repeated measures post-hoc tests (Maxwell, 1980; Field, 2012).

Post Hoc Comparisons - action_consistecy

		Mean Difference	SE	df	t	Ptukey	Pbonf
consistent	inconsistent	-5.578	3.707	42	-1.505	.	0.419
	control	-17.833	7.360	42	-2.423	.	0.059
inconsistent	control	-12.255	7.868	42	-1.558	.	0.380

Note. P-value adjusted for comparing a family of 3 estimates.
Note. Results are averaged over the levels of: gaze_congruency
Note. Tukey corrected p-values are not appropriate for repeated measures post-hoc tests (Maxwell, 1980; Field, 2012).

Post Hoc Comparisons - gaze_congruency * action_consistecy

		Mean Difference	SE	df	t	Ptukey	Pbonf
congruent, consistent	incongruent, consistent	-16.705	4.605	42	-3.627	.	0.012
	congruent, inconsistent	-10.881	4.489	42	-2.424	.	0.296
	incongruent, inconsistent	-16.979	4.334	42	-3.918	.	0.005
	congruent, control	-20.336	8.577	42	-2.371	.	0.336
	incongruent, control	-32.035	7.615	42	-4.207	.	0.002
incongruent, consistent	congruent, inconsistent	5.823	5.344	42	1.090	.	1.000
	incongruent, inconsistent	-0.275	5.792	42	-0.047	.	1.000
	congruent, control	-3.631	8.833	42	-0.411	.	1.000
	incongruent, control	-15.331	7.853	42	-1.952	.	0.864
congruent, inconsistent	incongruent, inconsistent	-6.098	4.988	42	-1.223	.	1.000
	congruent, control	-9.454	9.213	42	-1.026	.	1.000
	incongruent, control	-21.154	8.371	42	-2.527	.	0.230
incongruent, inconsistent	congruent, control	-3.356	9.362	42	-0.359	.	1.000
	incongruent, control	-15.056	7.954	42	-1.893	.	0.979
congruent, control	incongruent, control	-11.700	5.775	42	-2.026	.	0.737

Note. P-value adjusted for comparing a family of 15 estimates.
Note. Tukey corrected p-values are not appropriate for repeated measures post-hoc tests (Maxwell, 1980; Field, 2012).

