

Results


Descriptive Statistics Questions

Descriptive Statistics


	Mean	Std. Deviation	Minimum	Maximum
consistent.caused	5.734	1.223	2.125	7.000
consistent.controlled	4.608	1.656	1.188	7.000
consistent.predicted	5.050	1.331	2.188	7.000
inconsistent.caused	4.419	1.957	1.000	7.000
inconsistent.controlled	2.427	1.351	1.000	6.125
inconsistent.predicted	2.798	1.352	1.000	5.688
control.caused	1.744	1.097	1.000	5.188
control.controlled	1.538	0.884	1.000	5.125
control.predicted	2.648	1.268	1.000	5.125

Distribution Plots


consistent.caused




consistent.controlled




consistent.predicted




inconsistent.caused




inconsistent.controlled




inconsistent.predicted




control.caused



control.controlled




control.predicted



Dot Plots

Maybe we were not able to establish a greater sence of agency



ANOVA Q.Caused

Within Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	η^2_p
Consistency	330.821	2	165.411	86.448	< .001	0.689
Residuals	149.247	78	1.913			

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p
Residuals	105.470	39	2.704		

Note. Type III Sum of Squares

Cases	Sum of Squares	df	Mean Square	F	p
-------	----------------	----	-------------	---	---


Note. Type III Sum of Squares

Descriptives

Descriptives

Consistency	N	Mean	SD	SE	Coefficient of variation
consistent	40	5.734	1.223	0.193	0.213
control	40	1.744	1.097	0.173	0.629
inconsistent	40	4.419	1.957	0.309	0.443

Descriptives plots



Post Hoc Tests

Post Hoc Comparisons - Consistency

		Mean Difference	SE	df	t	Cohen's d	P _{bonf}
consistent	control	3.991	0.287	39	13.911	2.705	< .001
	inconsistent	1.316	0.294	39	4.481	0.892	< .001
control	inconsistent	-2.675	0.344	39	-7.770	-1.813	< .001

Note. P-value adjusted for comparing a family of 3 estimates.

ANOVA Q.Controlled

Within Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	η^2_p
Consistency	199.668 ^a	2 ^a	99.834 ^a	62.218 ^a	< .001 ^a	0.615
Residuals	125.157	78	1.605			

Note. Type III Sum of Squares

^a Mauchly's test of sphericity indicates that the assumption of sphericity is violated ($p < .05$).

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p
Residuals	83.496	39	2.141		

Note. Type III Sum of Squares

Descriptives

Consistency	N	Mean	SD	SE	Coefficient of variation
consistent	40	4.608	1.656	0.262	0.359
control	40	1.538	0.884	0.140	0.575
inconsistent	40	2.427	1.351	0.214	0.557

Descriptives

Consistency	N	Mean	SD	SE	Coefficient of variation
-------------	---	------	----	----	--------------------------

Post Hoc Tests

Post Hoc Comparisons - Consistency

		Mean Difference	SE	df	t	Cohen's d	P _{bonf}
consistent	control	3.070	0.316	39	9.731	2.299	< .001
	inconsistent	2.181	0.308	39	7.072	1.633	< .001
control	inconsistent	-0.889	0.214	39	-4.146	-0.666	< .001

Note. P-value adjusted for comparing a family of 3 estimates.

ANOVA Q.Predicted

Within Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	η^2_p
Consistency	144.794	2	72.397	49.075	< .001	0.557
Residuals	115.068	78	1.475			

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p
Residuals	88.021	39	2.257		

Note. Type III Sum of Squares

Descriptives

Descriptives

Consistency	N	Mean	SD	SE	Coefficient of variation
consistent	40	5.050	1.331	0.210	0.263
control	40	2.648	1.268	0.201	0.479
inconsistent	40	2.798	1.352	0.214	0.483

Post Hoc Tests

Post Hoc Comparisons - Consistency

		Mean Difference	SE	df	t	Cohen's d	P _{bonf}
consistent	control	2.402	0.254	39	9.442	1.823	< .001
	inconsistent	2.252	0.304	39	7.395	1.709	< .001
control	inconsistent	-0.150	0.253	39	-0.593	-0.114	1.000

Note. P-value adjusted for comparing a family of 3 estimates.

rANOVA all questions

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	η^2_p
Consistency	None	606.123	2.000	303.062	85.736	< .001	0.687
	Greenhouse-Geisser	606.123	1.859	326.044	85.736	< .001	0.687
Residuals	None	275.715	78.000	3.535			
	Greenhouse-Geisser	275.715	72.502	3.803			
Question type	None	74.317	2.000	37.158	19.780	< .001	0.337
	Greenhouse-Geisser	74.317	1.787	41.595	19.780	< .001	0.337
Residuals	None	146.530	78.000	1.879			
	Greenhouse-Geisser	146.530	69.681	2.103			
Consistency * Question type	None	69.160 ^a	4.000 ^a	17.290 ^a	23.711 ^a	< .001 ^a	0.378
	Greenhouse-Geisser	69.160	2.436	28.387	23.711	< .001	0.378
Residuals	None	113.757	156.000	0.729			
	Greenhouse-Geisser	113.757	95.016	1.197			

Note. Type III Sum of Squares

^a Mauchly's test of sphericity indicates that the assumption of sphericity is violated ($p < .05$).

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p
Residuals	130.457	39	3.345		

Note. Type III Sum of Squares


Descriptives

Descriptives


Consistency	Question type	N	Mean	SD	SE	Coefficient of variation
consistent	caused	40	5.734	1.223	0.193	0.213
	controled	40	4.608	1.656	0.262	0.359
	predicted	40	5.050	1.331	0.210	0.263
control	caused	40	1.744	1.097	0.173	0.629
	controled	40	1.538	0.884	0.140	0.575
	predicted	40	2.648	1.268	0.201	0.479
inconsistent	caused	40	4.419	1.957	0.309	0.443
	controled	40	2.427	1.351	0.214	0.557
	predicted	40	2.798	1.352	0.214	0.483

Descriptives plots


Question type: caused



Question type: controled



Question type: predicted



Post Hoc Tests

Post Hoc Comparisons - Consistency

		Mean Difference	SE	df	t	Cohen's d	P _{bonf}
consistent	control	3.154	0.249	39	12.668	2.289	< .001
	inconsistent	1.916	0.267	39	7.183	1.391	< .001
control	inconsistent	-1.238	0.209	39	-5.931	-0.898	< .001

Note. P-value adjusted for comparing a family of 3 estimates.

Note. Results are averaged over the levels of: Question type

Post Hoc Comparisons - Consistency * Question type

		Mean Difference	SE	df	t	Cohen's d	P _{bonf}
consistent, caused	control, caused	3.991	0.287	39	13.911	2.896	< .001
	inconsistent, caused	1.316	0.294	39	4.481	0.955	0.002
	consistent, controled	1.127	0.264	39	4.261	0.818	0.004
	control, controled	4.197	0.270	39	15.548	3.046	< .001
	inconsistent, controled	3.308	0.323	39	10.254	2.401	< .001
	consistent, predicted	0.684	0.227	39	3.014	0.497	0.163
	control, predicted	3.086	0.285	39	10.834	2.240	< .001
	inconsistent, predicted	2.936	0.307	39	9.565	2.131	< .001
control, caused	inconsistent, caused	-2.675	0.344	39	-7.770	-1.941	< .001
	consistent, controled	-2.864	0.349	39	-8.211	-2.078	< .001
	control, controled	0.206	0.102	39	2.014	0.150	1.000
	inconsistent, controled	-0.683	0.244	39	-2.793	-0.496	0.290
	consistent, predicted	-3.306	0.293	39	-11.272	-2.399	< .001
	control, predicted	-0.905	0.208	39	-4.342	-0.657	0.004
	inconsistent, predicted	-1.055	0.248	39	-4.259	-0.765	0.005
inconsistent, caused	consistent, controled	-0.189	0.453	39	-0.418	-0.137	1.000
	control, controled	2.881	0.343	39	8.407	2.091	< .001
	inconsistent, controled	1.992	0.339	39	5.878	1.446	< .001
	consistent, predicted	-0.631	0.411	39	-1.534	-0.458	1.000
	control, predicted	1.770	0.348	39	5.082	1.285	< .001
	inconsistent, predicted	1.620	0.332	39	4.886	1.176	< .001
consistent, controled	control, controled	3.070	0.316	39	9.731	2.228	< .001
	inconsistent, controled	2.181	0.308	39	7.072	1.583	< .001
	consistent, predicted	-0.442	0.209	39	-2.119	-0.321	1.000
	control, predicted	1.959	0.366	39	5.354	1.422	< .001
	inconsistent, predicted	1.809	0.326	39	5.557	1.313	< .001
control, controled	inconsistent, controled	-0.889	0.214	39	-4.146	-0.645	0.006
	consistent, predicted	-3.513	0.258	39	-13.593	-2.549	< .001
	control, predicted	-1.111	0.179	39	-6.203	-0.806	< .001
	inconsistent, predicted	-1.261	0.218	39	-5.792	-0.915	< .001
inconsistent, controled	consistent, predicted	-2.623	0.320	39	-8.196	-1.904	< .001
	control, predicted	-0.222	0.303	39	-0.731	-0.161	1.000
	inconsistent, predicted	-0.372	0.157	39	-2.366	-0.270	0.829
consistent, predicted	control, predicted	2.402	0.254	39	9.442	1.743	< .001
	inconsistent, predicted	2.252	0.304	39	7.395	1.634	< .001
control, predicted	inconsistent, predicted	-0.150	0.253	39	-0.593	-0.109	1.000

Note. P-value adjusted for comparing a family of 36 estimates.

		Mean Difference	SE	df	t	Cohen's d	P _{bonf}
caused	controled	1.108	0.197	39	5.633	0.804	< .001
	predicted	0.467	0.186	39	2.515	0.339	0.048
controled	predicted	-0.642	0.144	39	-4.452	-0.466	< .001

Note. P-value adjusted for comparing a family of 3 estimates.
Note. Results are averaged over the levels of: Consistency


Descriptive Statistics RT

Descriptive Statistics


		95% Confidence Interval Mean			Std. Deviation	Shapiro-Wilk	P-value of Shapiro-Wilk	Minimum	Maximum
	Valid	Mean	Upper	Lower					
congruent.consistent	40	495.878	522.169	469.588	82.205	0.971	0.376	343.190	681.000
congruent.control	40	517.442	548.919	485.964	98.423	0.958	0.141	339.923	811.704
congruent.inconsistent	40	509.408	537.541	481.275	87.966	0.970	0.359	357.259	701.000
incongruent.consistent	40	511.543	536.981	486.105	79.539	0.962	0.190	374.160	666.286
incongruent.control	40	530.034	557.232	502.836	85.043	0.958	0.141	383.348	723.739
incongruent.inconsistent	40	512.904	537.889	487.919	78.123	0.979	0.657	343.682	655.194
diff_consistent	40	15.664	24.466	6.862	27.522	0.974	0.479	-45.962	82.240
diff_control	40	12.592	24.754	0.431	38.026	0.966	0.271	-87.965	99.237
diff_inconsistent	40	3.496	14.178	-7.187	33.403	0.983	0.800	-60.320	74.267

Dot Plots


congruent.consistent




congruent.control




congruent.inconsistent




incongruent.consistent




incongruent.control




incongruent.inconsistent




diff_consistent



diff_control



diff_inconsistent



Repeated Measures ANOVA

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	η^2_p
gaze	None	6721.432	1.000	6721.432	12.346	0.001	0.240
Residuals	None	21233.221	39.000	544.442			
action	None	16395.434 ^a	2.000 ^a	8197.717 ^a	5.050 ^a	0.009 ^a	0.115
	Greenhouse-Geisser	16395.434	1.416	11579.638	5.050	0.018	0.115
Residuals	None	126622.114	78.000	1623.360			
	Greenhouse-Geisser	126622.114	55.220	2293.069			
gaze * action	None	1601.789	2.000	800.894	1.436	0.244	0.036
	Greenhouse-Geisser	1601.789	1.995	803.061	1.436	0.244	0.036
Residuals	None	43491.377	78.000	557.582			
	Greenhouse-Geisser	43491.377	77.790	559.090			

Note. Sphericity corrections not available for factors with 2 levels.
Note. Type III Sum of Squares
^a Mauchly's test of sphericity indicates that the assumption of sphericity is violated (p < .05).

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p
Residuals	1,519×10 ⁺⁶	39	38938.492		

Note. Type III Sum of Squares

Post Hoc Tests

Post Hoc Comparisons - action

		95% CI for Mean Difference							95% CI for Cohen's d		
		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	Pbonf
consistent	control	-20.027	-37.482	-2.572	6.977	39	-2.870	-0.234	-0.449	-0.020	0.020
	inconsistent	-7.446	-17.159	2.268	3.883	39	-1.918	-0.087	-0.203	0.029	0.188
control	inconsistent	12.582	-6.469	31.632	7.615	39	1.652	0.147	-0.080	0.374	0.320

Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).
Note. Results are averaged over the levels of: gaze

Post Hoc Comparisons - gaze * action

		95% CI for Mean Difference							95% CI for Cohen's d		
		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	P _{bonf}
congruent, consistent	incongruent, consistent	-15.664	-29.271	-2.058	4.352	39	-3.600	-0.183	-0.355	-0.011	0.013
	congruent, control	-21.563	-46.814	3.688	8.075	39	-2.670	-0.252	-0.561	0.056	0.165
	incongruent, control	-34.156	-58.077	-10.234	7.650	39	-4.465	-0.400	-0.713	-0.086	0.001
	congruent, inconsistent	-13.530	-27.613	0.552	4.504	39	-3.004	-0.158	-0.332	0.016	0.070
	incongruent, inconsistent	-17.026	-31.058	-2.993	4.488	39	-3.794	-0.199	-0.378	-0.021	0.008
incongruent, consistent	congruent, control	-5.899	-31.579	19.781	8.213	39	-0.718	-0.069	-0.370	0.232	1.000
	incongruent, control	-18.491	-42.434	5.451	7.657	39	-2.415	-0.216	-0.507	0.074	0.308
	congruent, inconsistent	2.134	-14.395	18.663	5.286	39	0.404	0.025	-0.169	0.219	1.000
	incongruent, inconsistent	-1.361	-20.832	18.109	6.227	39	-0.219	-0.016	-0.244	0.212	1.000
congruent, control	incongruent, control	-12.592	-31.393	6.208	6.013	39	-2.094	-0.147	-0.373	0.079	0.642
	congruent, inconsistent	8.033	-20.367	36.434	9.083	39	0.884	0.094	-0.240	0.428	1.000
	incongruent, inconsistent	4.538	-23.735	32.810	9.042	39	0.502	0.053	-0.278	0.384	1.000
incongruent, control	congruent, inconsistent	20.626	-5.538	46.789	8.367	39	2.465	0.241	-0.076	0.559	0.273
	incongruent, inconsistent	17.130	-7.440	41.700	7.858	39	2.180	0.200	-0.096	0.496	0.530
congruent, inconsistent	incongruent, inconsistent	-3.496	-20.010	13.019	5.281	39	-0.662	-0.041	-0.235	0.153	1.000

Note. P-value and confidence intervals adjusted for comparing a family of 15 estimates (confidence intervals corrected using the bonferroni method).

Repeated Measures ANCOVA

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	η_p^2
gaze	None	1962.295	1.000	1962.295	3.524	0.068	0.085
gaze * AC_action_start_time	None	71.161	1.000	71.161	0.128	0.723	0.003
Residuals	None	21162.060	38.000	556.896			
action	None	5593.669 ^a	2.000 ^a	2796.834 ^a	1.970 ^a	0.146 ^a	0.049
	Greenhouse-Geisser	5593.669	1.496	3739.931	1.970	0.159	0.049
action * AC_action_start_time	None	18742.497 ^a	2.000 ^a	9371.249 ^a	6.602 ^a	0.002 ^a	0.148
	Greenhouse-Geisser	18742.497	1.496	12531.246	6.602	0.006	0.148
Residuals	None	107879.617	76.000	1419.469			
	Greenhouse-Geisser	107879.617	56.835	1898.115			
gaze * action	None	3489.845	2.000	1744.923	3.205	0.046	0.078
	Greenhouse-Geisser	3489.845	1.999	1745.594	3.205	0.046	0.078
gaze * action * AC_action_start_time	None	2120.331	2.000	1060.166	1.948	0.150	0.049
	Greenhouse-Geisser	2120.331	1.999	1060.573	1.948	0.150	0.049
Residuals	None	41371.046	76.000	544.356			
	Greenhouse-Geisser	41371.046	75.971	544.565			

Note. Sphericity corrections not available for factors with 2 levels.
Note. Type III Sum of Squares
^a Mauchly's test of sphericity indicates that the assumption of sphericity is violated ($p < .05$).


Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p
AC_action_start_time	75012.170	1	75012.170	1.975	0.168
Residuals	1.444×10 ⁺⁶	38	37989.185		

Note. Type III Sum of Squares

Descriptives

Descriptives plots



Post Hoc Tests

Post Hoc Comparisons - action

		95% CI for Mean Difference							95% CI for Cohen's d		
		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	P _{bonf}
consistent	control	−20.027	−36.159	−3.896	6.441	38	−3.109	−0.238	−0.442	−0.034	0.011
	inconsistent	−7.446	−17.279	2.388	3.926	38	−1.896	−0.088	−0.208	0.031	0.197
control	inconsistent	12.582	−5.051	30.214	7.040	38	1.787	0.150	−0.064	0.363	0.246

Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).
Note. Results are averaged over the levels of: gaze

Post Hoc Comparisons - gaze * action

		Mean Difference	95% CI for Mean Difference			df	t	Cohen's d	95% CI for Cohen's d		P _{bonf}
			Lower	Upper	SE				Lower	Upper	
congruent, consistent	incongruent, consistent	−15.664	−28.961	−2.368	4.245	38	−3.690	−0.186	−0.358	−0.015	0.011
	congruent, control	−21.563	−45.913	2.786	7.774	38	−2.774	−0.256	−0.560	0.047	0.128
	incongruent, control	−34.156	−57.535	−10.777	7.464	38	−4.576	−0.406	−0.720	−0.092	< .001
	congruent, inconsistent	−13.530	−27.134	0.074	4.343	38	−3.115	−0.161	−0.333	0.011	0.052
	incongruent, inconsistent	−17.026	−31.240	−2.812	4.538	38	−3.752	−0.202	−0.386	−0.018	0.009
incongruent, consistent	congruent, control	−5.899	−29.182	17.384	7.433	38	−0.794	−0.070	−0.348	0.208	1.000
	incongruent, control	−18.491	−40.516	3.533	7.032	38	−2.630	−0.220	−0.493	0.054	0.184
	congruent, inconsistent	2.134	−14.627	18.895	5.351	38	0.399	0.025	−0.174	0.225	1.000
	incongruent, inconsistent	−1.361	−20.912	18.189	6.242	38	−0.218	−0.016	−0.249	0.216	1.000
congruent, control	incongruent, control	−12.592	−31.616	6.431	6.074	38	−2.073	−0.150	−0.382	0.083	0.675
	congruent, inconsistent	8.033	−18.002	34.069	8.312	38	0.966	0.095	−0.216	0.407	1.000
	incongruent, inconsistent	4.538	−22.754	31.829	8.713	38	0.521	0.054	−0.271	0.379	1.000
incongruent, control	congruent, inconsistent	20.626	−3.578	44.829	7.727	38	2.669	0.245	−0.056	0.546	0.167
	incongruent, inconsistent	17.130	−6.680	40.939	7.601	38	2.254	0.204	−0.089	0.496	0.451
congruent, inconsistent	incongruent, inconsistent	−3.496	−19.883	12.891	5.232	38	−0.668	−0.042	−0.237	0.154	1.000

Note. P-value and confidence intervals adjusted for comparing a family of 15 estimates (confidence intervals corrected using the bonferroni method).

Correlation

Pearson's Correlations

Variable		congruent.consistent	congruent.control	congruent.inconsistent	incongruent.consistent	incongruent.control	AC_action_start_time	q.Consist-q.Control
1. congruent.consistent	Pearson's r	—						
	p-value	—						
2. congruent.control	Pearson's r	0.855	—					
	p-value	< .001	—					
3. congruent.inconsistent	Pearson's r	0.946	0.816	—				
	p-value	< .001	< .001	—				
4. incongruent.consistent	Pearson's r	0.943	0.850	0.925	—			
	p-value	< .001	< .001	< .001	—			
5. incongruent.control	Pearson's r	0.833	0.924	0.813	0.829	—		
	p-value	< .001	< .001	< .001	< .001	—		
6. AC_action_start_time	Pearson's r	0.195	0.325	0.083	0.109	0.342	—	
	p-value	0.227	0.041	0.609	0.505	0.031	—	
7. q.Consist-q.Control	Pearson's r	−0.055	−0.057	−0.049	−0.056	−0.050	0.028	—
	p-value	0.735	0.726	0.765	0.733	0.759	0.863	—
8. SoA_explicit_level	Pearson's r	0.109	0.117	0.106	0.111	0.070	0.074	0.850
	p-value	0.505	0.473	0.516	0.497	0.669	0.650	< .001

Pearson's r heatmap

