

Results


Descriptive Statistics Questions

Descriptive Statistics


	Mean	Std. Deviation	Minimum	Maximum
consistent.caused	5.734	1.223	2.125	7.000
consistent.controlled	4.608	1.656	1.188	7.000
consistent.predicted	5.050	1.331	2.188	7.000
inconsistent.caused	4.419	1.957	1.000	7.000
inconsistent.controlled	2.427	1.351	1.000	6.125
inconsistent.predicted	2.798	1.352	1.000	5.688
control.caused	1.744	1.097	1.000	5.188
control.controlled	1.538	0.884	1.000	5.125
control.predicted	2.648	1.268	1.000	5.125

Distribution Plots


consistent.caused




consistent.controlled




consistent.predicted




inconsistent.caused




inconsistent.controlled




inconsistent.predicted




control.caused



control.controlled




control.predicted



Dot Plots


Maybe we were not able to establish a greater sence of agency

consistent.caused




consistent.caused

consistent.controlled




consistent.controlled

consistent.predicted




consistent.predicted

inconsistent.caused




inconsistent.caused


inconsistent.controlled




inconsistent.predicted




control.caused



control.controlled



control.predicted



ANOVA Q.Caused

Within Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	η^2_p
Consistency	330.821	2	165.411	86.448	< .001	0.689
Residuals	149.247	78	1.913			

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p
Residuals	105.470	39	2.704		


Note. Type III Sum of Squares

Descriptives

Descriptives

Consistency	N	Mean	SD	SE	Coefficient of variation
consistent	40	5.734	1.223	0.193	0.213
control	40	1.744	1.097	0.173	0.629
inconsistent	40	4.419	1.957	0.309	0.443

Descriptives plots



Post Hoc Tests

Post Hoc Comparisons - Consistency

		Mean Difference	SE	df	t	Cohen's d	P _{bonf}
consistent	control	3.991	0.287	39	13.911	2.705	< .001
	inconsistent	1.316	0.294	39	4.481	0.892	< .001
control	inconsistent	-2.675	0.344	39	-7.770	-1.813	< .001

Note. P-value adjusted for comparing a family of 3 estimates.

ANOVA Q.Controlled

Within Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	η^2_p
Consistency	199.668 ^a	2 ^a	99.834 ^a	62.218 ^a	< .001 ^a	0.615
Residuals	125.157	78	1.605			

Note. Type III Sum of Squares

^a Mauchly's test of sphericity indicates that the assumption of sphericity is violated ($p < .05$).

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p
Residuals	83.496	39	2.141		

Note. Type III Sum of Squares

Descriptives

Descriptives

Consistency	N	Mean	SD	SE	Coefficient of variation
consistent	40	4.608	1.656	0.262	0.359
control	40	1.538	0.884	0.140	0.575
inconsistent	40	2.427	1.351	0.214	0.557

Post Hoc Tests

Post Hoc Comparisons - Consistency

		Mean Difference	SE	df	t	Cohen's d	P _{bonf}
consistent	control	3.070	0.316	39	9.731	2.299	< .001
	inconsistent	2.181	0.308	39	7.072	1.633	< .001
control	inconsistent	-0.889	0.214	39	-4.146	-0.666	< .001

Note. P-value adjusted for comparing a family of 3 estimates.

ANOVA Q.Predicted

Within Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	η^2_p
Consistency	144.794	2	72.397	49.075	< .001	0.557
Residuals	115.068	78	1.475			

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p
Residuals	88.021	39	2.257		

Note. Type III Sum of Squares

Descriptives

Descriptives

Consistency	N	Mean	SD	SE	Coefficient of variation
consistent	40	5.050	1.331	0.210	0.263
control	40	2.648	1.268	0.201	0.479
inconsistent	40	2.798	1.352	0.214	0.483

Post Hoc Tests

Post Hoc Comparisons - Consistency

		Mean Difference	SE	df	t	Cohen's d	P _{bonf}
consistent	control	2.402	0.254	39	9.442	1.823	< .001
	inconsistent	2.252	0.304	39	7.395	1.709	< .001
control	inconsistent	-0.150	0.253	39	-0.593	-0.114	1.000

Note. P-value adjusted for comparing a family of 3 estimates.

rANOVA all questions

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	η^2_p
Consistency	None	606.123	2.000	303.062	85.736	< .001	0.687
	Greenhouse-Geisser	606.123	1.859	326.044	85.736	< .001	0.687
Residuals	None	275.715	78.000	3.535			
	Greenhouse-Geisser	275.715	72.502	3.803			
Question type	None	74.317	2.000	37.158	19.780	< .001	0.337
	Greenhouse-Geisser	74.317	1.787	41.595	19.780	< .001	0.337
Residuals	None	146.530	78.000	1.879			
	Greenhouse-Geisser	146.530	69.681	2.103			
Consistency * Question type	None	69.160 ^a	4.000 ^a	17.290 ^a	23.711 ^a	< .001 ^a	0.378
	Greenhouse-Geisser	69.160	2.436	28.387	23.711	< .001	0.378
Residuals	None	113.757	156.000	0.729			
	Greenhouse-Geisser	113.757	95.016	1.197			

Note. Type III Sum of Squares

^a Mauchly's test of sphericity indicates that the assumption of sphericity is violated ($p < .05$).

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p
Residuals	130.457	39	3.345		

Note. Type III Sum of Squares


Descriptives

Descriptives


Consistency	Question type	N	Mean	SD	SE	Coefficient of variation
consistent	caused	40	5.734	1.223	0.193	0.213
	controlled	40	4.608	1.656	0.262	0.359
	predicted	40	5.050	1.331	0.210	0.263
control	caused	40	1.744	1.097	0.173	0.629
	controlled	40	1.538	0.884	0.140	0.575
	predicted	40	2.648	1.268	0.201	0.479
inconsistent	caused	40	4.419	1.957	0.309	0.443
	controlled	40	2.427	1.351	0.214	0.557
	predicted	40	2.798	1.352	0.214	0.483

Descriptives plots


Question type: caused



Question type: controlled



Question type: predicted



Post Hoc Tests

Post Hoc Comparisons - Consistency

		Mean Difference	SE	df	t	Cohen's d	P _{bonf}
consistent	control	3.154	0.249	39	12.668	2.289	< .001
	inconsistent	1.916	0.267	39	7.183	1.391	< .001
control	inconsistent	-1.238	0.209	39	-5.931	-0.898	< .001

Note. P-value adjusted for comparing a family of 3 estimates.

Note. Results are averaged over the levels of: Question type

		Mean Difference	SE	df	t	Cohen's d	P _{bonf}
consistent, caused	control, caused	3.991	0.287	39	13.911	2.896	< .001
	inconsistent, caused	1.316	0.294	39	4.481	0.955	0.002
	consistent, controled	1.127	0.264	39	4.261	0.818	0.004
	control, controled	4.197	0.270	39	15.548	3.046	< .001
	inconsistent, controled	3.308	0.323	39	10.254	2.401	< .001
	consistent, predicted	0.684	0.227	39	3.014	0.497	0.163
	control, predicted	3.086	0.285	39	10.834	2.240	< .001
	inconsistent, predicted	2.936	0.307	39	9.565	2.131	< .001
control, caused	inconsistent, caused	-2.675	0.344	39	-7.770	-1.941	< .001
	consistent, controled	-2.864	0.349	39	-8.211	-2.078	< .001
	control, controled	0.206	0.102	39	2.014	0.150	1.000
	inconsistent, controled	-0.683	0.244	39	-2.793	-0.496	0.290
	consistent, predicted	-3.306	0.293	39	-11.272	-2.399	< .001
	control, predicted	-0.905	0.208	39	-4.342	-0.657	0.004
	inconsistent, predicted	-1.055	0.248	39	-4.259	-0.765	0.005
inconsistent, caused	consistent, controled	-0.189	0.453	39	-0.418	-0.137	1.000
	control, controled	2.881	0.343	39	8.407	2.091	< .001
	inconsistent, controled	1.992	0.339	39	5.878	1.446	< .001
	consistent, predicted	-0.631	0.411	39	-1.534	-0.458	1.000
	control, predicted	1.770	0.348	39	5.082	1.285	< .001
	inconsistent, predicted	1.620	0.332	39	4.886	1.176	< .001
consistent, controled	control, controled	3.070	0.316	39	9.731	2.228	< .001
	inconsistent, controled	2.181	0.308	39	7.072	1.583	< .001
	consistent, predicted	-0.442	0.209	39	-2.119	-0.321	1.000
	control, predicted	1.959	0.366	39	5.354	1.422	< .001
	inconsistent, predicted	1.809	0.326	39	5.557	1.313	< .001
control, controled	inconsistent, controled	-0.889	0.214	39	-4.146	-0.645	0.006
	consistent, predicted	-3.513	0.258	39	-13.593	-2.549	< .001
	control, predicted	-1.111	0.179	39	-6.203	-0.806	< .001
	inconsistent, predicted	-1.261	0.218	39	-5.792	-0.915	< .001
inconsistent, controled	consistent, predicted	-2.623	0.320	39	-8.196	-1.904	< .001
	control, predicted	-0.222	0.303	39	-0.731	-0.161	1.000

Note. P-value adjusted for comparing a family of 36 estimates.

*Post Hoc Comparisons - Consistency * Question type*

		Mean Difference	SE	df	t	Cohen's d	P _{bonf}
	inconsistent, predicted	-0.372	0.157	39	-2.366	-0.270	0.829
consistent, predicted	control, predicted	2.402	0.254	39	9.442	1.743	< .001
	inconsistent, predicted	2.252	0.304	39	7.395	1.634	< .001
control, predicted	inconsistent, predicted	-0.150	0.253	39	-0.593	-0.109	1.000

Note. P-value adjusted for comparing a family of 36 estimates.

Post Hoc Comparisons - Question type

		Mean Difference	SE	df	t	Cohen's d	P _{bonf}
caused	controled	1.108	0.197	39	5.633	0.804	< .001
	predicted	0.467	0.186	39	2.515	0.339	0.048
controled	predicted	-0.642	0.144	39	-4.452	-0.466	< .001

Note. P-value adjusted for comparing a family of 3 estimates.

Note. Results are averaged over the levels of: Consistency