

Results

Repeated Measures ANOVA

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	η^2	η^2_p
gaze	None	0.096	1.000	0.096	49.565	< .001	0.004	0.269
gaze * Experiment	None	0.001	2.000	6.511×10^{-4}	0.335	0.716	5.400×10^{-5}	0.005
Residuals	None	0.262	135.000	0.002				
action	None	0.155 ^a	2.000 ^a	0.077 ^a	18.300 ^a	< .001 ^a	0.006	0.119
	Greenhouse-Geisser	0.155	1.461	0.106	18.300	< .001	0.006	0.119
action * Experiment	None	0.014 ^a	4.000 ^a	0.004 ^a	0.830 ^a	0.507 ^a	5.819×10^{-4}	0.012
	Greenhouse-Geisser	0.014	2.922	0.005	0.830	0.476	5.819×10^{-4}	0.012
Residuals	None	1.141	270.000	0.004				
	Greenhouse-Geisser	1.141	197.266	0.006				
gaze * action	None	0.140 ^a	2.000 ^a	0.070 ^a	29.503 ^a	< .001 ^a	0.006	0.179
	Greenhouse-Geisser	0.140	1.885	0.074	29.503	< .001	0.006	0.179
gaze * action * Experiment	None	0.030 ^a	4.000 ^a	0.007 ^a	3.112 ^a	0.016 ^a	0.001	0.044
	Greenhouse-Geisser	0.030	3.770	0.008	3.112	0.018	0.001	0.044
Residuals	None	0.642	270.000	0.002				
	Greenhouse-Geisser	0.642	254.471	0.003				

Note. Sphericity corrections not available for factors with 2 levels.

Note. Type III Sum of Squares

^a Mauchly's test of sphericity indicates that the assumption of sphericity is violated (p < .05).


Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	η^2	η^2_p
Experiment	0.026	2	0.013	0.082	0.922	0.001	0.001
Residuals	21.605	135	0.160				


Note. Type III Sum of Squares

Descriptives plots


Experiment: 1



Experiment: 2



Experiment: 3



Post Hoc Tests

Post Hoc Comparisons - action

			95% CI for Mean Difference			df	t	Cohen's d	95% CI for Cohen's d			P _{bonf}	P _{holm}
		Mean Difference	Lower	Upper	SE				Lower	Upper			
cons	incons	-2.710×10 ⁻⁴	-0.009	0.008	0.003	135	-0.078	-0.002	-0.051	0.048	1.000	0.938	
	ctrl	-0.029	-0.044	-0.014	0.006	135	-4.651	-0.171	-0.264	-0.078	< .001	< .001	
incons	ctrl	-0.029	-0.044	-0.013	0.006	135	-4.529	-0.169	-0.264	-0.075	< .001	< .001	

Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).

Note. Results are averaged over the levels of: Experiment, gaze

Post Hoc Comparisons - gaze * action - Conditional on gaze

			95% CI for Mean Difference			df	t	Cohen's d	95% CI for Cohen's d			P _{bonf}	P _{holm}
gaze		Mean Difference	Lower	Upper	SE				Lower	Upper			
congr	cons	incons	-0.031	-0.044	-0.018	0.005	135	-5.623	-0.180	-0.282	-0.079	< .001	< .001
		ctrl	-0.036	-0.055	-0.018	0.008	135	-4.813	-0.212	-0.350	-0.075	< .001	< .001
	incons	ctrl	-0.005	-0.024	0.013	0.008	135	-0.704	-0.032	-0.168	0.104	1.000	0.483
incongr	cons	incons	0.030	0.016	0.045	0.006	135	5.104	0.177	0.069	0.286	< .001	< .001
		ctrl	-0.022	-0.039	-0.005	0.007	135	-3.177	-0.130	-0.254	-0.005	0.006	0.002
	incons	ctrl	-0.052	-0.071	-0.034	0.008	135	-6.901	-0.307	-0.451	-0.163	< .001	< .001

Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).

Note. Results are averaged over the levels of: Experiment

Post Hoc Comparisons - gaze * action - Conditional on action

			95% CI for Mean Difference			df	t	Cohen's d	95% CI for Cohen's d			P _{bonf}	P _{holm}
action		Mean Difference	Lower	Upper	SE				Lower	Upper			
cons	congr	incongr	-0.047	-0.057	-0.036	0.005	135	-9.027	-0.273	-0.377	-0.170	< .001	< .001
incons		incongr	0.014	0.002	0.027	0.006	135	2.236	0.084	-0.029	0.198	0.027	0.027
ctrl		incongr	-0.033	-0.043	-0.022	0.005	135	-5.992	-0.191	-0.292	-0.089	< .001	< .001

Note. Results are averaged over the levels of: Experiment

Post Hoc Comparisons - Experiment

			95% CI for Mean Difference			df	t	Cohen's d	95% CI for Cohen's d			P _{bonf}	P _{holm}
		Mean Difference	Lower	Upper	SE				Lower	Upper			
Experiment1	Experiment2	0.005	-0.079	0.089	0.035	135	0.138	0.028	-0.465	0.521	1.000	1.000	
	Experiment3	-0.008	-0.092	0.075	0.035	135	-0.245	-0.049	-0.540	0.441	1.000	1.000	
Experiment2	Experiment3	-0.013	-0.094	0.067	0.033	135	-0.399	-0.077	-0.548	0.393	1.000	1.000	

Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).

Note. Results are averaged over the levels of: action, gaze

Post Hoc Comparisons - Experiment * gaze - Conditional on Experiment

			95% CI for Mean Difference			df	t	Cohen's d	95% CI for Cohen's d			P _{bonf}	P _{holm}
Experiment		Mean Difference	Lower	Upper	SE				Lower	Upper			
1	congr	incongr	-0.025	-0.036	-0.014	0.006	135	-4.491	-0.148	-0.250	-0.046	< .001	< .001
2		incongr	-0.019	-0.030	-0.009	0.005	135	-3.715	-0.113	-0.206	-0.020	< .001	< .001
3		incongr	-0.020	-0.031	-0.010	0.005	135	-3.963	-0.119	-0.212	-0.027	< .001	< .001

Note. Results are averaged over the levels of: action

gaze			Mean Difference	95% CI for Mean Difference			SE	df	t	Cohen's d	95% CI for Cohen's d		
				Lower	Upper						Lower	Upper	P _{bonf}
congr	Experiment1	Experiment2	0.002	-0.083	0.086	0.035	135	0.052	0.011	-0.600	0.621	1.000	1.000
		Experiment3	-0.011	-0.095	0.073	0.035	135	-0.313	-0.064	-0.671	0.544	1.000	1.000
	Experiment2	Experiment3	-0.013	-0.093	0.068	0.033	135	-0.381	-0.074	-0.657	0.509	1.000	1.000
incongr	Experiment1	Experiment2	0.008	-0.077	0.093	0.035	135	0.222	0.045	-0.566	0.657	1.000	1.000
		Experiment3	-0.006	-0.090	0.078	0.035	135	-0.173	-0.035	-0.644	0.574	1.000	1.000
	Experiment2	Experiment3	-0.014	-0.095	0.067	0.033	135	-0.412	-0.081	-0.665	0.504	1.000	1.000

Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).

Note. Results are averaged over the levels of: action

Post Hoc Comparisons - Experiment * action - Conditional on Experiment

Experiment			95% CI for Mean Difference					95% CI for Cohen's d					
			Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	P _{bonf}	P _{holm}
1	cons	incons	-0.010	-0.026	0.005	0.006	135	-1.649	-0.061	-0.184	0.061	0.305	0.103
		ctrl	-0.033	-0.061	-0.006	0.011	135	-2.911	-0.196	-0.419	0.027	0.013	0.013
	incons	ctrl	-0.023	-0.051	0.005	0.012	135	-1.963	-0.134	-0.359	0.091	0.155	0.103
2	cons	incons	0.006	-0.009	0.020	0.006	135	0.942	0.032	-0.080	0.145	1.000	0.348
		ctrl	-0.034	-0.060	-0.008	0.011	135	-3.220	-0.200	-0.407	0.007	0.005	0.003
	incons	ctrl	-0.040	-0.066	-0.014	0.011	135	-3.678	-0.233	-0.444	-0.021	0.001	0.001
3	cons	incons	0.004	-0.010	0.018	0.006	135	0.711	0.024	-0.087	0.136	1.000	0.478
		ctrl	-0.020	-0.046	0.005	0.011	135	-1.906	-0.117	-0.319	0.085	0.176	0.118
	incons	ctrl	-0.024	-0.050	0.002	0.011	135	-2.260	-0.141	-0.348	0.065	0.076	0.076

Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).

Note. Results are averaged over the levels of: gaze

Post Hoc Comparisons - Experiment * action - Conditional on action

action			Mean Difference	95% CI for Mean Difference			SE	df	t	Cohen's d	95% CI for Cohen's d		Pbonf	Pholm
				Lower	Upper	Lower					Upper			
cons	Experiment1	Experiment2	-3.160×10 ⁻⁴	-0.087	0.087	0.036	135	-0.009	-0.002	-0.689	0.685	1.000	1.000	
		Experiment3	-0.018	-0.105	0.069	0.036	135	-0.498	-0.104	-0.788	0.580	1.000	1.000	
	Experiment2	Experiment3	-0.017	-0.101	0.066	0.034	135	-0.510	-0.102	-0.758	0.554	1.000	1.000	
incons	Experiment1	Experiment2	0.016	-0.069	0.101	0.035	135	0.449	0.092	-0.577	0.761	1.000	1.000	
		Experiment3	-0.003	-0.088	0.081	0.035	135	-0.091	-0.019	-0.684	0.647	1.000	1.000	
	Experiment2	Experiment3	-0.019	-0.100	0.062	0.033	135	-0.565	-0.111	-0.750	0.528	1.000	1.000	
ctrl	Experiment1	Experiment2	-0.001	-0.088	0.086	0.036	135	-0.030	-0.006	-0.693	0.681	1.000	1.000	
		Experiment3	-0.004	-0.091	0.082	0.036	135	-0.123	-0.026	-0.710	0.658	1.000	1.000	
	Experiment2	Experiment3	-0.003	-0.087	0.080	0.034	135	-0.097	-0.019	-0.676	0.637	1.000	1.000	

Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).

Note. Results are averaged over the levels of: gaze

Experiment			Mean Difference	95% CI for Mean Difference			df	t	Cohen's d	95% CI for Cohen's d				
				Lower	Upper	SE				Lower	Upper	Pbonf	Pholm	
1	congr, cons	incongr, cons	-0.032	-0.060	-0.003	0.009	135	-3.349	-0.186	-0.394	0.023	0.016	0.012	
			congr, incons	-0.021	-0.051	0.009	0.010	135	-2.114	-0.124	-0.342	0.094	0.545	0.254
			incongr, incons	-0.032	-0.058	-0.005	0.009	135	-3.603	-0.184	-0.378	0.009	0.007	0.006
			congr, ctrl	-0.032	-0.074	0.009	0.014	135	-2.351	-0.190	-0.491	0.111	0.302	0.161
			incongr, ctrl	-0.066	-0.105	-0.027	0.013	135	-5.040	-0.387	-0.683	-0.091	< .001	< .001
	incongr, cons	congr, incons	0.011	-0.019	0.040	0.010	135	1.075	0.061	-0.150	0.273	1.000	1.000	
			incongr, incons	2.002×10 ⁻⁴	-0.032	0.033	0.011	135	0.018	0.001	-0.233	0.235	1.000	1.000
			congr, ctrl	-7.349×10 ⁻⁴	-0.042	0.041	0.014	135	-0.053	-0.004	-0.303	0.294	1.000	1.000
		incongr, ctrl	-0.034	-0.073	0.004	0.013	135	-2.703	-0.202	-0.480	0.077	0.116	0.077	
	congr, incons	incongr, incons	-0.010	-0.045	0.025	0.012	135	-0.876	-0.060	-0.315	0.194	1.000	1.000	
			congr, ctrl	-0.011	-0.054	0.031	0.014	135	-0.790	-0.066	-0.373	0.242	1.000	1.000
			incongr, ctrl	-0.045	-0.084	-0.006	0.013	135	-3.418	-0.263	-0.553	0.027	0.013	0.011
	incongr, incons	congr, ctrl	-9.351×10 ⁻⁴	-0.045	0.043	0.015	135	-0.064	-0.005	-0.322	0.311	1.000	1.000	
			incongr, ctrl	-0.035	-0.076	0.007	0.014	135	-2.494	-0.203	-0.506	0.101	0.208	0.125
			congr, ctrl	-0.034	-0.063	-0.004	0.010	135	-3.392	-0.197	-0.416	0.022	0.014	0.011
2	congr, cons	incongr, cons	-0.058	-0.084	-0.031	0.009	135	-6.586	-0.337	-0.541	-0.134	< .001	< .001	
			congr, incons	-0.035	-0.063	-0.008	0.009	135	-3.808	-0.207	-0.412	-0.001	0.003	0.002
			incongr, incons	-0.011	-0.035	0.013	0.008	135	-1.393	-0.066	-0.241	0.109	1.000	0.556
			congr, ctrl	-0.051	-0.089	-0.013	0.013	135	-3.989	-0.298	-0.581	-0.014	0.002	0.001
			incongr, ctrl	-0.075	-0.111	-0.039	0.012	135	-6.195	-0.440	-0.720	-0.160	< .001	< .001
	incongr, cons	congr, incons	0.022	-0.005	0.049	0.009	135	2.474	0.131	-0.066	0.328	0.219	0.088	
			incongr, incons	0.046	0.016	0.076	0.010	135	4.624	0.271	0.047	0.496	< .001	< .001
			congr, ctrl	0.007	-0.031	0.045	0.013	135	0.529	0.040	-0.237	0.316	1.000	0.597
		incongr, ctrl	-0.018	-0.053	0.018	0.012	135	-1.488	-0.103	-0.358	0.153	1.000	0.556	
	congr, incons	incongr, incons	0.024	-0.008	0.057	0.011	135	2.211	0.141	-0.096	0.377	0.431	0.144	
			congr, ctrl	-0.016	-0.055	0.024	0.013	135	-1.184	-0.091	-0.376	0.193	1.000	0.556
			incongr, ctrl	-0.040	-0.076	-0.004	0.012	135	-3.280	-0.233	-0.501	0.034	0.020	0.012
	incongr, incons	congr, ctrl	-0.040	-0.080	9.230×10 ⁻⁴	0.014	135	-2.920	-0.232	-0.529	0.066	0.061	0.033	
			incongr, ctrl	-0.064	-0.102	-0.026	0.013	135	-4.977	-0.374	-0.664	-0.084	< .001	< .001
			congr, ctrl	-0.024	-0.052	0.003	0.009	135	-2.645	-0.142	-0.343	0.059	0.137	0.064
3	congr, cons	incongr, cons	-0.051	-0.077	-0.025	0.009	135	-5.872	-0.298	-0.496	-0.099	< .001	< .001	
			congr, incons	-0.036	-0.063	-0.009	0.009	135	-3.925	-0.211	-0.414	-0.007	0.002	0.001
			incongr, incons	-0.007	-0.030	0.017	0.008	135	-0.823	-0.039	-0.211	0.134	1.000	0.824
			congr, ctrl	-0.026	-0.063	0.012	0.013	135	-2.030	-0.150	-0.424	0.125	0.665	0.310
			incongr, ctrl	-0.065	-0.101	-0.029	0.012	135	-5.438	-0.382	-0.655	-0.109	< .001	< .001
	incongr, cons	congr, incons	0.015	-0.012	0.042	0.009	135	1.663	0.087	-0.107	0.281	1.000	0.493	
			incongr, incons	0.044	0.015	0.074	0.010	135	4.461	0.259	0.037	0.481	< .001	< .001
			congr, ctrl	0.025	-0.013	0.063	0.013	135	1.994	0.148	-0.127	0.423	0.722	0.310
		incongr, ctrl	-0.014	-0.049	0.020	0.012	135	-1.239	-0.085	-0.337	0.168	1.000	0.652	
	congr, incons	incongr, incons	0.029	-0.003	0.062	0.011	135	2.734	0.172	-0.063	0.408	0.107	0.064	
			congr, ctrl	0.010	-0.029	0.049	0.013	135	0.797	0.061	-0.221	0.342	1.000	0.824
			incongr, ctrl	-0.029	-0.065	0.007	0.012	135	-2.435	-0.172	-0.434	0.091	0.243	0.129
	incongr, incons	congr, ctrl	-0.019	-0.059	0.021	0.013	135	-1.418	-0.111	-0.402	0.179	1.000	0.634	

Note. P-value and confidence intervals adjusted for comparing a family of 15 estimates (confidence intervals corrected using the bonferroni method).

Experiment		Mean Difference	95% CI for Mean Difference			SE	df	t	Cohen's d	95% CI for Cohen's d		P _{bonf}	P _{holm}
			Lower	Upper						Lower	Upper		
	incongr, ctrl	-0.059	-0.097	-0.021	0.013	135	-4.620	-0.344	-0.629	-0.059		< .001	< .001
	congr, ctrl	incongr, ctrl	-0.040	-0.067	-0.013	0.009	135	-4.365	-0.232	-0.435	-0.029	< .001	< .001

Note. P-value and confidence intervals adjusted for comparing a family of 15 estimates (confidence intervals corrected using the bonferroni method).

gaze			Mean Difference	95% CI for Mean Difference			df	t	Cohen's d	95% CI for Cohen's d			Pbonf	Pholm
				Lower	Upper	SE				Lower	Upper			
congr	Experiment1, cons	Experiment2, cons	0.013	-0.107	0.133	0.037	135	0.344	0.074	-0.720	0.868	1.000	1.000	
		Experiment3, cons	-0.008	-0.128	0.111	0.037	135	-0.225	-0.048	-0.839	0.742	1.000	1.000	
		Experiment1, incons	-0.021	-0.054	0.012	0.010	135	-2.114	-0.124	-0.342	0.094	1.000	1.000	
		Experiment2, incons	-0.023	-0.140	0.095	0.036	135	-0.629	-0.132	-0.910	0.645	1.000	1.000	
		Experiment3, incons	-0.044	-0.161	0.073	0.036	135	-1.235	-0.259	-1.034	0.516	1.000	1.000	
		Experiment1, ctrl	-0.032	-0.077	0.013	0.014	135	-2.351	-0.190	-0.491	0.111	0.726	0.665	
		Experiment2, ctrl	-0.038	-0.159	0.082	0.037	135	-1.034	-0.224	-1.023	0.576	1.000	1.000	
		Experiment3, ctrl	-0.034	-0.154	0.086	0.037	135	-0.920	-0.198	-0.993	0.597	1.000	1.000	
		Experiment2, cons	Experiment3, cons	-0.021	-0.136	0.094	0.035	135	-0.594	-0.122	-0.881	0.637	1.000	1.000
	Experiment1, incons		-0.034	-0.151	0.083	0.036	135	-0.944	-0.198	-0.973	0.577	1.000	1.000	
	Experiment2, incons		-0.035	-0.066	-0.005	0.009	135	-3.808	-0.207	-0.412	-0.001	0.008	0.007	
		Experiment3, incons	-0.057	-0.169	0.055	0.034	135	-1.658	-0.333	-1.077	0.411	1.000	1.000	
		Experiment1, ctrl	-0.045	-0.166	0.076	0.037	135	-1.219	-0.264	-1.064	0.537	1.000	1.000	
		Experiment2, ctrl	-0.051	-0.092	-0.009	0.013	135	-3.989	-0.298	-0.581	-0.014	0.004	0.004	
		Experiment3, ctrl	-0.046	-0.162	0.069	0.035	135	-1.317	-0.272	-1.037	0.492	1.000	1.000	
		Experiment3, cons	Experiment1, incons	-0.013	-0.129	0.103	0.036	135	-0.364	-0.076	-0.846	0.694	1.000	1.000
			Experiment2, incons	-0.014	-0.126	0.098	0.034	135	-0.420	-0.084	-0.824	0.656	1.000	1.000
	Experiment3, incons		-0.036	-0.066	-0.006	0.009	135	-3.925	-0.211	-0.414	-0.007	0.005	0.005	
		Experiment1, ctrl	-0.024	-0.144	0.096	0.037	135	-0.658	-0.142	-0.937	0.654	1.000	1.000	
		Experiment2, ctrl	-0.030	-0.145	0.085	0.035	135	-0.849	-0.175	-0.939	0.588	1.000	1.000	
		Experiment3, ctrl	-0.026	-0.067	0.016	0.013	135	-2.030	-0.150	-0.424	0.125	1.000	1.000	
	Experiment1, incons	Experiment2, incons	-0.001	-0.116	0.113	0.035	135	-0.041	-0.008	-0.764	0.747	1.000	1.000	
		Experiment3, incons	-0.023	-0.137	0.091	0.035	135	-0.661	-0.135	-0.887	0.618	1.000	1.000	
		Experiment1, ctrl	-0.011	-0.058	0.035	0.014	135	-0.790	-0.066	-0.373	0.242	1.000	1.000	
		Experiment2, ctrl	-0.017	-0.135	0.101	0.036	135	-0.473	-0.100	-0.877	0.678	1.000	1.000	
		Experiment3, ctrl	-0.013	-0.130	0.104	0.036	135	-0.353	-0.074	-0.847	0.699	1.000	1.000	
		Experiment2, incons	Experiment3, incons	-0.022	-0.131	0.088	0.033	135	-0.646	-0.126	-0.848	0.596	1.000	1.000
	Experiment1, ctrl		-0.010	-0.128	0.108	0.036	135	-0.271	-0.057	-0.838	0.723	1.000	1.000	
	Experiment2, ctrl		-0.016	-0.059	0.027	0.013	135	-1.184	-0.091	-0.376	0.193	1.000	1.000	
		Experiment3, ctrl	-0.011	-0.124	0.101	0.034	135	-0.325	-0.066	-0.809	0.678	1.000	1.000	
		Experiment3, incons	Experiment1, ctrl	0.012	-0.106	0.129	0.036	135	0.327	0.069	-0.708	0.846	1.000	1.000
			Experiment2, ctrl	0.006	-0.107	0.119	0.034	135	0.174	0.035	-0.709	0.779	1.000	1.000
	Experiment3, ctrl		0.010	-0.032	0.053	0.013	135	0.797	0.061	-0.221	0.342	1.000	1.000	
	Experiment1, ctrl	Experiment2, ctrl	-0.006	-0.127	0.116	0.037	135	-0.155	-0.034	-0.836	0.768	1.000	1.000	
		Experiment3, ctrl	-0.001	-0.122	0.119	0.037	135	-0.038	-0.008	-0.806	0.790	1.000	1.000	
		Experiment2, ctrl	0.004	-0.111	0.120	0.035	135	0.123	0.026	-0.740	0.791	1.000	1.000	
incongr	Experiment1, cons	Experiment2, cons	-0.013	-0.132	0.105	0.036	135	-0.367	-0.078	-0.860	0.704	1.000	1.000	
		Experiment3, cons	-0.027	-0.145	0.090	0.036	135	-0.759	-0.160	-0.939	0.619	1.000	1.000	
		Experiment1, incons	2.002×10 ⁻⁴	-0.035	0.036	0.011	135	0.018	0.001	-0.233	0.235	1.000	1.000	
		Experiment2, incons	0.033	-0.086	0.152	0.036	135	0.907	0.194	-0.595	0.982	1.000	1.000	
		Experiment3, incons	0.017	-0.102	0.135	0.036	135	0.465	0.099	-0.685	0.883	1.000	1.000	
		Experiment1, ctrl	-0.034	-0.076	0.007	0.013	135	-2.703	-0.202	-0.480	0.077	0.279	0.248	
		Experiment2, ctrl	-0.031	-0.149	0.087	0.036	135	-0.853	-0.180	-0.961	0.601	1.000	1.000	

Note. P-value and confidence intervals adjusted for comparing a family of 36 estimates (confidence intervals corrected using the bonferroni method).

		Mean Difference	95% CI for Mean Difference			df	t	Cohen's d	95% CI for Cohen's d		P _{bonf}	P _{holm}
gaze			Lower	Upper	SE				Lower	Upper		
	Experiment3, ctrl	−0.042	−0.159	0.076	0.036	135	−1.163	−0.245	−1.023	0.533	1.000	1.000
Experiment2, cons	Experiment3, cons	−0.014	−0.127	0.099	0.035	135	−0.408	−0.083	−0.829	0.664	1.000	1.000
	Experiment1, incons	0.013	−0.106	0.133	0.037	135	0.369	0.079	−0.710	0.868	1.000	1.000
	Experiment2, incons	0.046	0.014	0.079	0.010	135	4.624	0.271	0.047	0.496	< .001	< .001
	Experiment3, incons	0.030	−0.084	0.144	0.035	135	0.865	0.177	−0.577	0.930	1.000	1.000
	Experiment1, ctrl	−0.021	−0.139	0.097	0.036	135	−0.586	−0.124	−0.904	0.656	1.000	1.000
	Experiment2, ctrl	−0.018	−0.056	0.021	0.012	135	−1.488	−0.103	−0.358	0.153	1.000	1.000
	Experiment3, ctrl	−0.029	−0.141	0.084	0.034	135	−0.827	−0.167	−0.913	0.578	1.000	1.000
Experiment3, cons	Experiment1, incons	0.028	−0.091	0.146	0.036	135	0.759	0.161	−0.624	0.947	1.000	1.000
	Experiment2, incons	0.060	−0.053	0.174	0.035	135	1.735	0.354	−0.403	1.111	1.000	1.000
	Experiment3, incons	0.044	0.012	0.077	0.010	135	4.461	0.259	0.037	0.481	< .001	< .001
	Experiment1, ctrl	−0.007	−0.124	0.110	0.036	135	−0.197	−0.041	−0.817	0.734	1.000	1.000
	Experiment2, ctrl	−0.003	−0.116	0.109	0.034	135	−0.099	−0.020	−0.765	0.724	1.000	1.000
	Experiment3, ctrl	−0.014	−0.052	0.024	0.012	135	−1.239	−0.085	−0.337	0.168	1.000	1.000
Experiment1, incons	Experiment2, incons	0.033	−0.087	0.153	0.037	135	0.894	0.193	−0.603	0.988	1.000	1.000
	Experiment3, incons	0.017	−0.103	0.136	0.037	135	0.456	0.098	−0.693	0.888	1.000	1.000
	Experiment1, ctrl	−0.035	−0.080	0.011	0.014	135	−2.494	−0.203	−0.506	0.101	0.498	0.429
	Experiment2, ctrl	−0.031	−0.150	0.088	0.036	135	−0.851	−0.181	−0.969	0.606	1.000	1.000
	Experiment3, ctrl	−0.042	−0.160	0.076	0.036	135	−1.159	−0.246	−1.031	0.539	1.000	1.000
Experiment2, incons	Experiment3, incons	−0.016	−0.131	0.098	0.035	135	−0.461	−0.095	−0.853	0.664	1.000	1.000
	Experiment1, ctrl	−0.068	−0.186	0.051	0.036	135	−1.857	−0.395	−1.185	0.395	1.000	1.000
	Experiment2, ctrl	−0.064	−0.106	−0.022	0.013	135	−4.977	−0.374	−0.664	−0.084	< .001	< .001
	Experiment3, ctrl	−0.075	−0.188	0.039	0.035	135	−2.155	−0.438	−1.195	0.318	1.000	0.989
Experiment3, incons	Experiment1, ctrl	−0.051	−0.170	0.067	0.036	135	−1.418	−0.300	−1.085	0.484	1.000	1.000
	Experiment2, ctrl	−0.048	−0.161	0.066	0.035	135	−1.372	−0.279	−1.032	0.474	1.000	1.000
	Experiment3, ctrl	−0.059	−0.100	−0.017	0.013	135	−4.620	−0.344	−0.629	−0.059	< .001	< .001
Experiment1, ctrl	Experiment2, ctrl	0.004	−0.114	0.121	0.036	135	0.101	0.021	−0.756	0.799	1.000	1.000
	Experiment3, ctrl	−0.007	−0.124	0.110	0.036	135	−0.206	−0.043	−0.817	0.731	1.000	1.000
	Experiment2, ctrl	−0.011	−0.123	0.101	0.034	135	−0.320	−0.065	−0.807	0.678	1.000	1.000

Note. P-value and confidence intervals adjusted for comparing a family of 36 estimates (confidence intervals corrected using the bonferroni method).

			95% CI for Mean Difference										
action			Mean Difference	Lower	Upper	SE	df	t	Cohen's d	95% CI for Cohen's d			
										Lower	Upper	Pbonf	Pholm
cons	Experiment1, congr	Experiment2, congr	0.013	−0.097	0.123	0.037	135	0.344	0.074	−0.720	0.868	1.000	1.000
		Experiment3, congr	−0.008	−0.118	0.101	0.037	135	−0.225	−0.048	−0.839	0.742	1.000	1.000
		Experiment1, incongr	−0.032	−0.060	−0.003	0.009	135	−3.349	−0.186	−0.394	0.023	0.016	0.014
		Experiment2, incongr	−0.045	−0.154	0.064	0.037	135	−1.231	−0.263	−1.054	0.527	1.000	1.000
		Experiment3, incongr	−0.059	−0.168	0.050	0.036	135	−1.625	−0.346	−1.135	0.443	1.000	1.000
		Experiment3, congr	−0.021	−0.126	0.084	0.035	135	−0.594	−0.122	−0.881	0.637	1.000	1.000
	Experiment2, congr	Experiment1, incongr	−0.044	−0.153	0.065	0.036	135	−1.215	−0.260	−1.049	0.530	1.000	1.000
		Experiment2, incongr	−0.058	−0.084	−0.031	0.009	135	−6.586	−0.337	−0.541	−0.134	< .001	< .001
		Experiment3, incongr	−0.072	−0.176	0.032	0.035	135	−2.057	−0.420	−1.178	0.339	0.624	0.499
	Experiment3, congr	Experiment1, incongr	−0.023	−0.132	0.085	0.036	135	−0.646	−0.137	−0.922	0.647	1.000	1.000
		Experiment2, incongr	−0.037	−0.141	0.067	0.035	135	−1.054	−0.215	−0.969	0.539	1.000	1.000
		Experiment3, incongr	−0.051	−0.077	−0.025	0.009	135	−5.872	−0.298	−0.496	−0.099	< .001	< .001
	Experiment1, incongr	Experiment2, incongr	−0.013	−0.122	0.095	0.036	135	−0.367	−0.078	−0.860	0.704	1.000	1.000
		Experiment3, incongr	−0.027	−0.135	0.080	0.036	135	−0.759	−0.160	−0.939	0.619	1.000	1.000
	Experiment2, incongr	Experiment3, incongr	−0.014	−0.117	0.089	0.035	135	−0.408	−0.083	−0.829	0.664	1.000	1.000
incons	Experiment1, congr	Experiment2, congr	−0.001	−0.106	0.103	0.035	135	−0.041	−0.008	−0.764	0.747	1.000	1.000
		Experiment3, congr	−0.023	−0.127	0.081	0.035	135	−0.661	−0.135	−0.887	0.618	1.000	1.000
		Experiment1, incongr	−0.010	−0.045	0.025	0.012	135	−0.876	−0.060	−0.315	0.194	1.000	1.000
		Experiment2, incongr	0.023	−0.084	0.130	0.036	135	0.630	0.132	−0.642	0.906	1.000	1.000
		Experiment3, incongr	0.006	−0.100	0.113	0.036	135	0.179	0.037	−0.732	0.807	1.000	1.000
		Experiment3, congr	−0.022	−0.121	0.078	0.033	135	−0.646	−0.126	−0.848	0.596	1.000	1.000
	Experiment2, congr	Experiment1, incongr	−0.009	−0.116	0.099	0.036	135	−0.246	−0.052	−0.828	0.725	1.000	1.000
		Experiment2, incongr	0.024	−0.008	0.057	0.011	135	2.211	0.141	−0.096	0.377	0.431	0.402
		Experiment3, incongr	0.008	−0.095	0.110	0.034	135	0.228	0.046	−0.694	0.786	1.000	1.000
	Experiment3, congr	Experiment1, incongr	0.013	−0.094	0.120	0.036	135	0.355	0.074	−0.699	0.848	1.000	1.000
		Experiment2, incongr	0.046	−0.057	0.148	0.034	135	1.330	0.267	−0.476	1.010	1.000	1.000
		Experiment3, incongr	0.029	−0.003	0.062	0.011	135	2.734	0.172	−0.063	0.408	0.107	0.107
	Experiment1, incongr	Experiment2, incongr	0.033	−0.077	0.143	0.037	135	0.894	0.193	−0.603	0.988	1.000	1.000
		Experiment3, incongr	0.017	−0.093	0.126	0.037	135	0.456	0.098	−0.693	0.888	1.000	1.000
	Experiment2, incongr	Experiment3, incongr	−0.016	−0.121	0.089	0.035	135	−0.461	−0.095	−0.853	0.664	1.000	1.000
ctrl	Experiment1, congr	Experiment2, congr	−0.006	−0.117	0.105	0.037	135	−0.155	−0.034	−0.836	0.768	1.000	1.000
		Experiment3, congr	−0.001	−0.112	0.109	0.037	135	−0.038	−0.008	−0.806	0.790	1.000	1.000
		Experiment1, incongr	−0.034	−0.063	−0.004	0.010	135	−3.392	−0.197	−0.416	0.022	0.014	0.013
		Experiment2, incongr	−0.030	−0.140	0.079	0.037	135	−0.821	−0.176	−0.968	0.616	1.000	1.000
		Experiment3, incongr	−0.041	−0.150	0.068	0.036	135	−1.127	−0.240	−1.029	0.548	1.000	1.000
	Experiment2, congr	Experiment3, congr	0.004	−0.102	0.110	0.035	135	0.123	0.026	−0.740	0.791	1.000	1.000
		Experiment1, incongr	−0.028	−0.137	0.081	0.037	135	−0.765	−0.164	−0.953	0.626	1.000	1.000
		Experiment2, incongr	−0.024	−0.052	0.003	0.009	135	−2.645	−0.142	−0.343	0.059	0.137	0.119
		Experiment3, incongr	−0.035	−0.140	0.069	0.035	135	−1.011	−0.207	−0.962	0.549	1.000	1.000
		Experiment1, incongr	−0.032	−0.141	0.076	0.036	135	−0.888	−0.189	−0.975	0.597	1.000	1.000
		Experiment2, incongr	−0.029	−0.133	0.076	0.035	135	−0.820	−0.168	−0.923	0.587	1.000	1.000
		Experiment3, incongr	−0.040	−0.067	−0.013	0.009	135	−4.365	−0.232	−0.435	−0.029	< .001	< .001
		Experiment2, incongr	0.004	−0.104	0.111	0.036	135	0.101	0.021	−0.756	0.799	1.000	1.000
	Experiment1, incongr	Experiment2, incongr											

Note. P-value and confidence intervals adjusted for comparing a family of 15 estimates (confidence intervals corrected using the bonferroni method).

action		Mean Difference	95% CI for Mean Difference			df	t	Cohen's d	95% CI for Cohen's d			P _{bonf}	P _{holm}
			Lower	Upper	SE				Lower	Upper			
Experiment2, incongr	Experiment3, incongr	−0.007	−0.115	0.100	0.036	135	−0.206	−0.043	−0.817	0.731		1.000	1.000
	Experiment3, incongr	−0.011	−0.114	0.092	0.034	135	−0.320	−0.065	−0.807	0.678		1.000	1.000

Note. P-value and confidence intervals adjusted for comparing a family of 15 estimates (confidence intervals corrected using the bonferroni method).

Simple Main Effects

Simple Main Effects - action

Level of Experiment	Sum of Squares	df	Mean Square	F	p
1	0.048	2	0.024	4.656	0.012
2	0.089	2	0.044	11.484	< .001
3	0.033	2	0.016	4.306	0.016

Note. Type III Sum of Squares

GC-effect ANOVA (log difference scores)

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	η²	η² _p
effect size	None	0.281 ^a	2.000 ^a	0.140 ^a	29.503 ^a	< .001 ^a	0.130	0.179
	Greenhouse-Geisser	0.281	1.885	0.149	29.503	< .001	0.130	0.179
effect size * Experiment	None	0.059 ^a	4.000 ^a	0.015 ^a	3.112 ^a	0.016 ^a	0.028	0.044
	Greenhouse-Geisser	0.059	3.770	0.016	3.112	0.018	0.028	0.044
Residuals	None	1.284	270.000	0.005				
	Greenhouse-Geisser	1.284	254.471	0.005				

Note. Type III Sum of Squares

^a Mauchly's test of sphericity indicates that the assumption of sphericity is violated (p < .05).


Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	η²	η² _p
Experiment	0.003	2	0.001	0.335	0.716	0.001	0.005
Residuals	0.525	135	0.004				

Note. Type III Sum of Squares

Descriptives

Descriptives plots



Post Hoc Tests

Post Hoc Comparisons - Experiment

		95% CI for Mean Difference			SE	df	t	Cohen's d	95% CI for Cohen's d		P _{bonf}	P _{holm}
		Mean Difference	Lower	Upper					Lower	Upper		
Experiment1	Experiment2	0.006	−0.013	0.024	0.008	135	0.776	0.089	−0.189	0.367	1.000	1.000
	Experiment3	0.005	−0.014	0.023	0.008	135	0.639	0.073	−0.204	0.349	1.000	1.000
Experiment2	Experiment3	−0.001	−0.019	0.017	0.007	135	−0.147	−0.016	−0.281	0.249	1.000	1.000

Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).

Note. Results are averaged over the levels of: effect size

		95% CI for Mean Difference				95% CI for Cohen's d						
		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	Pbonf	Pholm
Experiment1, cons	Experiment2, cons	-0.026	-0.068	0.016	0.013	135	-2.011	-0.388	-1.023	0.247	1.000	0.833
	Experiment3, cons	-0.019	-0.061	0.023	0.013	135	-1.493	-0.287	-0.916	0.343	1.000	1.000
	Experiment1, incons	0.021	-0.033	0.075	0.017	135	1.292	0.320	-0.491	1.132	1.000	1.000
	Experiment2, incons	0.056	0.009	0.103	0.014	135	3.866	0.834	0.129	1.539	0.006**	0.005**
	Experiment3, incons	0.061	0.014	0.108	0.014	135	4.264	0.915	0.214	1.615	0.001**	0.001**
	Experiment1, ctrl	-0.002	-0.045	0.041	0.013	135	-0.151	-0.030	-0.681	0.621	1.000	1.000
	Experiment2, ctrl	0.007	-0.036	0.050	0.013	135	0.562	0.111	-0.534	0.756	1.000	1.000
	Experiment3, ctrl	-0.008	-0.051	0.035	0.013	135	-0.608	-0.119	-0.761	0.522	1.000	1.000
Experiment2, cons	Experiment3, cons	0.007	-0.033	0.047	0.012	135	0.550	0.101	-0.500	0.703	1.000	1.000
	Experiment1, incons	0.047	-5.330×10 ⁻⁴	0.095	0.015	135	3.228	0.708	-0.022	1.438	0.056	0.038*
	Experiment2, incons	0.082	0.032	0.132	0.015	135	5.335	1.222	0.468	1.976	< .001***	< .001***
	Experiment3, incons	0.087	0.042	0.132	0.014	135	6.277	1.303	0.620	1.985	< .001***	< .001***
	Experiment1, ctrl	0.024	-0.019	0.067	0.013	135	1.806	0.358	-0.293	1.009	1.000	1.000
	Experiment2, ctrl	0.033	-0.007	0.074	0.012	135	2.709	0.499	-0.111	1.108	0.275	0.168
	Experiment3, ctrl	0.018	-0.023	0.059	0.013	135	1.422	0.269	-0.350	0.887	1.000	1.000
Experiment3, cons	Experiment1, incons	0.041	-0.007	0.088	0.015	135	2.776	0.607	-0.117	1.330	0.226	0.144
	Experiment2, incons	0.075	0.030	0.120	0.014	135	5.388	1.121	0.437	1.804	< .001***	< .001***
	Experiment3, incons	0.080	0.031	0.130	0.015	135	5.298	1.201	0.458	1.944	< .001***	< .001***
	Experiment1, ctrl	0.017	-0.026	0.060	0.013	135	1.300	0.257	-0.390	0.903	1.000	1.000
	Experiment2, ctrl	0.027	-0.015	0.068	0.013	135	2.104	0.397	-0.224	1.019	1.000	0.707
	Experiment3, ctrl	0.011	-0.029	0.051	0.012	135	0.917	0.167	-0.429	0.763	1.000	1.000
Experiment1, incons	Experiment2, incons	0.034	-0.018	0.087	0.016	135	2.144	0.514	-0.270	1.297	1.000	0.677
	Experiment3, incons	0.040	-0.012	0.092	0.016	135	2.492	0.594	-0.186	1.375	0.501	0.292
	Experiment1, ctrl	-0.023	-0.074	0.028	0.016	135	-1.498	-0.350	-1.117	0.416	1.000	1.000
	Experiment2, ctrl	-0.014	-0.063	0.035	0.015	135	-0.937	-0.209	-0.940	0.521	1.000	1.000
	Experiment3, ctrl	-0.029	-0.078	0.019	0.015	135	-1.976	-0.440	-1.171	0.292	1.000	0.853
Experiment2, incons	Experiment3, incons	0.005	-0.045	0.055	0.015	135	0.352	0.081	-0.667	0.828	1.000	1.000
	Experiment1, ctrl	-0.058	-0.106	-0.010	0.015	135	-3.920	-0.864	-1.584	-0.144	0.005**	0.004**
	Experiment2, ctrl	-0.048	-0.095	-0.001	0.014	135	-3.345	-0.723	-1.429	-0.017	0.038*	0.027*
	Experiment3, ctrl	-0.064	-0.110	-0.017	0.014	135	-4.496	-0.953	-1.647	-0.260	< .001***	< .001***
Experiment3, incons	Experiment1, ctrl	-0.063	-0.111	-0.015	0.015	135	-4.310	-0.945	-1.660	-0.229	0.001**	< .001***
	Experiment2, ctrl	-0.054	-0.100	-0.008	0.014	135	-3.796	-0.804	-1.495	-0.112	0.008**	0.006**
	Experiment3, ctrl	-0.069	-0.116	-0.022	0.014	135	-4.833	-1.034	-1.733	-0.335	< .001***	< .001***
Experiment1, ctrl	Experiment2, ctrl	0.009	-0.035	0.054	0.014	135	0.696	0.141	-0.521	0.803	1.000	1.000
	Experiment3, ctrl	-0.006	-0.050	0.038	0.013	135	-0.443	-0.089	-0.748	0.569	1.000	1.000
Experiment2, ctrl	Experiment3, ctrl	-0.015	-0.058	0.027	0.013	135	-1.191	-0.230	-0.863	0.403	1.000	1.000

* p < .05, ** p < .01, *** p < .001

Note. P-value and confidence intervals adjusted for comparing a family of 36 estimates (confidence intervals corrected using the bonferroni method).

Simple Main Effects

Simple Main Effects - Experiment

Level of effect size	Sum of Squares	df	Mean Square	F	p
cons	0.016	2	0.008	2.137	0.122
incons	0.040	2	0.020	3.550	0.031
ctrl	0.006	2	0.003	0.719	0.489

Note. Type III Sum of Squares

ANOVA cons

ANOVA - gaze_effect_log_cons

Cases	Sum of Squares	df	Mean Square	F	p	η^2	η^2_p
Experiment	0.016	2	0.008	2.137	0.122	0.031	0.031
Residuals	0.496	135	0.004				


Note. Type III Sum of Squares

Descriptives

Descriptives - gaze_effect_log_cons

Experiment	N	Mean	SD	SE	Coefficient of variation
1	41	0.032	0.055	0.009	1.721
2	48	0.058	0.062	0.009	1.069
3	49	0.051	0.064	0.009	1.265

Descriptives plots



Post Hoc Tests

Standard (HSD)

Post Hoc Comparisons - Experiment

		95% CI for Mean Difference			SE	df	t	Ptukey	Pbonf	Pholm
		Mean Difference	Lower	Upper						
1	2	-0.026	-0.056	0.005	0.013	135	-2.011	0.113	0.139	0.139
	3	-0.019	-0.050	0.011	0.013	135	-1.493	0.298	0.414	0.276
2	3	0.007	-0.022	0.036	0.012	135	0.550	0.846	1.000	0.583

Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the tukey method).

ANOVA incons

ANOVA - gaze_effect_log_incons

Cases	Sum of Squares	df	Mean Square	F	p	η^2	η^2_p
Experiment	0.040	2	0.020	3.550	0.031	0.050	0.050
Residuals	0.766	135	0.006				


Note. Type III Sum of Squares

Descriptives

Descriptives - gaze_effect_log_incons

Experiment	N	Mean	SD	SE	Coefficient of variation
1	41	0.010	0.063	0.010	6.099
2	48	-0.024	0.077	0.011	-3.184
3	49	-0.029	0.083	0.012	-2.830

Descriptives plots



Post Hoc Tests

Standard (HSD)

Post Hoc Comparisons - Experiment

		95% CI for Mean Difference			SE	df	t	Ptukey	Pbonf	Pholm
		Mean Difference	Lower	Upper						
1	2	0.034	-0.004	0.072	0.016	135	2.144	0.085	0.101	0.068
	3	0.040	0.002	0.077	0.016	135	2.492	0.037*	0.042*	0.042*
2	3	0.005	-0.031	0.042	0.015	135	0.352	0.934	1.000	0.725

* p < .05
Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the tukey method).

ANOVA ctrl

ANOVA - gaze_effect_log_ctrl

Cases	Sum of Squares	df	Mean Square	F	p	η²	η² _p
Experiment	0.006	2	0.003	0.719	0.489	0.011	0.011
Residuals	0.547	135	0.004				


Note. Type III Sum of Squares

Descriptives

Descriptives - gaze_effect_log_ctrl

Experiment	N	Mean	SD	SE	Coefficient of variation
1	41	0.034	0.073	0.011	2.159
2	48	0.024	0.061	0.009	2.518
3	49	0.040	0.058	0.008	1.450

Descriptives plots



Post Hoc Tests

Standard (HSD)

Post Hoc Comparisons - Experiment

		95% CI for Mean Difference			SE	df	t	P _{tukey}	P _{bonf}	P _{holm}
		Mean Difference	Lower	Upper						
1	2	0.009	-0.023	0.041	0.014	135	0.696	0.766	1.000	0.975
	3	-0.006	-0.038	0.026	0.013	135	-0.443	0.898	1.000	0.975
2	3	-0.015	-0.046	0.015	0.013	135	-1.191	0.461	0.707	0.707

Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the tukey method).