

Results

Descriptive Statistics

Descriptive Statistics

		Valid	Missing	Mean	Std. Deviation	Minimum	Maximum
cong_cons	1	41	0	500.949	84.818	350.550	681.000
cong_cons	2	48	0	495.395	90.197	368.792	698.462
cong_cons	3	49	0	504.525	91.899	337.893	715.750
cong_ctrl	1	41	0	521.576	99.425	339.923	811.704
cong_ctrl	2	48	0	523.355	99.451	362.269	750.480
cong_ctrl	3	49	0	517.572	83.053	392.565	762.091
cong_incons	1	41	0	511.686	89.011	363.500	723.440
cong_incons	2	48	0	510.586	87.421	371.875	708.690
cong_incons	3	49	0	520.761	83.240	389.300	705.125
incong_cons	1	41	0	515.985	83.218	374.160	693.250
incong_cons	2	48	0	523.316	94.908	371.074	766.484
incong_cons	3	49	0	529.606	94.898	368.818	768.583
incong_ctrl	1	41	0	535.707	88.553	371.182	723.739
incong_ctrl	2	48	0	536.225	106.517	374.826	751.400
incong_ctrl	3	49	0	536.512	84.902	411.846	797.208
incong_incons	1	41	0	516.681	80.330	343.682	664.577
incong_incons	2	48	0	499.824	92.564	360.586	728.120
incong_incons	3	49	0	507.972	95.866	353.381	722.280
gaze_effect_cons	1	41	0	15.024	27.628	-46.000	82.000
gaze_effect_cons	2	48	0	27.917	32.982	-54.000	135.000
gaze_effect_cons	3	49	0	25.122	33.041	-46.000	120.000
gaze_effect_incons	1	41	0	5.000	34.467	-60.000	74.000
gaze_effect_incons	2	48	0	-10.792	40.280	-104.000	92.000
gaze_effect_incons	3	49	0	-12.837	45.724	-117.000	107.000
gaze_effect_ctrl	1	41	0	14.220	38.594	-88.000	99.000
gaze_effect_ctrl	2	48	0	12.917	33.450	-81.000	102.000
gaze_effect_ctrl	3	49	0	18.898	31.447	-47.000	102.000

Repeated Measures ANOVA

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	η²	η² _p
gaze	None	23123.467	1.000	23123.467	44.736	< .001	0.003	0.249
gaze * Experiment	None	65.532	2.000	32.766	0.063	0.939	9.600×10 ⁻⁶	9.382×10 ⁻⁴
Residuals	None	69779.299	135.000	516.884				
action	None	53177.060 ^a	2.000 ^a	26588.530 ^a	20.204 ^a	< .001 ^a	0.008	0.130
	Greenhouse-Geisser	53177.060	1.413	37626.426	20.204	< .001	0.008	0.130
	Huynh-Feldt	53177.060	1.424	37347.368	20.204	< .001	0.008	0.130
action * Experiment	None	6507.152 ^a	4.000 ^a	1626.788 ^a	1.236 ^a	0.296 ^a	9.532×10 ⁻⁴	0.018
	Greenhouse-Geisser	6507.152	2.827	2302.129	1.236	0.298	9.532×10 ⁻⁴	0.018
	Huynh-Feldt	6507.152	2.848	2285.055	1.236	0.298	9.532×10 ⁻⁴	0.018
Residuals	None	355324.614	270.000	1316.017				
	Greenhouse-Geisser	355324.614	190.794	1862.345				
	Huynh-Feldt	355324.614	192.220	1848.533				
gaze * action	None	30845.152 ^a	2.000 ^a	15422.576 ^a	22.000 ^a	< .001 ^a	0.005	0.140
	Greenhouse-Geisser	30845.152	1.881	16397.092	22.000	< .001	0.005	0.140
	Huynh-Feldt	30845.152	1.907	16176.181	22.000	< .001	0.005	0.140
gaze * action * Experiment	None	6522.484 ^a	4.000 ^a	1630.621 ^a	2.326 ^a	0.057 ^a	9.555×10 ⁻⁴	0.033
	Greenhouse-Geisser	6522.484	3.762	1733.656	2.326	0.061	9.555×10 ⁻⁴	0.033
	Huynh-Feldt	6522.484	3.814	1710.299	2.326	0.060	9.555×10 ⁻⁴	0.033
Residuals	None	189280.150	270.000	701.038				
	Greenhouse-Geisser	189280.150	253.953	745.334				
	Huynh-Feldt	189280.150	257.421	735.293				

Note. Sphericity corrections not available for factors with 2 levels.
Note. Type III Sum of Squares
^a Mauchly's test of sphericity indicates that the assumption of sphericity is violated (p < .05).

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	η^2	η^2_p
Experiment	3225.300	2	1612.650	0.036	0.965	4.725×10^{-4}	5.294×10^{-4}
Residuals	$6.089 \times 10^{+6}$	135	45101.442				

Note. Type III Sum of Squares

Post Hoc Tests

Post Hoc Comparisons - action

		Mean Difference	95% CI for Mean Difference			df	t	Cohen's d	95% CI for Cohen's d		P _{bonf}	P _{holm}
			Lower	Upper	SE				Lower	Upper		
cons	incons	0.378	-4.103	4.859	1.848	135	0.204	0.004	-0.045	0.053	1.000	0.838
	ctrl	-16.862	-25.440	-8.285	3.538	135	-4.766	-0.185	-0.284	-0.087	< .001***	< .001***
incons	ctrl	-17.240	-25.931	-8.548	3.585	135	-4.808	-0.190	-0.289	-0.090	< .001***	< .001***

*** p < .001

Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).

Note. Results are averaged over the levels of: Experiment, gaze

Post Hoc Comparisons - gaze * action

		Mean Difference	95% CI for Mean Difference			df	t	Cohen's d	95% CI for Cohen's d		P _{bonf}	P _{holm}
			Lower	Upper	SE				Lower	Upper		
congr, cons	incongr, cons	-22.679	-30.714	-14.644	2.689	135	-8.435	-0.249	-0.349	-0.150	< .001***	< .001***
	congr, incons	-14.054	-22.712	-5.396	2.897	135	-4.851	-0.154	-0.254	-0.055	< .001***	< .001***
	incongr, incons	-7.869	-15.319	-0.420	2.493	135	-3.157	-0.087	-0.170	-0.003	0.030*	0.012*
	congr, ctrl	-20.545	-32.913	-8.177	4.139	135	-4.964	-0.226	-0.368	-0.084	< .001***	< .001***
	incongr, ctrl	-35.859	-47.558	-24.160	3.915	135	-9.159	-0.394	-0.541	-0.247	< .001***	< .001***
incongr, cons	congr, incons	8.625	0.151	17.099	2.836	135	3.042	0.095	7.700×10 ⁻⁵	0.190	0.042*	0.014*
	incongr, incons	14.810	5.189	24.431	3.219	135	4.600	0.163	0.053	0.273	< .001***	< .001***
	congr, ctrl	2.135	-10.500	14.769	4.228	135	0.505	0.023	-0.115	0.162	1.000	0.614
	incongr, ctrl	-13.179	-24.988	-1.370	3.952	135	-3.335	-0.145	-0.277	-0.012	0.017*	0.008**
congr, incons	incongr, incons	6.185	-4.218	16.588	3.481	135	1.777	0.068	-0.047	0.183	1.000	0.234
	congr, ctrl	-6.490	-19.343	6.362	4.301	135	-1.509	-0.071	-0.213	0.071	1.000	0.267
	incongr, ctrl	-21.804	-33.801	-9.808	4.014	135	-5.431	-0.240	-0.379	-0.101	< .001***	< .001***
incongr, incons	congr, ctrl	-12.675	-25.807	0.456	4.394	135	-2.885	-0.139	-0.286	0.007	0.068	0.018*
	incongr, ctrl	-27.989	-40.757	-15.221	4.273	135	-6.551	-0.308	-0.459	-0.157	< .001***	< .001***
congr, ctrl	incongr, ctrl	-15.314	-24.098	-6.530	2.939	135	-5.210	-0.168	-0.270	-0.067	< .001***	< .001***

* p < .05, ** p < .01, *** p < .001

Note. P-value and confidence intervals adjusted for comparing a family of 15 estimates (confidence intervals corrected using the bonferroni method).

Note. Results are averaged over the levels of: Experiment

		95% CI for Mean Difference							95% CI for Cohen's d			
		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	Pbonf	Pholm
Experiment1, congr, cons	Experiment2, congr, cons	5.554	-64.445	75.553	18.981	135	0.293	0.061	-0.709	0.831	1.000	1.000
	Experiment3, congr, cons	-3.576	-73.245	66.094	18.892	135	-0.189	-0.039	-0.805	0.727	1.000	1.000
	Experiment1, incongr, cons	-15.036	-33.170	3.098	4.917	135	-3.058	-0.165	-0.368	0.037	0.412	0.366
	Experiment2, incongr, cons	-22.367	-93.217	48.484	19.212	135	-1.164	-0.246	-1.027	0.535	1.000	1.000
	Experiment3, incongr, cons	-28.657	-99.164	41.850	19.119	135	-1.499	-0.315	-1.093	0.463	1.000	1.000
	Experiment1, congr, incons	-10.737	-30.277	8.804	5.299	135	-2.026	-0.118	-0.334	0.098	1.000	1.000
	Experiment2, congr, incons	-9.637	-78.627	59.353	18.708	135	-0.515	-0.106	-0.865	0.653	1.000	1.000
	Experiment3, congr, incons	-19.812	-88.488	48.865	18.623	135	-1.064	-0.218	-0.974	0.539	1.000	1.000
	Experiment1, incongr, incons	-15.732	-32.545	1.082	4.559	135	-3.451	-0.173	-0.362	0.016	0.114	0.105
	Experiment2, incongr, incons	1.125	-69.269	71.519	19.088	135	0.059	0.012	-0.761	0.786	1.000	1.000
	Experiment3, incongr, incons	-7.023	-77.082	63.035	18.997	135	-0.370	-0.077	-0.848	0.693	1.000	1.000
	Experiment1, congr, ctrl	-20.627	-48.540	7.286	7.569	135	-2.725	-0.227	-0.538	0.084	1.000	0.975
	Experiment2, congr, ctrl	-22.406	-94.121	49.309	19.446	135	-1.152	-0.246	-1.037	0.544	1.000	1.000
	Experiment3, congr, ctrl	-16.623	-87.981	54.735	19.350	135	-0.859	-0.183	-0.968	0.603	1.000	1.000
	Experiment1, incongr, ctrl	-34.758	-61.162	-8.354	7.160	135	-4.855	-0.382	-0.685	-0.079	< .001***	< .001***
	Experiment2, incongr, ctrl	-35.276	-107.014	36.461	19.453	135	-1.813	-0.388	-1.181	0.406	1.000	1.000
	Experiment3, incongr, ctrl	-35.564	-106.944	35.817	19.356	135	-1.837	-0.391	-1.180	0.399	1.000	1.000
Experiment2, congr, cons	Experiment3, congr, cons	-9.129	-75.976	57.717	18.126	135	-0.504	-0.100	-0.836	0.635	1.000	1.000
	Experiment1, incongr, cons	-20.590	-91.584	50.405	19.251	135	-1.070	-0.226	-1.008	0.556	1.000	1.000
	Experiment2, incongr, cons	-27.920	-44.680	-11.160	4.545	135	-6.144	-0.307	-0.504	-0.110	< .001***	< .001***
	Experiment3, incongr, cons	-34.211	-101.930	33.508	18.363	135	-1.863	-0.376	-1.125	0.373	1.000	1.000
	Experiment1, congr, incons	-16.290	-85.107	52.526	18.661	135	-0.873	-0.179	-0.937	0.578	1.000	1.000
	Experiment2, congr, incons	-15.191	-33.250	2.869	4.897	135	-3.102	-0.167	-0.369	0.035	0.358	0.321
	Experiment3, congr, incons	-25.365	-91.176	40.445	17.845	135	-1.421	-0.279	-1.005	0.447	1.000	1.000
	Experiment1, incongr, incons	-21.285	-91.747	49.176	19.107	135	-1.114	-0.234	-1.010	0.542	1.000	1.000
	Experiment2, incongr, incons	-4.429	-19.967	11.110	4.214	135	-1.051	-0.049	-0.220	0.122	1.000	1.000
	Experiment3, incongr, incons	-12.577	-79.829	54.674	18.236	135	-0.690	-0.138	-0.878	0.602	1.000	1.000
	Experiment1, congr, ctrl	-26.181	-98.184	45.823	19.525	135	-1.341	-0.288	-1.082	0.506	1.000	1.000
	Experiment2, congr, ctrl	-27.960	-53.758	-2.163	6.995	135	-3.997	-0.307	-0.599	-0.016	0.016*	0.015*
	Experiment3, congr, ctrl	-22.177	-90.781	46.428	18.603	135	-1.192	-0.244	-1.000	0.512	1.000	1.000
	Experiment1, incongr, ctrl	-40.312	-112.342	31.718	19.532	135	-2.064	-0.443	-1.241	0.355	1.000	1.000
	Experiment2, incongr, ctrl	-40.830	-65.233	-16.428	6.617	135	-6.170	-0.449	-0.735	-0.162	< .001***	< .001***
	Experiment3, incongr, ctrl	-41.117	-109.745	27.511	18.609	135	-2.209	-0.452	-1.213	0.309	1.000	1.000
Experiment3, congr, cons	Experiment1, incongr, cons	-11.460	-82.129	59.209	19.163	135	-0.598	-0.126	-0.903	0.651	1.000	1.000
	Experiment2, incongr, cons	-18.791	-86.528	48.946	18.368	135	-1.023	-0.207	-0.953	0.539	1.000	1.000
	Experiment3, incongr, cons	-25.082	-41.670	-8.494	4.498	135	-5.576	-0.276	-0.468	-0.083	< .001***	< .001***
	Experiment1, congr, incons	-7.161	-75.642	61.320	18.570	135	-0.386	-0.079	-0.832	0.674	1.000	1.000
	Experiment2, congr, incons	-6.061	-71.850	59.728	17.840	135	-0.340	-0.067	-0.790	0.657	1.000	1.000
	Experiment3, congr, incons	-16.236	-34.110	1.638	4.847	135	-3.350	-0.178	-0.379	0.022	0.160	0.147
	Experiment1, incongr, incons	-12.156	-82.290	57.978	19.018	135	-0.639	-0.134	-0.905	0.638	1.000	1.000
	Experiment2, incongr, incons	4.701	-62.559	71.961	18.238	135	0.258	0.052	-0.688	0.791	1.000	1.000
	Experiment3, incongr, incons	-3.448	-18.827	11.932	4.170	135	-0.827	-0.038	-0.207	0.131	1.000	1.000

* p < .05, ** p < .01, *** p < .001

Note. P-value and confidence intervals adjusted for comparing a family of 153 estimates (confidence intervals corrected using the bonferroni method).

		95% CI for Mean Difference				95% CI for Cohen's d						
		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	Pbonf	Pholm
	Experiment1, congr, ctrl	-17.051	-88.734	54.632	19.438	135	-0.877	-0.187	-0.977	0.602	1.000	1.000
	Experiment2, congr, ctrl	-18.831	-87.471	49.810	18.613	135	-1.012	-0.207	-0.963	0.549	1.000	1.000
	Experiment3, congr, ctrl	-13.047	-38.580	12.486	6.924	135	-1.884	-0.143	-0.426	0.139	1.000	1.000
	Experiment1, incongr, ctrl	-31.182	-102.892	40.527	19.445	135	-1.604	-0.343	-1.135	0.449	1.000	1.000
	Experiment2, incongr, ctrl	-31.701	-100.365	36.964	18.619	135	-1.703	-0.348	-1.107	0.410	1.000	1.000
	Experiment3, incongr, ctrl	-31.988	-56.140	-7.836	6.549	135	-4.884	-0.352	-0.629	-0.075	< .001***	< .001***
Experiment1, incongr, cons	Experiment2, incongr, cons	-7.331	-79.165	64.503	19.479	135	-0.376	-0.081	-0.870	0.709	1.000	1.000
	Experiment3, incongr, cons	-13.622	-85.117	57.874	19.387	135	-0.703	-0.150	-0.936	0.637	1.000	1.000
	Experiment1, congr, incons	4.299	-14.826	23.424	5.186	135	0.829	0.047	-0.163	0.258	1.000	1.000
	Experiment2, congr, incons	5.399	-64.601	75.399	18.981	135	0.284	0.059	-0.710	0.829	1.000	1.000
	Experiment3, congr, incons	-4.776	-74.467	64.915	18.898	135	-0.253	-0.052	-0.819	0.714	1.000	1.000
	Experiment1, incongr, incons	-0.696	-22.408	21.017	5.888	135	-0.118	-0.008	-0.246	0.231	1.000	1.000
	Experiment2, incongr, incons	16.161	-55.223	87.545	19.357	135	0.835	0.178	-0.608	0.963	1.000	1.000
	Experiment3, incongr, incons	8.012	-63.040	79.065	19.267	135	0.416	0.088	-0.693	0.869	1.000	1.000
	Experiment1, congr, ctrl	-5.591	-34.107	22.924	7.732	135	-0.723	-0.061	-0.375	0.252	1.000	1.000
	Experiment2, congr, ctrl	-7.370	-80.057	65.316	19.710	135	-0.374	-0.081	-0.880	0.718	1.000	1.000
	Experiment3, congr, ctrl	-1.587	-73.922	70.748	19.615	135	-0.081	-0.017	-0.813	0.778	1.000	1.000
	Experiment1, incongr, ctrl	-19.722	-46.374	6.929	7.227	135	-2.729	-0.217	-0.514	0.080	1.000	0.972
	Experiment2, incongr, ctrl	-20.241	-92.950	52.469	19.716	135	-1.027	-0.222	-1.023	0.578	1.000	1.000
	Experiment3, incongr, ctrl	-20.528	-92.885	51.829	19.621	135	-1.046	-0.226	-1.023	0.571	1.000	1.000
Experiment2, incongr, cons	Experiment3, incongr, cons	-6.291	-74.889	62.307	18.601	135	-0.338	-0.069	-0.823	0.685	1.000	1.000
	Experiment1, congr, incons	11.630	-58.052	81.312	18.895	135	0.615	0.128	-0.639	0.894	1.000	1.000
	Experiment2, congr, incons	12.730	-4.946	30.405	4.793	135	2.656	0.140	-0.057	0.337	1.000	1.000
	Experiment3, congr, incons	2.555	-64.160	69.270	18.091	135	0.141	0.028	-0.705	0.761	1.000	1.000
	Experiment1, incongr, incons	6.635	-64.672	77.942	19.336	135	0.343	0.073	-0.711	0.857	1.000	1.000
	Experiment2, incongr, incons	23.492	3.425	43.559	5.441	135	4.317	0.258	0.030	0.486	0.005**	0.004**
	Experiment3, incongr, incons	15.343	-52.794	83.480	18.476	135	0.830	0.169	-0.581	0.919	1.000	1.000
	Experiment1, congr, ctrl	1.740	-71.092	74.571	19.749	135	0.088	0.019	-0.782	0.820	1.000	1.000
	Experiment2, congr, ctrl	-0.040	-26.394	26.315	7.146	135	-0.006	-4.361×10 ⁻⁴	-0.290	0.289	1.000	1.000
	Experiment3, congr, ctrl	5.744	-63.729	75.217	18.839	135	0.305	0.063	-0.701	0.827	1.000	1.000
	Experiment1, incongr, ctrl	-12.391	-85.249	60.466	19.756	135	-0.627	-0.136	-0.938	0.665	1.000	1.000
	Experiment2, incongr, ctrl	-12.910	-37.541	11.722	6.679	135	-1.933	-0.142	-0.415	0.131	1.000	1.000
	Experiment3, incongr, ctrl	-13.197	-82.693	56.299	18.845	135	-0.700	-0.145	-0.910	0.620	1.000	1.000
	Experiment1, congr, incons	17.921	-51.412	87.254	18.801	135	0.953	0.197	-0.566	0.960	1.000	1.000
	Experiment2, congr, incons	19.021	-47.655	85.696	18.080	135	1.052	0.209	-0.525	0.944	1.000	1.000
Experiment3, incongr, cons	Experiment3, congr, incons	8.846	-8.648	26.340	4.744	135	1.865	0.097	-0.096	0.291	1.000	1.000
	Experiment1, incongr, incons	12.926	-58.040	83.892	19.243	135	0.672	0.142	-0.639	0.923	1.000	1.000
	Experiment2, incongr, incons	29.783	-38.345	97.910	18.474	135	1.612	0.327	-0.425	1.080	1.000	1.000
	Experiment3, incongr, incons	21.634	1.773	41.495	5.386	135	4.017	0.238	0.013	0.463	0.015*	0.014*
	Experiment1, congr, ctrl	8.030	-64.467	80.528	19.659	135	0.408	0.088	-0.709	0.885	1.000	1.000
	Experiment2, congr, ctrl	6.251	-63.240	75.742	18.843	135	0.332	0.069	-0.695	0.833	1.000	1.000
	Experiment3, congr, ctrl	12.035	-14.050	38.119	7.073	135	1.701	0.132	-0.156	0.421	1.000	1.000

* p < .05, ** p < .01, *** p < .001

Note. P-value and confidence intervals adjusted for comparing a family of 153 estimates (confidence intervals corrected using the bonferroni method).

		95% CI for Mean Difference				95% CI for Cohen's d						
		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	Pbonf	Pholm
	Experiment1, incongr, ctrl	-6.101	-78.624	66.423	19.666	135	-0.310	-0.067	-0.864	0.730	1.000	1.000
	Experiment2, incongr, ctrl	-6.619	-76.133	62.896	18.850	135	-0.351	-0.073	-0.837	0.692	1.000	1.000
	Experiment3, incongr, ctrl	-6.906	-31.285	17.473	6.611	135	-1.045	-0.076	-0.344	0.193	1.000	1.000
Experiment1, congr, incons	Experiment2, congr, incons	1.100	-66.690	68.890	18.382	135	0.060	0.012	-0.733	0.757	1.000	1.000
	Experiment3, congr, incons	-9.075	-76.546	58.396	18.296	135	-0.496	-0.100	-0.842	0.642	1.000	1.000
	Experiment1, incongr, incons	-4.995	-28.473	18.483	6.366	135	-0.785	-0.055	-0.313	0.203	1.000	1.000
	Experiment2, incongr, incons	11.862	-57.357	81.080	18.770	135	0.632	0.130	-0.631	0.892	1.000	1.000
	Experiment3, incongr, incons	3.713	-65.163	72.590	18.677	135	0.199	0.041	-0.716	0.798	1.000	1.000
	Experiment1, congr, ctrl	-9.890	-38.897	19.116	7.865	135	-1.257	-0.109	-0.429	0.211	1.000	1.000
	Experiment2, congr, ctrl	-11.670	-82.231	58.891	19.134	135	-0.610	-0.128	-0.904	0.648	1.000	1.000
	Experiment3, congr, ctrl	-5.886	-76.085	64.312	19.035	135	-0.309	-0.065	-0.837	0.707	1.000	1.000
	Experiment1, incongr, ctrl	-24.021	-51.096	3.054	7.342	135	-3.272	-0.264	-0.568	0.039	0.208	0.189
	Experiment2, incongr, ctrl	-24.540	-95.124	46.044	19.140	135	-1.282	-0.270	-1.048	0.509	1.000	1.000
	Experiment3, incongr, ctrl	-24.827	-95.048	45.394	19.041	135	-1.304	-0.273	-1.047	0.501	1.000	1.000
Experiment2, congr, incons	Experiment3, congr, incons	-10.175	-74.912	54.562	17.554	135	-0.580	-0.112	-0.824	0.600	1.000	1.000
	Experiment1, incongr, incons	-6.095	-75.554	63.365	18.835	135	-0.324	-0.067	-0.831	0.697	1.000	1.000
	Experiment2, incongr, incons	10.762	-10.937	32.461	5.884	135	1.829	0.118	-0.122	0.358	1.000	1.000
	Experiment3, incongr, incons	2.613	-63.587	68.814	17.951	135	0.146	0.029	-0.699	0.756	1.000	1.000
	Experiment1, congr, ctrl	-10.990	-82.013	60.033	19.259	135	-0.571	-0.121	-0.902	0.660	1.000	1.000
	Experiment2, congr, ctrl	-12.769	-39.577	14.038	7.269	135	-1.757	-0.140	-0.437	0.156	1.000	1.000
	Experiment3, congr, ctrl	-6.986	-74.561	60.589	18.324	135	-0.381	-0.077	-0.820	0.666	1.000	1.000
	Experiment1, incongr, ctrl	-25.121	-96.171	45.929	19.266	135	-1.304	-0.276	-1.060	0.507	1.000	1.000
	Experiment2, incongr, ctrl	-25.639	-50.662	-0.616	6.785	135	-3.779	-0.282	-0.564	4.037×10 ⁻⁴	0.036*	0.033*
	Experiment3, incongr, ctrl	-25.927	-93.525	41.672	18.330	135	-1.414	-0.285	-1.031	0.461	1.000	1.000
	Experiment1, incongr, incons	4.080	-65.068	73.228	18.750	135	0.218	0.045	-0.715	0.805	1.000	1.000
Experiment3, congr, incons	Experiment2, incongr, incons	20.937	-45.294	87.168	17.959	135	1.166	0.230	-0.500	0.960	1.000	1.000
	Experiment3, incongr, incons	12.788	-8.688	34.264	5.824	135	2.196	0.141	-0.098	0.379	1.000	1.000
	Experiment1, congr, ctrl	-0.815	-71.534	69.903	19.176	135	-0.043	-0.009	-0.786	0.768	1.000	1.000
	Experiment2, congr, ctrl	-2.595	-70.228	65.038	18.340	135	-0.141	-0.029	-0.772	0.715	1.000	1.000
	Experiment3, congr, ctrl	3.189	-23.344	29.722	7.195	135	0.443	0.035	-0.257	0.327	1.000	1.000
	Experiment1, incongr, ctrl	-14.946	-85.692	55.799	19.184	135	-0.779	-0.164	-0.943	0.614	1.000	1.000
	Experiment2, incongr, ctrl	-15.465	-83.122	52.192	18.346	135	-0.843	-0.170	-0.915	0.575	1.000	1.000
	Experiment3, incongr, ctrl	-15.752	-40.518	9.014	6.716	135	-2.346	-0.173	-0.448	0.102	1.000	1.000
	Experiment1, incongr, incons	16.857	-53.997	87.711	19.213	135	0.877	0.185	-0.595	0.965	1.000	1.000
Experiment1, incongr, incons	Experiment3, incongr, incons	8.708	-61.812	79.228	19.123	135	0.455	0.096	-0.680	0.871	1.000	1.000
	Experiment1, congr, ctrl	-4.895	-34.531	24.740	8.036	135	-0.609	-0.054	-0.380	0.272	1.000	1.000
	Experiment2, congr, ctrl	-6.675	-78.841	65.492	19.569	135	-0.341	-0.073	-0.867	0.720	1.000	1.000
	Experiment3, congr, ctrl	-0.891	-72.703	70.921	19.473	135	-0.046	-0.010	-0.799	0.780	1.000	1.000
	Experiment1, incongr, ctrl	-19.027	-47.843	9.790	7.814	135	-2.435	-0.209	-0.529	0.111	1.000	1.000
	Experiment2, incongr, ctrl	-19.545	-91.734	52.644	19.575	135	-0.998	-0.215	-1.010	0.580	1.000	1.000
	Experiment3, incongr, ctrl	-19.832	-91.666	52.002	19.479	135	-1.018	-0.218	-1.009	0.573	1.000	1.000

* p < .05, ** p < .01, *** p < .001

Note. P-value and confidence intervals adjusted for comparing a family of 153 estimates (confidence intervals corrected using the bonferroni method).

		95% CI for Mean Difference				95% CI for Cohen's d						
		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	Pbonf	Pholm
Experiment2, incongr, incons	Experiment3, incongr, incons	-8.149	-75.811	59.514	18.348	135	-0.444	-0.090	-0.834	0.654	1.000	1.000
	Experiment1, congr, ctrl	-21.752	-94.140	50.636	19.629	135	-1.108	-0.239	-1.037	0.558	1.000	1.000
	Experiment2, congr, ctrl	-23.531	-50.921	3.858	7.427	135	-3.168	-0.259	-0.565	0.048	0.290	0.262
	Experiment3, congr, ctrl	-17.748	-86.756	51.260	18.712	135	-0.948	-0.195	-0.955	0.565	1.000	1.000
	Experiment1, incongr, ctrl	-35.883	-108.298	36.531	19.636	135	-1.827	-0.394	-1.195	0.406	1.000	1.000
	Experiment2, incongr, ctrl	-36.402	-63.034	-9.769	7.222	135	-5.041	-0.400	-0.706	-0.094	< .001***	< .001***
	Experiment3, incongr, ctrl	-36.689	-105.720	32.342	18.719	135	-1.960	-0.403	-1.168	0.361	1.000	1.000
Experiment3, incongr, incons	Experiment1, congr, ctrl	-13.604	-85.665	58.457	19.540	135	-0.696	-0.150	-0.942	0.643	1.000	1.000
	Experiment2, congr, ctrl	-15.383	-84.418	53.653	18.720	135	-0.822	-0.169	-0.929	0.591	1.000	1.000
	Experiment3, congr, ctrl	-9.599	-36.708	17.510	7.351	135	-1.306	-0.106	-0.404	0.193	1.000	1.000
	Experiment1, incongr, ctrl	-27.735	-99.822	44.353	19.548	135	-1.419	-0.305	-1.100	0.491	1.000	1.000
	Experiment2, incongr, ctrl	-28.253	-97.312	40.806	18.726	135	-1.509	-0.311	-1.073	0.452	1.000	1.000
	Experiment3, incongr, ctrl	-28.540	-54.899	-2.181	7.148	135	-3.993	-0.314	-0.612	-0.016	0.016*	0.015*
Experiment1, congr, ctrl	Experiment2, congr, ctrl	-1.779	-75.452	71.894	19.977	135	-0.089	-0.020	-0.829	0.790	1.000	1.000
	Experiment3, congr, ctrl	4.004	-69.321	77.330	19.883	135	0.201	0.044	-0.762	0.850	1.000	1.000
	Experiment1, incongr, ctrl	-14.131	-33.955	5.693	5.376	135	-2.629	-0.155	-0.376	0.065	1.000	1.000
	Experiment2, incongr, ctrl	-14.649	-88.344	59.046	19.983	135	-0.733	-0.161	-0.972	0.650	1.000	1.000
	Experiment3, incongr, ctrl	-14.936	-88.284	58.411	19.889	135	-0.751	-0.164	-0.971	0.643	1.000	1.000
Experiment2, congr, ctrl	Experiment3, congr, ctrl	5.783	-64.571	76.138	19.078	135	0.303	0.064	-0.710	0.837	1.000	1.000
	Experiment1, incongr, ctrl	-12.352	-86.050	61.347	19.984	135	-0.618	-0.136	-0.947	0.675	1.000	1.000
	Experiment2, incongr, ctrl	-12.870	-31.192	5.452	4.968	135	-2.591	-0.141	-0.345	0.062	1.000	1.000
	Experiment3, incongr, ctrl	-13.157	-83.534	57.220	19.084	135	-0.689	-0.145	-0.919	0.630	1.000	1.000
Experiment3, congr, ctrl	Experiment1, incongr, ctrl	-18.135	-91.487	55.216	19.890	135	-0.912	-0.199	-1.007	0.608	1.000	1.000
	Experiment2, incongr, ctrl	-18.654	-89.031	51.724	19.084	135	-0.977	-0.205	-0.980	0.570	1.000	1.000
	Experiment3, incongr, ctrl	-18.941	-37.074	-0.807	4.917	135	-3.852	-0.208	-0.413	-0.003	0.028*	0.026*
Experiment1, incongr, ctrl	Experiment2, incongr, ctrl	-0.518	-74.239	73.202	19.990	135	-0.026	-0.006	-0.816	0.805	1.000	1.000
	Experiment3, incongr, ctrl	-0.805	-74.179	72.568	19.896	135	-0.040	-0.009	-0.815	0.798	1.000	1.000
Experiment2, incongr, ctrl	Experiment3, incongr, ctrl	-0.287	-70.687	70.113	19.090	135	-0.015	-0.003	-0.777	0.771	1.000	1.000

* p < .05, ** p < .01, *** p < .001

Note. P-value and confidence intervals adjusted for comparing a family of 153 estimates (confidence intervals corrected using the bonferroni method).

Cohen's d analysis (across experiments)

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	η²	η² _p
Cohhen's D on effect size	None	8.424 ^a	2.000 ^a	4.212 ^a	31.148 ^a	< .001 ^a	0.136	0.187
	Greenhouse-Geisser	8.424	1.835	4.591	31.148	< .001	0.136	0.187
Cohhen's D on effect size * Experiment	None	1.773 ^a	4.000 ^a	0.443 ^a	3.279 ^a	0.012 ^a	0.029	0.046
	Greenhouse-Geisser	1.773	3.670	0.483	3.279	0.015	0.029	0.046
Residuals	None	36.511	270.000	0.135				
	Greenhouse-Geisser	36.511	247.737	0.147				

Note. Type III Sum of Squares

^a Mauchly's test of sphericity indicates that the assumption of sphericity is violated (p < .05).

Cases	Sum of Squares	df	Mean Square	F	p	η^2	η^2_p
Experiment	0.144	2	0.072	0.638	0.530	0.002	0.009
Residuals	15.199	135	0.113				


Note. Type III Sum of Squares

Descriptives

Descriptives

Cohhen's D on effect size	Experiment	N	Mean	SD	SE	Coefficient of variation
cons	1	41	0.185	0.290	0.045	1.568
	2	48	0.287	0.312	0.045	1.087
	3	49	0.294	0.368	0.053	1.251
incons	1	41	0.061	0.301	0.047	4.967
	2	48	-0.127	0.417	0.060	-3.277
	3	49	-0.191	0.498	0.071	-2.613
ctrl	1	41	0.160	0.374	0.058	2.340
	2	48	0.119	0.285	0.041	2.383
	3	49	0.184	0.294	0.042	1.593

Descriptives plots



Post Hoc Tests

Post Hoc Comparisons - Cohhen's D on effect size

		95% CI for Mean Difference					95% CI for Cohen's d					
		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	Pbonf	Pholm
cons	incons	0.341	0.221	0.461	0.049	135	6.906	0.955	0.612	1.297	< .001***	< .001***
	ctrl	0.101	0.009	0.192	0.038	135	2.669	0.282	0.023	0.541	0.026*	0.009**
incons	ctrl	-0.240	-0.350	-0.131	0.045	135	-5.306	-0.673	-0.981	-0.364	< .001***	< .001***

* p < .05, ** p < .01, *** p < .001
Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).
Note. Results are averaged over the levels of: Experiment

Post Hoc Comparisons - Experiment

		95% CI for Mean Difference					95% CI for Cohen's d					
		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	Pbonf	Pholm
Experiment1	Experiment2	0.042	-0.058	0.142	0.041	135	1.023	0.118	-0.162	0.398	0.925	0.925
	Experiment3	0.039	-0.060	0.139	0.041	135	0.957	0.110	-0.169	0.389	1.000	0.925
Experiment2	Experiment3	-0.003	-0.098	0.092	0.039	135	-0.073	-0.008	-0.275	0.259	1.000	0.942

Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).
Note. Results are averaged over the levels of: Cohhen's D on effect size

		95% CI for Mean Difference			SE	df	t	Cohen's d	95% CI for Cohen's d		Pbonf	Pholm
		Mean Difference	Lower	Upper					Lower	Upper		
Experiment1, cons	Experiment2, cons	-0.102	-0.329	0.125	0.070	135	-1.467	-0.285	-0.923	0.353	1.000	1.000
	Experiment3, cons	-0.109	-0.335	0.117	0.069	135	-1.574	-0.305	-0.940	0.331	1.000	1.000
	Experiment1, incons	0.124	-0.171	0.419	0.090	135	1.377	0.348	-0.480	1.176	1.000	1.000
	Experiment2, incons	0.312	0.054	0.571	0.079	135	3.946	0.874	0.150	1.598	0.005**	0.003**
	Experiment3, incons	0.376	0.119	0.633	0.079	135	4.773	1.051	0.332	1.770	< .001***	< .001***
	Experiment1, ctrl	0.025	-0.200	0.251	0.069	135	0.364	0.070	-0.561	0.701	1.000	1.000
	Experiment2, ctrl	0.066	-0.158	0.289	0.069	135	0.957	0.184	-0.444	0.811	1.000	1.000
	Experiment3, ctrl	5.933×10 ⁻⁴	-0.222	0.223	0.068	135	0.009	0.002	-0.622	0.625	1.000	1.000
Experiment2, cons	Experiment3, cons	-0.007	-0.224	0.210	0.066	135	-0.104	-0.019	-0.626	0.587	1.000	1.000
	Experiment1, incons	0.226	-0.037	0.490	0.081	135	2.806	0.634	-0.114	1.382	0.208	0.127
	Experiment2, incons	0.414	0.142	0.687	0.083	135	4.963	1.160	0.392	1.928	< .001***	< .001***
	Experiment3, incons	0.478	0.229	0.727	0.076	135	6.265	1.337	0.638	2.035	< .001***	< .001***
	Experiment1, ctrl	0.127	-0.096	0.350	0.068	135	1.859	0.356	-0.273	0.985	1.000	1.000
	Experiment2, ctrl	0.168	-0.041	0.376	0.064	135	2.627	0.469	-0.121	1.059	0.346	0.192
	Experiment3, ctrl	0.103	-0.111	0.316	0.065	135	1.569	0.287	-0.313	0.887	1.000	1.000
Experiment3, cons	Experiment1, incons	0.233	-0.029	0.496	0.080	135	2.902	0.653	-0.093	1.399	0.156	0.104
	Experiment2, incons	0.421	0.172	0.671	0.076	135	5.512	1.179	0.475	1.884	< .001***	< .001***
	Experiment3, incons	0.485	0.215	0.754	0.083	135	5.864	1.356	0.599	2.113	< .001***	< .001***
	Experiment1, ctrl	0.134	-0.088	0.356	0.068	135	1.970	0.375	-0.251	1.002	1.000	0.916
	Experiment2, ctrl	0.175	-0.039	0.388	0.065	135	2.669	0.488	-0.117	1.094	0.307	0.179
	Experiment3, ctrl	0.110	-0.097	0.316	0.063	135	1.734	0.307	-0.274	0.887	1.000	1.000
Experiment1, incons	Experiment2, incons	0.188	-0.103	0.479	0.089	135	2.109	0.526	-0.289	1.341	1.000	0.699
	Experiment3, incons	0.251	-0.038	0.541	0.089	135	2.832	0.703	-0.111	1.517	0.192	0.123
	Experiment1, ctrl	-0.099	-0.370	0.171	0.083	135	-1.198	-0.278	-1.037	0.481	1.000	1.000
	Experiment2, ctrl	-0.059	-0.320	0.202	0.080	135	-0.737	-0.165	-0.895	0.566	1.000	1.000
	Experiment3, ctrl	-0.124	-0.384	0.136	0.080	135	-1.556	-0.346	-1.077	0.384	1.000	1.000
Experiment2, incons	Experiment3, incons	0.063	-0.215	0.341	0.085	135	0.743	0.177	-0.601	0.955	1.000	1.000
	Experiment1, ctrl	-0.287	-0.542	-0.032	0.078	135	-3.675	-0.804	-1.518	-0.090	0.012*	0.009**
	Experiment2, ctrl	-0.247	-0.497	0.003	0.077	135	-3.223	-0.691	-1.390	0.009	0.057	0.040*
	Experiment3, ctrl	-0.312	-0.558	-0.065	0.076	135	-4.127	-0.873	-1.564	-0.182	0.002**	0.002**
Experiment3, incons	Experiment1, ctrl	-0.351	-0.604	-0.097	0.078	135	-4.512	-0.981	-1.691	-0.271	< .001***	< .001***
	Experiment2, ctrl	-0.310	-0.556	-0.064	0.075	135	-4.115	-0.868	-1.557	-0.178	0.002**	0.002**
	Experiment3, ctrl	-0.375	-0.622	-0.128	0.076	135	-4.949	-1.050	-1.742	-0.357	< .001***	< .001***
Experiment1, ctrl	Experiment2, ctrl	0.040	-0.180	0.260	0.067	135	0.600	0.113	-0.503	0.729	1.000	1.000
	Experiment3, ctrl	-0.025	-0.244	0.194	0.067	135	-0.366	-0.069	-0.682	0.544	1.000	1.000
Experiment2, ctrl	Experiment3, ctrl	-0.065	-0.275	0.145	0.064	135	-1.010	-0.182	-0.771	0.407	1.000	1.000

* p < .05, ** p < .01, *** p < .001

Note. P-value and confidence intervals adjusted for comparing a family of 36 estimates (confidence intervals corrected using the bonferroni method).

Simple Main Effects

Simple Main Effects - Experiment

Level of Cohhen's D on effect size	Sum of Squares	df	Mean Square	F	p
cons	0.322	2	0.161	1.505	0.226
incons	1.491	2	0.746	4.245	0.016
ctrl	0.104	2	0.052	0.518	0.597

Note. Type III Sum of Squares

Cohen's d analysis (across experiments, +initTime covariate)

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	η^2	η_p^2
Cohhen's D on effect size	None	8.424 ^a	2.000 ^a	4.212 ^a	31.638 ^a	< .001 ^a	0.136	0.191
	Greenhouse-Geisser	8.424	1.850	4.553	31.638	< .001	0.136	0.191
Cohhen's D on effect size * Experiment	None	1.773 ^a	4.000 ^a	0.443 ^a	3.330 ^a	0.011 ^a	0.029	0.047
	Greenhouse-Geisser	1.773	3.700	0.479	3.330	0.013	0.029	0.047
Cohhen's D on effect size * mean_initiation_time_centered	None	0.832 ^a	2.000 ^a	0.416 ^a	3.125 ^a	0.046 ^a	0.013	0.023
	Greenhouse-Geisser	0.832	1.850	0.450	3.125	0.050	0.013	0.023
Residuals	None	35.679	268.000	0.133				
	Greenhouse-Geisser	35.679	247.916	0.144				

Note. Type III Sum of Squares

^a Mauchly's test of sphericity indicates that the assumption of sphericity is violated (p < .05).

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	η^2	η_p^2
Experiment	0.144	2	0.072	0.636	0.531	0.002	0.009
mean_initiation_time_centered	0.062	1	0.062	0.549	0.460	0.001	0.004
Residuals	15.137	134	0.113				


Note. Type III Sum of Squares

Descriptives

Descriptives

Cohhen's D on effect size	Experiment	N	Mean	SD	SE	Coefficient of variation
cons	1	41	0.185	0.290	0.045	1.568
	2	48	0.287	0.312	0.045	1.087
	3	49	0.294	0.368	0.053	1.251
incons	1	41	0.061	0.301	0.047	4.967
	2	48	-0.127	0.417	0.060	-3.277
	3	49	-0.191	0.498	0.071	-2.613
ctrl	1	41	0.160	0.374	0.058	2.340
	2	48	0.119	0.285	0.041	2.383
	3	49	0.184	0.294	0.042	1.593

Descriptives plots



Post Hoc Tests

Post Hoc Comparisons - Cohhen's D on effect size

		95% CI for Mean Difference										
		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	95% CI for Cohen's d		Pbonf	Pholm
cons	incons	0.341	0.223	0.459	0.049	134	7.007	0.959	0.620	1.299	< .001***	< .001***
	ctrl	0.101	0.009	0.192	0.038	134	2.669	0.283	0.023	0.544	0.026*	0.009**
incons	ctrl	-0.240	-0.350	-0.131	0.045	134	-5.335	-0.676	-0.985	-0.368	< .001***	< .001***

* p < .05, ** p < .01, *** p < .001
Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).
Note. Results are averaged over the levels of: Experiment

Post Hoc Comparisons - Experiment

		95% CI for Mean Difference										
		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	Pbonf	Pholm
Experiment1	Experiment2	0.042	-0.058	0.142	0.041	134	1.021	0.119	-0.163	0.400	0.927	0.927
	Experiment3	0.039	-0.060	0.139	0.041	134	0.956	0.110	-0.170	0.391	1.000	0.927
Experiment2	Experiment3	-0.003	-0.098	0.093	0.039	134	-0.073	-0.008	-0.277	0.261	1.000	0.942

Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).
Note. Results are averaged over the levels of: Cohhen's D on effect size

Post Hoc Comparisons - Experiment * Cohhen's D on effect size - Conditional on Experiment

		95% CI for Mean Difference										
Experiment		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	Pbonf	Pholm
1	cons	incons	0.124	-0.091	0.340	0.089	134	1.397	0.350	-0.471	1.171	0.494
		ctrl	0.025	-0.142	0.193	0.069	134	0.364	0.071	-0.563	0.705	1.000
	incons	ctrl	-0.099	-0.299	0.100	0.082	134	-1.205	-0.279	-1.038	0.480	0.691
2	cons	incons	0.414	0.215	0.614	0.082	134	5.036	1.166	0.405	1.927	< .001***
		ctrl	0.168	0.013	0.322	0.064	134	2.627	0.471	-0.122	1.065	0.029*
	incons	ctrl	-0.247	-0.431	-0.062	0.076	134	-3.241	-0.694	-1.393	0.005**	0.003**
3	cons	incons	0.485	0.287	0.682	0.081	134	5.950	1.363	0.613	2.113	< .001***
		ctrl	0.110	-0.044	0.263	0.063	134	1.734	0.308	-0.275	0.891	0.256
	incons	ctrl	-0.375	-0.558	-0.192	0.075	134	-4.976	-1.055	-1.747	-0.363	< .001***

* p < .05, ** p < .01, *** p < .001
Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).

Post Hoc Comparisons - Experiment * Cohhen's D on effect size - Conditional on Cohhen's D on effect size

		95% CI for Mean Difference										
Cohhen's D on effect size		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	Pbonf	Pholm
cons	Experiment1	Experiment2	-0.102	-0.270	0.066	0.069	134	-1.470	-0.287	-0.927	0.353	0.431
		Experiment3	-0.109	-0.276	0.058	0.069	134	-1.578	-0.306	-0.943	0.331	0.351
	Experiment2	Experiment3	-0.007	-0.168	0.154	0.066	134	-0.105	-0.019	-0.628	0.589	1.000
incons	Experiment1	Experiment2	0.188	-0.026	0.402	0.088	134	2.134	0.529	-0.281	1.339	0.104
		Experiment3	0.251	0.039	0.464	0.088	134	2.865	0.707	-0.102	1.515	0.015*
	Experiment2	Experiment3	0.063	-0.141	0.267	0.084	134	0.752	0.178	-0.596	0.951	1.000
ctrl	Experiment1	Experiment2	0.040	-0.124	0.204	0.068	134	0.598	0.114	-0.508	0.735	1.000
		Experiment3	-0.025	-0.188	0.139	0.067	134	-0.365	-0.069	-0.687	0.549	1.000
	Experiment2	Experiment3	-0.065	-0.222	0.092	0.065	134	-1.006	-0.183	-0.777	0.412	0.948

* p < .05
Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).

Simple Main Effects

Simple Main Effects - Experiment

Level of Cohhen's D on effect size	Sum of Squares	df	Mean Square	F	p
cons	0.322	2	0.161	1.513	0.224
incons	1.491	2	0.746	4.344	0.015
ctrl	0.104	2	0.052	0.514	0.599

Note. Type III Sum of Squares

GC-effect ANOVA (difference scores in ms)

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	η^2	η_p^2
effect size	None	61870.592 ^a	2.000 ^a	30935.296 ^a	22.085 ^a	< .001 ^a	0.104	0.141
	Greenhouse-Geisser	61870.592	1.880	32901.796	22.085	< .001	0.104	0.141
effect size * Experiment	None	13062.880 ^a	4.000 ^a	3265.720 ^a	2.331 ^a	0.056 ^a	0.022	0.033
	Greenhouse-Geisser	13062.880	3.761	3473.316	2.331	0.060	0.022	0.033
Residuals	None	378204.091	270.000	1400.756				
	Greenhouse-Geisser	378204.091	253.862	1489.799				

Note. Type III Sum of Squares

^a Mauchly's test of sphericity indicates that the assumption of sphericity is violated (p < .05).

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	η^2	η_p^2
Experiment	136.798	2	68.399	0.066	0.936	2.307×10 ⁻⁴	9.788×10 ⁻⁴
Residuals	139621.608	135	1034.234				


Note. Type III Sum of Squares

Descriptives

Descriptives

effect size	Experiment	N	Mean	SD	SE	Coefficient of variation
cons	1	41	15.024	27.628	4.315	1.839
	2	48	27.917	32.982	4.760	1.181
	3	49	25.122	33.041	4.720	1.315
incons	1	41	5.000	34.467	5.383	6.893
	2	48	-10.792	40.280	5.814	-3.733
	3	49	-12.837	45.724	6.532	-3.562
ctrl	1	41	14.220	38.594	6.027	2.714
	2	48	12.917	33.450	4.828	2.590
	3	49	18.898	31.447	4.492	1.664

Descriptives plots



Post Hoc Tests

Post Hoc Comparisons - effect size

		95% CI for Mean Difference					95% CI for Cohen's d					
		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	Pbonf	Pholm
cons	incons	28.897	17.062	40.733	4.882	135	5.919	0.808	0.470	1.146	< .001***	< .001***
	ctrl	7.343	-2.164	16.850	3.922	135	1.872	0.205	-0.062	0.473	0.190	0.063
incons	ctrl	-21.554	-32.943	-10.165	4.698	135	-4.588	-0.603	-0.924	-0.282	< .001***	< .001***

*** p < .001

Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).

Note. Results are averaged over the levels of: Experiment

Post Hoc Comparisons - Experiment

		95% CI for Mean Difference				95% CI for Cohen's d							
		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	Pbonf	Pholm	
Experiment1	Experiment2	1.401	-8.171	10.973	3.948	135	0.355	0.039	-0.229	0.307	1.000	1.000	
	Experiment3	1.020	-8.507	10.547	3.930	135	0.260	0.029	-0.238	0.295	1.000	1.000	
Experiment2	Experiment3	-0.381	-9.521	8.760	3.771	135	-0.101	-0.011	-0.266	0.245	1.000	1.000	

Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).

Note. Results are averaged over the levels of: effect size

		95% CI for Mean Difference				95% CI for Cohen's d						
		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	Pbonf	Pholm
Experiment1, cons	Experiment2, cons	-12.892	-34.770	8.986	6.701	135	-1.924	-0.361	-0.977	0.255	1.000	1.000
	Experiment3, cons	-10.098	-31.873	11.677	6.670	135	-1.514	-0.282	-0.894	0.329	1.000	1.000
	Experiment1, incons	10.024	-19.125	39.174	8.929	135	1.123	0.280	-0.537	1.097	1.000	1.000
	Experiment2, incons	25.816	0.780	50.852	7.669	135	3.366	0.722	0.021	1.423	0.036*	0.028*
	Experiment3, incons	27.861	2.976	52.746	7.623	135	3.655	0.779	0.083	1.475	0.013*	0.011*
	Experiment1, ctrl	0.805	-22.610	24.220	7.172	135	0.112	0.023	-0.632	0.677	1.000	1.000
	Experiment2, ctrl	2.108	-20.711	24.927	6.990	135	0.302	0.059	-0.579	0.697	1.000	1.000
	Experiment3, ctrl	-3.874	-26.575	18.828	6.954	135	-0.557	-0.108	-0.744	0.527	1.000	1.000
Experiment2, cons	Experiment3, cons	2.794	-18.098	23.687	6.400	135	0.437	0.078	-0.506	0.663	1.000	1.000
	Experiment1, incons	22.917	-2.619	48.452	7.822	135	2.930	0.641	-0.085	1.366	0.143	0.096
	Experiment2, incons	38.708	11.768	65.648	8.252	135	4.691	1.083	0.323	1.842	< .001***	< .001***
	Experiment3, incons	40.753	16.637	64.870	7.387	135	5.517	1.140	0.460	1.819	< .001***	< .001***
	Experiment1, ctrl	13.697	-9.279	36.673	7.038	135	1.946	0.383	-0.264	1.030	1.000	1.000
	Experiment2, ctrl	15.000	-6.640	36.640	6.629	135	2.263	0.419	-0.191	1.030	0.909	0.555
	Experiment3, ctrl	9.019	-12.838	30.875	6.695	135	1.347	0.252	-0.361	0.866	1.000	1.000
Experiment3, cons	Experiment1, incons	20.122	-5.325	45.570	7.795	135	2.582	0.563	-0.158	1.283	0.393	0.251
	Experiment2, incons	35.914	11.735	60.093	7.406	135	4.849	1.004	0.324	1.685	< .001***	< .001***
	Experiment3, incons	37.959	11.296	64.623	8.167	135	4.648	1.062	0.313	1.810	< .001***	< .001***
	Experiment1, ctrl	10.903	-11.975	33.781	7.008	135	1.556	0.305	-0.338	0.948	1.000	1.000
	Experiment2, ctrl	12.206	-9.670	34.082	6.701	135	1.822	0.341	-0.274	0.957	1.000	1.000
	Experiment3, ctrl	6.224	-15.194	27.643	6.561	135	0.949	0.174	-0.426	0.774	1.000	1.000
Experiment1, incons	Experiment2, incons	15.792	-12.496	44.080	8.665	135	1.822	0.442	-0.350	1.233	1.000	1.000
	Experiment3, incons	17.837	-10.318	45.991	8.624	135	2.068	0.499	-0.290	1.287	1.000	0.851
	Experiment1, ctrl	-9.220	-37.270	18.831	8.592	135	-1.073	-0.258	-1.044	0.528	1.000	1.000
	Experiment2, ctrl	-7.917	-34.263	18.430	8.070	135	-0.981	-0.221	-0.960	0.517	1.000	1.000
	Experiment3, ctrl	-13.898	-40.142	12.347	8.039	135	-1.729	-0.389	-1.127	0.349	1.000	1.000
Experiment2, incons	Experiment3, incons	2.045	-24.969	29.059	8.275	135	0.247	0.057	-0.698	0.813	1.000	1.000
	Experiment1, ctrl	-25.011	-51.012	0.989	7.964	135	-3.140	-0.699	-1.427	0.028	0.075	0.054
	Experiment2, ctrl	-23.708	-49.633	2.216	7.941	135	-2.986	-0.663	-1.388	0.062	0.121	0.084
	Experiment3, ctrl	-29.690	-54.706	-4.673	7.663	135	-3.874	-0.830	-1.531	-0.129	0.006**	0.005**
Experiment3, incons	Experiment1, ctrl	-27.056	-52.912	-1.201	7.920	135	-3.416	-0.757	-1.480	-0.034	0.030*	0.024*
	Experiment2, ctrl	-25.753	-50.727	-0.780	7.650	135	-3.367	-0.720	-1.419	-0.022	0.036*	0.028*
	Experiment3, ctrl	-31.735	-57.393	-6.076	7.860	135	-4.038	-0.888	-1.606	-0.169	0.003**	0.003**
Experiment1, ctrl	Experiment2, ctrl	1.303	-22.571	25.176	7.313	135	0.178	0.036	-0.631	0.704	1.000	1.000
	Experiment3, ctrl	-4.678	-28.440	19.083	7.278	135	-0.643	-0.131	-0.796	0.534	1.000	1.000
Experiment2, ctrl	Experiment3, ctrl	-5.981	-28.780	16.817	6.983	135	-0.857	-0.167	-0.806	0.471	1.000	1.000

* p < .05, ** p < .01, *** p < .001

Note. P-value and confidence intervals adjusted for comparing a family of 36 estimates (confidence intervals corrected using the bonferroni method).

GC-effect ANCOVA (difference scores in ms, +initTime covariate)

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	η^2	η_p^2
effect size	None	61870.592 ^a	2.000 ^a	30935.296 ^a	22.311 ^a	< .001 ^a	0.104	0.143
	Greenhouse-Geisser	61870.592	1.890	32730.755	22.311	< .001	0.104	0.143
effect size * Experiment	None	13062.880 ^a	4.000 ^a	3265.720 ^a	2.355 ^a	0.054 ^a	0.022	0.034
	Greenhouse-Geisser	13062.880	3.781	3455.260	2.355	0.058	0.022	0.034
effect size * mean_initiation_time_centered	None	6611.502 ^a	2.000 ^a	3305.751 ^a	2.384 ^a	0.094 ^a	0.011	0.017
	Greenhouse-Geisser	6611.502	1.890	3497.614	2.384	0.097	0.011	0.017
Residuals	None	371592.589	268.000	1386.540				
	Greenhouse-Geisser	371592.589	253.299	1467.013				

Note. Type III Sum of Squares

^a Mauchly's test of sphericity indicates that the assumption of sphericity is violated (p < .05).

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	η^2	η_p^2
Experiment	136.798	2	68.399	0.068	0.935	2.307×10^{-4}	0.001
mean_initiation_time_centered	3965.048	1	3965.048	3.917	0.050	0.007	0.028
Residuals	135656.560	134	1012.362				


Note. Type III Sum of Squares

Descriptives

Descriptives

effect size	Experiment	N	Mean	SD	SE	Coefficient of variation
cons	1	41	15.024	27.628	4.315	1.839
	2	48	27.917	32.982	4.760	1.181
	3	49	25.122	33.041	4.720	1.315
incons	1	41	5.000	34.467	5.383	6.893
	2	48	-10.792	40.280	5.814	-3.733
	3	49	-12.837	45.724	6.532	-3.562
ctrl	1	41	14.220	38.594	6.027	2.714
	2	48	12.917	33.450	4.828	2.590
	3	49	18.898	31.447	4.492	1.664

Descriptives plots



Post Hoc Tests

Post Hoc Comparisons - effect size

		95% CI for Mean Difference					95% CI for Cohen's d					
		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	Pbonf	Pholm
cons	incons	28.897	17.190	40.605	4.829	134	5.984	0.814	0.477	1.150	< .001***	< .001***
	ctrl	7.343	-2.176	16.862	3.926	134	1.870	0.207	-0.063	0.476	0.191	0.064
incons	ctrl	-21.554	-32.908	-10.201	4.683	134	-4.603	-0.607	-0.929	-0.285	< .001***	< .001***

*** p < .001

Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).

Note. Results are averaged over the levels of: Experiment

Post Hoc Comparisons - Experiment

		95% CI for Mean Difference					95% CI for Cohen's d					
		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	Pbonf	Pholm
Experiment1	Experiment2	1.401	-8.070	10.872	3.907	134	0.359	0.039	-0.227	0.306	1.000	1.000
	Experiment3	1.020	-8.406	10.446	3.888	134	0.262	0.029	-0.237	0.294	1.000	1.000
Experiment2	Experiment3	-0.381	-9.425	8.664	3.731	134	-0.102	-0.011	-0.265	0.244	1.000	1.000

Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).

Note. Results are averaged over the levels of: effect size

		95% CI for Mean Difference				95% CI for Cohen's d						
		Mean Difference	Lower	Upper	SE	df	t	Cohen's d	Lower	Upper	Pbonf	Pholm
Experiment1, cons	Experiment2, cons	-12.892	-34.839	9.055	6.722	134	-1.918	-0.363	-0.985	0.259	1.000	1.000
	Experiment3, cons	-10.098	-31.942	11.745	6.690	134	-1.509	-0.284	-0.902	0.333	1.000	1.000
	Experiment1, incons	10.024	-18.812	38.860	8.831	134	1.135	0.282	-0.532	1.096	1.000	1.000
	Experiment2, incons	25.816	1.016	50.616	7.595	134	3.399	0.727	0.028	1.425	0.032*	0.025*
	Experiment3, incons	27.861	3.208	52.514	7.550	134	3.690	0.784	0.090	1.478	0.012*	0.010**
	Experiment1, ctrl	0.805	-22.642	24.251	7.181	134	0.112	0.023	-0.637	0.683	1.000	1.000
	Experiment2, ctrl	2.108	-20.771	24.986	7.007	134	0.301	0.059	-0.585	0.704	1.000	1.000
	Experiment3, ctrl	-3.874	-26.634	18.887	6.971	134	-0.556	-0.109	-0.750	0.532	1.000	1.000
Experiment2, cons	Experiment3, cons	2.794	-18.164	23.753	6.419	134	0.435	0.079	-0.512	0.669	1.000	1.000
	Experiment1, incons	22.917	-2.338	48.171	7.735	134	2.963	0.645	-0.077	1.368	0.130	0.087
	Experiment2, incons	38.708	12.058	65.359	8.162	134	4.742	1.090	0.333	1.846	< .001***	< .001***
	Experiment3, incons	40.753	16.881	64.626	7.311	134	5.574	1.147	0.470	1.825	< .001***	< .001***
	Experiment1, ctrl	13.697	-9.337	36.731	7.054	134	1.942	0.386	-0.267	1.039	1.000	1.000
	Experiment2, ctrl	15.000	-6.670	36.670	6.637	134	2.260	0.422	-0.194	1.038	0.915	0.559
	Experiment3, ctrl	9.019	-12.894	30.931	6.711	134	1.344	0.254	-0.365	0.873	1.000	1.000
Experiment3, cons	Experiment1, incons	20.122	-5.042	45.287	7.707	134	2.611	0.566	-0.151	1.284	0.362	0.231
	Experiment2, incons	35.914	11.985	59.843	7.329	134	4.901	1.011	0.333	1.689	< .001***	< .001***
	Experiment3, incons	37.959	11.582	64.336	8.078	134	4.699	1.069	0.323	1.814	< .001***	< .001***
	Experiment1, ctrl	10.903	-12.032	33.838	7.024	134	1.552	0.307	-0.342	0.955	1.000	1.000
	Experiment2, ctrl	12.206	-9.726	34.138	6.717	134	1.817	0.344	-0.278	0.965	1.000	1.000
	Experiment3, ctrl	6.224	-15.223	27.672	6.568	134	0.948	0.175	-0.430	0.780	1.000	1.000
Experiment1, incons	Experiment2, incons	15.792	-11.978	43.561	8.505	134	1.857	0.445	-0.338	1.227	1.000	1.000
	Experiment3, incons	17.837	-9.802	45.475	8.465	134	2.107	0.502	-0.277	1.281	1.000	0.776
	Experiment1, ctrl	-9.220	-37.184	18.745	8.565	134	-1.076	-0.260	-1.048	0.529	1.000	1.000
	Experiment2, ctrl	-7.917	-33.985	18.152	7.984	134	-0.992	-0.223	-0.958	0.512	1.000	1.000
	Experiment3, ctrl	-13.898	-39.863	12.067	7.952	134	-1.748	-0.391	-1.126	0.344	1.000	1.000
Experiment2, incons	Experiment3, incons	2.045	-24.474	28.564	8.122	134	0.252	0.058	-0.689	0.804	1.000	1.000
	Experiment1, ctrl	-25.011	-50.778	0.755	7.891	134	-3.169	-0.704	-1.430	0.022	0.068	0.049*
	Experiment2, ctrl	-23.708	-49.554	2.137	7.915	134	-2.995	-0.667	-1.395	0.060	0.118	0.082
	Experiment3, ctrl	-29.690	-54.459	-4.920	7.586	134	-3.914	-0.836	-1.535	-0.137	0.005**	0.004**
Experiment3, incons	Experiment1, ctrl	-27.056	-52.682	-1.431	7.848	134	-3.447	-0.762	-1.483	-0.040	0.027*	0.022*
	Experiment2, ctrl	-25.753	-50.485	-1.022	7.574	134	-3.400	-0.725	-1.421	-0.029	0.032*	0.025*
	Experiment3, ctrl	-31.735	-57.315	-6.155	7.834	134	-4.051	-0.893	-1.614	-0.172	0.003**	0.003**
Experiment1, ctrl	Experiment2, ctrl	1.303	-22.620	25.226	7.327	134	0.178	0.037	-0.637	0.710	1.000	1.000
	Experiment3, ctrl	-4.678	-28.489	19.132	7.292	134	-0.642	-0.132	-0.803	0.539	1.000	1.000
Experiment2, ctrl	Experiment3, ctrl	-5.981	-28.827	16.864	6.997	134	-0.855	-0.168	-0.812	0.476	1.000	1.000

* p < .05, ** p < .01, *** p < .001

Note. P-value and confidence intervals adjusted for comparing a family of 36 estimates (confidence intervals corrected using the bonferroni method).