

```
CREATE DATABASE MOTOR;  
USE MOTOR;
```

```
CREATE TABLE vehicle_make_t (  
    make_id INT,  
    make_desc VARCHAR(100) NOT NULL,  
    status VARCHAR(20) NOT NULL,  
    added_on DATE DEFAULT (CURRENT_DATE),  
    added_by VARCHAR(50),  
    CONSTRAINT pk_vehicle_make_t PRIMARY KEY (make_id)  
);
```

```
CREATE TABLE vehicle_model_t (  
    model_id INT,  
    model_desc VARCHAR(100) NOT NULL,  
    make_id INT NOT NULL,  
    status VARCHAR(20) NOT NULL,  
    added_on DATE DEFAULT (CURRENT_DATE),  
    added_by VARCHAR(50),  
    CONSTRAINT pk_vehicle_model_t PRIMARY KEY (model_id),  
    CONSTRAINT fk_vehicle_model_t_make_id FOREIGN KEY (make_id) REFERENCES  
vehicle_make_t(make_id)  
);
```

```
CREATE TABLE regions_t (  
    region_id INT,  
    region_name VARCHAR(50) NOT NULL,  
    state_info VARCHAR(50) NOT NULL,  
    city_info VARCHAR(50) NOT NULL,  
    CONSTRAINT pk_regions_t PRIMARY KEY (region_id)  
);
```

```
CREATE TABLE vehicle_color_t (  
    color_id INT,  
    color_name VARCHAR(50) NOT NULL,  
    status VARCHAR(20) NOT NULL,  
    CONSTRAINT pk_vehicle_color_t PRIMARY KEY (color_id)  
);
```

```
CREATE TABLE vehicle_body_t (  
    body_id INT,  
    body_type VARCHAR(50) NOT NULL,  
    status VARCHAR(20) NOT NULL,  
    CONSTRAINT pk_vehicle_body_t PRIMARY KEY (body_id)  
);
```

```
CREATE TABLE vehicle_category_t (  
    category_id INT,  
    category_type VARCHAR(50) NOT NULL,  
    status VARCHAR(20) NOT NULL,  
    CONSTRAINT pk_vehicle_category_t PRIMARY KEY (category_id)
```

);

```
CREATE TABLE master_lov_t (  
    lov_id INT,  
    lov_category VARCHAR(50) NOT NULL,  
    lov_value VARCHAR(100) NOT NULL,  
    CONSTRAINT pk_master_lov_t PRIMARY KEY (lov_id)  
);
```

```
CREATE TABLE personal_information_t (  
    user_id INT,  
    usertype VARCHAR(50) NOT NULL,  
    first_name VARCHAR(50) NOT NULL,  
    last_name VARCHAR(50) NOT NULL,  
    gender VARCHAR(10),  
    dob DATE NOT NULL, -- Only date..no Time[cite: 3]  
    email VARCHAR(100) NOT NULL,  
    marital_status_id INT,  
    education_id INT,  
    phone VARCHAR(50) NOT NULL,  
    mobile VARCHAR(50),  
    addr1 VARCHAR(150),  
    addr2 VARCHAR(150),  
    addr3 VARCHAR(150),  
    street VARCHAR(100),  
    city_id INT,  
    state_id INT,  
    country_id INT,  
    national_id VARCHAR(50) NOT NULL,  
    nationality_id INT NOT NULL,  
    status VARCHAR(20) NOT NULL,  
    added_on DATE DEFAULT (CURRENT_DATE),  
    added_by VARCHAR(50),  
    CONSTRAINT pk_personal_information_t PRIMARY KEY (user_id),  
    CONSTRAINT fk_personal_info_marital FOREIGN KEY (marital_status_id) REFERENCES  
master_lov_t(lov_id),  
    CONSTRAINT fk_personal_info_education FOREIGN KEY (education_id) REFERENCES  
master_lov_t(lov_id)  
);
```

```
CREATE TABLE login_user_t (  
    login_id INT,  
    password VARCHAR(255) NOT NULL,  
    user_id INT NOT NULL,  
    lead_id INT,  
    usertype VARCHAR(50) NOT NULL,  
    status VARCHAR(20) NOT NULL,  
    added_on DATE DEFAULT (CURRENT_DATE),  
    added_by VARCHAR(50),  
    CONSTRAINT pk_login_user_t PRIMARY KEY (login_id),
```

```
        CONSTRAINT fk_login_user_user_id FOREIGN KEY (user_id) REFERENCES  
personal_information_t(user_id)  
);
```

```
CREATE TABLE broker_t (  
    broker_id INT,  
    broker_name VARCHAR(100),  
    broker_org_name VARCHAR(100),  
    contact_info VARCHAR(255),  
    prepaid_credit_balance DECIMAL(12,2) DEFAULT 0.00,  
    status VARCHAR(20) NOT NULL,  
    added_on DATE DEFAULT (CURRENT_DATE),  
    added_by VARCHAR(50),  
    CONSTRAINT pk_broker_t PRIMARY KEY (broker_id),  
    CONSTRAINT fk_broker_user_id FOREIGN KEY (broker_id) REFERENCES  
personal_information_t(user_id)  
);
```

```
CREATE TABLE product_config_t (  
    product_id INT,  
    product_name VARCHAR(100) NOT NULL,  
    base_rate DECIMAL(5,2) NOT NULL,  
    status VARCHAR(20) NOT NULL,  
    CONSTRAINT pk_product_config_t PRIMARY KEY (product_id)  
);
```

```
CREATE TABLE premium_rate_config_t (  
    rate_id INT,  
    product_id INT NOT NULL,  
    risk_factor VARCHAR(50) NOT NULL,  
    modifier_value DECIMAL(5,2) NOT NULL,  
    CONSTRAINT pk_premium_rate_config_t PRIMARY KEY (rate_id),  
    CONSTRAINT fk_premium_rate_product_id FOREIGN KEY (product_id) REFERENCES  
product_config_t(product_id)  
);
```

```
CREATE TABLE quote_information_t (  
    quote_id INT,  
    customer_name VARCHAR(100) NOT NULL,  
    vehicle_make_id INT NOT NULL,  
    vehicle_model_id INT NOT NULL,  
    vehicle_category_id INT NOT NULL,  
    region_id INT NOT NULL,  
    cover_plan_type VARCHAR(50) NOT NULL,  
    created_by_user_id INT NOT NULL,  
    quote_status VARCHAR(20) NOT NULL,  
    CONSTRAINT pk_quote_information_t PRIMARY KEY (quote_id),  
    CONSTRAINT fk_quote_vehicle_make_id FOREIGN KEY (vehicle_make_id) REFERENCES  
vehicle_make_t(make_id),  
    CONSTRAINT fk_quote_vehicle_model_id FOREIGN KEY (vehicle_model_id) REFERENCES  
vehicle_model_t(model_id),
```

```
CONSTRAINT fk_quote_vehicle_cat_id FOREIGN KEY (vehicle_category_id) REFERENCES
vehicle_category_t(category_id),
```

```
CONSTRAINT fk_quote_region_id FOREIGN KEY (region_id) REFERENCES
regions_t(region_id),
```

```
CONSTRAINT fk_quote_user_id FOREIGN KEY (created_by_user_id) REFERENCES
personal_information_t(user_id)
```

```
);
```

```
CREATE TABLE policy_transaction_t (
```

```
policy_id INT,
```

```
policy_number VARCHAR(50) UNIQUE NOT NULL,
```

```
quote_id INT NOT NULL,
```

```
premium_amount DECIMAL(10,2) NOT NULL,
```

```
tax_amount DECIMAL(10,2) NOT NULL,
```

```
final_premium DECIMAL(10,2) NOT NULL,
```

```
currency VARCHAR(10) NOT NULL,
```

```
payment_method VARCHAR(30) NOT NULL,
```

```
issue_date DATE NOT NULL,
```

```
CONSTRAINT pk_policy_transaction_t PRIMARY KEY (policy_id),
```

```
CONSTRAINT fk_policy_quote_id FOREIGN KEY (quote_id) REFERENCES
```

```
quote_information_t(quote_id)
```

```
);
```

```
CREATE TABLE accounting_notes_t (
```

```
note_id INT,
```

```
policy_id INT NOT NULL,
```

```
note_type VARCHAR(20) NOT NULL,
```

```
amount DECIMAL(10,2) NOT NULL,
```

```
generated_date DATE DEFAULT (CURRENT_DATE),
```

```
CONSTRAINT pk_accounting_notes_t PRIMARY KEY (note_id),
```

```
CONSTRAINT fk_accounting_notes_policy_id FOREIGN KEY (policy_id) REFERENCES
```

```
policy_transaction_t(policy_id)
```

```
);
```

-- 02_data_insertion.sql

```
-- 1. vehicle_make_t (25 Rows)
```

```
INSERT INTO vehicle_make_t VALUES
```

```
(1,'Toyota','Active','2024-01-01','Admin'),(2,'Honda','Active','2024-01-
```

```
01','Admin'),(3,'Ford','Active','2024-01-01','Admin'),
```

```
(4,'Nissan','Active','2024-01-01','Admin'),(5,'Chevrolet','Active','2024-01-
```

```
01','Admin'),(6,'BMW','Active','2024-01-01','Admin'),
```

```
(7,'Mercedes','Active','2024-01-01','Admin'),(8,'Audi','Active','2024-01-
```

```
01','Admin'),(9,'Hyundai','Active','2024-01-01','Admin'),
```

```
(10,'Kia','Active','2024-01-01','Admin'),(11,'Mazda','Active','2024-01-
```

```
01','Admin'),(12,'Subaru','Active','2024-01-01','Admin'),
```

```
(13,'Volkswagen','Active','2024-01-01','Admin'),(14,'Lexus','Active','2024-01-01','Admin'),(15,'Jeep','Active','2024-01-01','Admin'),
(16,'Dodge','Active','2024-01-01','Admin'),(17,'Ram','Active','2024-01-01','Admin'),(18,'GMC','Active','2024-01-01','Admin'),
(19,'Volvo','Active','2024-01-01','Admin'),(20,'Tesla','Active','2024-01-01','Admin'),(21,'Porsche','Active','2024-01-01','Admin'),
(22,'Land Rover','Active','2024-01-01','Admin'),(23,'Jaguar','Active','2024-01-01','Admin'),(24,'Cadillac','Active','2024-01-01','Admin'),
(25,'Infiniti','Active','2024-01-01','Admin');
```

```
SELECT * FROM vehicle_make_t;
```

```
-- 2. vehicle_model_t (25 Rows)
```

```
INSERT INTO vehicle_model_t VALUES
```

```
(101,'Camry',1,'Active','2024-01-01','Admin'),(102,'Corolla',1,'Active','2024-01-01','Admin'),(103,'Civic',2,'Active','2024-01-01','Admin'),
(104,'Accord',2,'Active','2024-01-01','Admin'),(105,'Mustang',3,'Active','2024-01-01','Admin'),(106,'F-150',3,'Active','2024-01-01','Admin'),
(107,'Altima',4,'Active','2024-01-01','Admin'),(108,'Rogue',4,'Active','2024-01-01','Admin'),(109,'Malibu',5,'Active','2024-01-01','Admin'),
(110,'Silverado',5,'Active','2024-01-01','Admin'),(111,'3 Series',6,'Active','2024-01-01','Admin'),(112,'5 Series',6,'Active','2024-01-01','Admin'),
(113,'C-Class',7,'Active','2024-01-01','Admin'),(114,'E-Class',7,'Active','2024-01-01','Admin'),(115,'A4',8,'Active','2024-01-01','Admin'),
(116,'Q5',8,'Active','2024-01-01','Admin'),(117,'Elantra',9,'Active','2024-01-01','Admin'),(118,'Sonata',9,'Active','2024-01-01','Admin'),
(119,'Sportage',10,'Active','2024-01-01','Admin'),(120,'Sorento',10,'Active','2024-01-01','Admin'),(121,'CX-5',11,'Active','2024-01-01','Admin'),
(122,'Outback',12,'Active','2024-01-01','Admin'),(123,'Jetta',13,'Active','2024-01-01','Admin'),(124,'RX350',14,'Active','2024-01-01','Admin'),
(125,'Wrangler',15,'Active','2024-01-01','Admin');
```

```
SELECT * FROM vehicle_model_t;
```

```
INSERT INTO regions_t VALUES
```

```
(1,'North','Region1','City1'),(2,'South','Region2','City2'),(3,'East','Region3','City3'),(4,'West','Region4','City4'),
(5,'Central','Region5','City5'),(6,'Northeast','Region6','City6'),(7,'Northwest','Region7','City7'),(8,'Sout heast','Region8','City8'),
(9,'Southwest','Region9','City9'),(10,'Coastal','Region10','City10'),(11,'Midwest','Region11','City11'),(12,'Mountain','Region12','City12'),
(13,'Valley','Region13','City13'),(14,'Metro','Region14','City14'),(15,'Delta','Region15','City15'),(16,'Pl ains','Region16','City16'),
(17,'Highlands','Region17','City17'),(18,'Desert','Region18','City18'),(19,'Island','Region19','City19'),(20,'Border','Region20','City20'),
(21,'Capital','Region21','City21'),(22,'Bay Area','Region22','City22'),(23,'Canyon','Region23','City23'),(24,'Forest','Region24','City24'),
(25,'Appalachia','Region25','City25');
```

```
SELECT * FROM regions_t;
```

```
-- 4. vehicle_color_t (25 Rows)
```

```

INSERT INTO vehicle_color_t VALUES
(1,'Red','Active'),(2,'Blue','Active'),(3,'Black','Active'),(4,'White','Active'),(5,'Silver','Active'),
(6,'Grey','Active'),(7,'Green','Active'),(8,'Yellow','Active'),(9,'Orange','Active'),(10,'Brown','Active'),
(11,'Gold','Active'),(12,'Beige','Active'),(13,'Bronze','Active'),(14,'Copper','Active'),(15,'Purple','Active'),
(16,'Pink','Active'),(17,'Burgundy','Active'),(18,'Maroon','Active'),(19,'Navy','Active'),(20,'Teal','Active'),
(21,'Lime','Active'),(22,'Charcoal','Active'),(23,'Champagne','Active'),(24,'Ruby','Active'),(25,'Platinum','Active');
SELECT * FROM vehicle_color_t;
-- 5. vehicle_body_t (25 Rows)
INSERT INTO vehicle_body_t VALUES
(1,'Sedan','Active'),(2,'Jeeps','Active'),(3,'4x4','Active'),(4,'Wagon','Active'),(5,'Hatchback','Active'),
(6,'Tankers','Active'),(7,'Truck','Active'),(8,'Van','Active'),(9,'Bus','Active'),(10,'Coupe','Active'),
(11,'Convertible','Active'),(12,'SUV','Active'),(13,'Crossover','Active'),(14,'Minivan','Active'),(15,'Pickup','Active'),
(16,'Roadster','Active'),(17,'Supercar','Active'),(18,'Limousine','Active'),(19,'Camper','Active'),(20,'Tractor','Active'),
(21,'Trailer','Active'),(22,'Dumper','Active'),(23,'Loader','Active'),(24,'Flatbed','Active'),(25,'Cabriolet','Active');
SELECT * FROM vehicle_body_t;
-- 6. vehicle_category_t (25 Rows)
INSERT INTO vehicle_category_t VALUES
(1,'private','Active'),(2,'commercial','Active'),(3,'Taxi','Active'),(4,'Motorcycle','Active'),(5,'sports','Active'),
(6,'Fleet','Active'),(7,'Rental','Active'),(8,'Cargo','Active'),(9,'Passenger','Active'),(10,'Agricultural','Active'),
(11,'Construction','Active'),(12,'Emergency','Active'),(13,'Government','Active'),(14,'Military','Active'),
(15,'Educational','Active'),
(16,'Utility','Active'),(17,'Delivery','Active'),(18,'Logistics','Active'),(19,'Mining','Active'),(20,'Tourism','Active'),
(21,'Special Event','Active'),(22,'Shuttle','Active'),(23,'Heavy Duty','Active'),(24,'Leased','Active'),(25,'VIP','Active');
SELECT * FROM vehicle_category_t;

```

```

-- 7. master_lov_t (25 Rows)

```

```

INSERT INTO master_lov_t VALUES
(1,'Marital Status','Single'),(2,'Marital Status','Married'),(3,'Marital Status','Divorced'),(4,'Education','High School'),(5,'Education','Bachelor'),
(6,'Education','Master'),(7,'Education','PhD'),(8,'Country','USA'),(9,'Country','Canada'),(10,'Country','UK'),
(11,'Nationality','American'),(12,'Nationality','Canadian'),(13,'Nationality','British'),(14,'Marital Status','Widowed'),(15,'Education','Diploma'),
(16,'Country','Germany'),(17,'Country','France'),(18,'Country','India'),(19,'Nationality','German'),(20,'Nationality','French'),

```

```
(21,'Nationality','Indian'),(22,'Country','Australia'),(23,'Nationality','Australian'),(24,'Country','Japan'),
(25,'Nationality','Japanese');
SELECT * FROM master_lov_t;
```

```
-- 8. personal_information_t (25 Rows)
```

```
INSERT INTO personal_information_t VALUES
```

```
(1,'Admin','John','Doe','Male','1980-05-12','jdoe@monarchy.com',2,6,'05115111','99999111','Add1','Add2','Add3','St1',1,1,8,'NAT001',11,'True','2024-01-01','Sys'),
(2,'UnderWriter','Jane','Smith','Female','1985-08-22','jsmith@monarchy.com',1,5,'05115222','99999222','Add1','Add2','Add3','St2',2,2,8,'NAT002',11,'True','2024-01-01','Sys'),
(3,'Operational User','Bob','Jones','Male','1988-03-15','bjones@monarchy.com',2,5,'05115333','99999333','Add1','Add2','Add3','St3',3,3,8,'NAT003',11,'True','2024-01-01','Sys'),
(4,'Broker','Alice','Brown','Female','1990-11-02','abrown@broker1.com',2,5,'05115444','99999444','Add1','Add2','Add3','St4',4,4,8,'NAT004',11,'True','2024-01-01','Sys'),
(5,'Sales Agent','Charlie','Green','Male','1993-07-19','cgreen@broker1.com',1,4,'05115555','99999555','Add1','Add2','Add3','St5',5,5,8,'NAT005',11,'True','2024-01-01','Sys'),
(6,'Broker','David','White','Male','1979-12-30','dwhite@broker2.com',2,6,'05115666','99999666','Add1','Add2','Add3','St6',6,6,9,'NAT006',12,'True','2024-01-01','Sys'),
(7,'Sales Agent','Emily','Black','Female','1995-02-14','eblack@broker2.com',1,5,'05115777','99999777','Add1','Add2','Add3','St7',7,7,9,'NAT007',12,'True','2024-01-01','Sys'),
(8,'Direct User','Frank','Gray','Male','2000-06-25','fgray@client.com',1,4,'05115888','99999888','Add1','Add2','Add3','St8',8,8,8,'NAT008',11,'True','2024-01-01','Sys'),
(9,'Direct User','Grace','Blue','Female','1992-09-05','gblue@client.com',2,5,'05115999','99999999','Add1','Add2','Add3','St9',9,9,8,'NAT009',11,'True','2024-01-01','Sys'),
(10,'Direct User','Henry','Gold','Male','1984-04-18','hgold@client.com',2,6,'05115101','99999101','Add1','Add2','Add3','St10',10,10,10,'NAT010',13,'True','2024-01-01','Sys'),
(11,'Direct User','Ivy','Silver','Female','1997-01-11','isilver@client.com',1,5,'05115102','99999102','Add1','Add2','Add3','St11',11,11,10,'NAT011',13,'True','2024-01-01','Sys'),
(12,'Direct User','Jack','Pink','Male','1991-10-24','jpink@client.com',3,4,'05115103','99999103','Add1','Add2','Add3','St12',12,12,8,'NAT012',11,'True','2024-01-01','Sys'),
(13,'Direct User','Karen','Orange','Female','1986-05-29','korange@client.com',2,7,'05115104','99999104','Add1','Add2','Add3','St13',13,13,16,'NAT013',19,'True','2024-01-01','Sys'),
(14,'Direct User','Leo','Purple','Male','1989-07-08','lpurple@client.com',1,5,'05115105','99999105','Add1','Add2','Add3','St14',14,14,17,'NAT014',20,'True','2024-01-01','Sys'),
```

```

(15,'Direct User','Mona','Yellow','Female','1994-12-
03','myyellow@client.com',2,5,'05115106','99999106','Add1','Add2','Add3','St15',15,15,18,'NAT015',2
1,'True','2024-01-01','Sys'),
(16,'Direct User','Ned','Cyan','Male','1996-03-
21','ncyan@client.com',1,4,'05115107','99999107','Add1','Add2','Add3','St16',16,16,22,'NAT016',23,'T
rue','2024-01-01','Sys'),
(17,'Direct User','Olive','Magenta','Female','1983-10-
14','omagenta@client.com',1,6,'05115108','99999108','Add1','Add2','Add3','St17',17,17,24,'NAT017',2
5,'True','2024-01-01','Sys'),
(18,'Direct User','Paul','Teal','Male','1975-08-
09','pt teal@client.com',2,5,'05115109','99999109','Add1','Add2','Add3','St18',18,18,8,'NAT018',11,'Tru
e','2024-01-01','Sys'),
(19,'Direct User','Queen','Lime','Female','1999-04-
01','qlime@client.com',1,5,'05115110','99999110','Add1','Add2','Add3','St19',19,19,8,'NAT019',11,'Tr
ue','2024-01-01','Sys'),
(20,'Direct User','Ray','Maroon','Male','1982-11-
11','rmaroon@client.com',2,6,'05115112','99999112','Add1','Add2','Add3','St20',20,20,8,'NAT020',11,'
True','2024-01-01','Sys'),
(21,'Direct User','Sara','Navy','Female','1990-06-
12','snavy@client.com',2,5,'05115113','99999113','Add1','Add2','Add3','St21',21,21,8,'NAT021',11,'Tr
ue','2024-01-01','Sys'),
(22,'Direct User','Tim','Beige','Male','1992-02-
27','tbeige@client.com',1,4,'05115114','99999114','Add1','Add2','Add3','St22',22,22,8,'NAT022',11,'Tr
ue','2024-01-01','Sys'),
(23,'Direct User','Uma','Ruby','Female','1987-09-
16','uruby@client.com',2,5,'05115115','99999115','Add1','Add2','Add3','St23',23,23,8,'NAT023',11,'Tr
ue','2024-01-01','Sys'),
(24,'Direct User','Victor','Bronze','Male','1981-01-
22','vbronze@client.com',2,6,'05115116','99999116','Add1','Add2','Add3','St24',24,24,8,'NAT024',11,'
True','2024-01-01','Sys'),
(25,'Direct User','Wendy','Copper','Female','1995-05-
05','wcopper@client.com',1,5,'05115117','99999117','Add1','Add2','Add3','St25',25,25,8,'NAT025',11,'
True','2024-01-01','Sys');
SELECT * FROM personal_information_t;
-- 9. login_user_t (25 Rows)
INSERT INTO login_user_t VALUES
(1,'EncryptedPass1',1,NULL,'Admin','True','2024-01-
01','Sys'),(2,'EncryptedPass2',2,NULL,'UnderWriter','True','2024-01-01','Sys'),
(3,'EncryptedPass3',3,NULL,'Operational User','True','2024-01-
01','Sys'),(4,'EncryptedPass4',4,NULL,'Broker','True','2024-01-01','Sys'),
(5,'EncryptedPass5',5,4,'Sales Agent','True','2024-01-
01','Sys'),(6,'EncryptedPass6',6,NULL,'Broker','True','2024-01-01','Sys'),
(7,'EncryptedPass7',7,6,'Sales Agent','True','2024-01-01','Sys'),(8,'EncryptedPass8',8,NULL,'Direct
User','True','2024-01-01','Sys'),
(9,'EncryptedPass9',9,NULL,'Direct User','True','2024-01-
01','Sys'),(10,'EncryptedPass10',10,NULL,'Direct User','True','2024-01-01','Sys'),
(11,'EncryptedPass11',11,NULL,'Direct User','True','2024-01-
01','Sys'),(12,'EncryptedPass12',12,NULL,'Direct User','True','2024-01-01','Sys'),
(13,'EncryptedPass13',13,NULL,'Direct User','True','2024-01-
01','Sys'),(14,'EncryptedPass14',14,NULL,'Direct User','True','2024-01-01','Sys'),

```



```

(15,'EncryptedPass15',15,NULL,'Direct User','True','2024-01-01','Sys'),(16,'EncryptedPass16',16,NULL,'Direct User','True','2024-01-01','Sys'),(17,'EncryptedPass17',17,NULL,'Direct User','True','2024-01-01','Sys'),(18,'EncryptedPass18',18,NULL,'Direct User','True','2024-01-01','Sys'),(19,'EncryptedPass19',19,NULL,'Direct User','True','2024-01-01','Sys'),(20,'EncryptedPass20',20,NULL,'Direct User','True','2024-01-01','Sys'),(21,'EncryptedPass21',21,NULL,'Direct User','True','2024-01-01','Sys'),(22,'EncryptedPass22',22,NULL,'Direct User','True','2024-01-01','Sys'),(23,'EncryptedPass23',23,NULL,'Direct User','True','2024-01-01','Sys'),(24,'EncryptedPass24',24,NULL,'Direct User','True','2024-01-01','Sys'),(25,'EncryptedPass25',25,NULL,'Direct User','True','2024-01-01','Sys');
SELECT * FROM login_user_t;

```

-- 10. broker_t (25 Rows) - Standardized cross mapping placeholder logic

```

INSERT INTO broker_t VALUES
(4,'Alice Brown','Alpha Insurance Brokers','123 Broker St',50000.00,'True','2024-01-01','Sys'),
(6,'David White','Beta Brokerage House','456 Agency Rd',75000.00,'True','2024-01-01','Sys'),
(1,'Admin Mock','Admin Org','Loc 1', 0.00, 'True', '2024-01-01', 'Sys'),
(2,'UW Mock','UW Org','Loc 2', 0.00, 'True', '2024-01-01', 'Sys'),
(3,'Op Mock','Op Org','Loc 3', 0.00, 'True', '2024-01-01', 'Sys'),
(5,'SA1 Mock','Alpha Sub','Loc 4', 0.00, 'True', '2024-01-01', 'Sys'),
(7,'SA2 Mock','Beta Sub','Loc 5', 0.00, 'True', '2024-01-01', 'Sys'),
(8,'D1 Mock','Direct','Loc 6', 0.00, 'True', '2024-01-01', 'Sys'),
(9,'D2 Mock','Direct','Loc 7', 0.00, 'True', '2024-01-01', 'Sys'),
(10,'D3 Mock','Direct','Loc 8', 0.00, 'True', '2024-01-01', 'Sys'),
(11,'D4 Mock','Direct','Loc 9', 0.00, 'True', '2024-01-01', 'Sys'),
(12,'D5 Mock','Direct','Loc 10', 0.00, 'True', '2024-01-01', 'Sys'),
(13,'D6 Mock','Direct','Loc 11', 0.00, 'True', '2024-01-01', 'Sys'),
(14,'D7 Mock','Direct','Loc 12', 0.00, 'True', '2024-01-01', 'Sys'),
(15,'D8 Mock','Direct','Loc 13', 0.00, 'True', '2024-01-01', 'Sys'),
(16,'D9 Mock','Direct','Loc 14', 0.00, 'True', '2024-01-01', 'Sys'),
(17,'D10 Mock','Direct','Loc 15', 0.00, 'True', '2024-01-01', 'Sys'),
(18,'D11 Mock','Direct','Loc 16', 0.00, 'True', '2024-01-01', 'Sys'),
(19,'D12 Mock','Direct','Loc 17', 0.00, 'True', '2024-01-01', 'Sys'),
(20,'D13 Mock','Direct','Loc 18', 0.00, 'True', '2024-01-01', 'Sys'),
(21,'D14 Mock','Direct','Loc 19', 0.00, 'True', '2024-01-01', 'Sys'),
(22,'D15 Mock','Direct','Loc 20', 0.00, 'True', '2024-01-01', 'Sys'),
(23,'D16 Mock','Direct','Loc 21', 0.00, 'True', '2024-01-01', 'Sys'),
(24,'D17 Mock','Direct','Loc 22', 0.00, 'True', '2024-01-01', 'Sys'),
(25,'D18 Mock','Direct','Loc 23', 0.00, 'True', '2024-01-01', 'Sys');
SELECT * FROM broker_t;

```

-- 11. product_config_t (25 Rows)

```

INSERT INTO product_config_t VALUES
(1,'Comprehensive',5.50,'Active'),(2,'Third Party Liability (TPL)',3.20,'Active'),(3,'Fire and Theft Cover',4.00,'Active'),
(4,'Collision Premium Base',4.50,'Active'),(5,'Personal Injury Addon',1.20,'Active'),(6,'Medical Payments Pack',1.50,'Active'),

```

```
(7,'Uninsured Motorist Plan',2.00,'Active'),(8,'Windshield Damage Addon',0.80,'Active'),(9,'Towing &
Labor Cover',0.50,'Active'),
(10,'Rental Car Reimbursement',0.70,'Active'),(11,'Roadside Assistance Shield',0.60,'Active'),(12,'Gap
Insurance Element',1.80,'Active'),
(13,'New Car Replacement Package',2.50,'Active'),(14,'Accessories Protection
Options',1.10,'Active'),(15,'Engine Protection Core',2.20,'Active'),
(16,'Zero Depreciation Cover',3.80,'Active'),(17,'Key Replacement Cover',0.30,'Active'),(18,'Loss of
Personal Belongings',0.40,'Active'),
(19,'Consumables Cover Addon',0.50,'Active'),(20,'Daily Allowance
Plan',0.90,'Active'),(21,'Passenger Cover Tier 1',1.00,'Active'),
(22,'Commercial Liability Base',6.00,'Active'),(23,'Taxi Carrier
Protection',5.00,'Active'),(24,'Motorcycle Sports Tier',4.20,'Active'),
(25,'VIP Comprehensive Plus',8.00,'Active');
SELECT * FROM product_config_t;
```

-- 12. premium_rate_config_t (25 Rows)

```
INSERT INTO premium_rate_config_t VALUES
(1,1,'High Risk Driver',1.50),(2,1,'Clean Driving Record',0.85),(3,2,'Commercial Usage
Modification',1.30),(4,2,'Urban Parking Area',1.15),
(5,3,'Anti-Theft Device Installed',0.90),(6,4,'Sports Vehicle Model',1.40),(7,5,'Age Below
25',1.25),(8,6,'Family Package Plan',0.95),
(9,7,'High Mileage Driver',1.20),(10,8,'Rural Low Density Area',0.80),(11,9,'Winter Tires
Equipped',0.95),(12,10,'Corporate Fleet Volume',0.75),
(13,11,'Loyal Customer Status',0.90),(14,12,'Prior Insurance Continuous',0.85),(15,13,'Luxury
Segment Vehicle',1.60),(16,14,'Electric Green Vehicle',0.90),
(17,15,'Offroad Modified Setup',1.35),(18,16,'First Time Owner Rate',1.10),(19,17,'Multi-Car Policy
Bundle',0.80),(20,18,'Garaged Tracking Enabled',0.85),
(21,19,'Driver Safety Course Passed',0.90),(22,20,'No Claims Bonus Tier 1',0.80),(23,21,'No Claims
Bonus Tier 2',0.70),(24,22,'No Claims Bonus Tier 3',0.60),(25,23,'Hazardous Cargo Transport',1.80);
SELECT * FROM premium_rate_config_t;
```

-- 13. quote_information_t (25 Rows)

```
INSERT INTO quote_information_t VALUES
(1,'Alpha Test Client',1,101,1,1,'Comprehensive',4,'Issued'),(2,'Beta Test
Client',2,103,1,2,'TPL',5,'Issued'),
(3,'Customer Three',3,105,5,3,'Comprehensive',5,'Issued'),(4,'Customer
Four',4,107,2,4,'TPL',4,'Issued'),
(5,'Customer Five',5,109,3,5,'Comprehensive',7,'Quoted'),(6,'Customer
Six',6,111,1,6,'TPL',7,'Quoted'),
(7,'Customer Seven',7,113,1,7,'Comprehensive',4,'Referred'),(8,'Customer
Eight',8,115,1,8,'TPL',4,'Issued'),
(9,'Customer Nine',9,117,4,9,'Comprehensive',5,'Issued'),(10,'Customer
Ten',10,119,1,10,'TPL',5,'Quoted'),
(11,'Customer Eleven',11,121,1,11,'Comprehensive',4,'Issued'),(12,'Customer
Twelve',12,122,1,12,'TPL',4,'Issued'),
(13,'Customer Thirteen',13,123,2,13,'Comprehensive',7,'Issued'),(14,'Customer
Fourteen',14,124,1,14,'TPL',7,'Issued'),
```

```

(15,'Customer Fifteen',15,125,2,15,'Comprehensive',4,'Issued'),(16,'Customer
Sixteen',1,102,1,16,'TPL',5,'Issued'),
(17,'Customer Seventeen',2,104,1,17,'Comprehensive',5,'Issued'),(18,'Customer
Eighteen',3,106,2,18,'TPL',4,'Issued'),
(19,'Customer Nineteen',4,108,1,19,'Comprehensive',4,'Issued'),(20,'Customer
Twenty',5,110,2,20,'TPL',7,'Issued'),
(21,'Customer Twenty-One',6,112,5,21,'Comprehensive',7,'Issued'),(22,'Customer Twenty-
Two',7,114,1,22,'TPL',4,'Issued'),
(23,'Customer Twenty-Three',8,116,1,23,'Comprehensive',5,'Issued'),(24,'Customer Twenty-
Four',9,118,1,24,'TPL',5,'Issued'),
(25,'Customer Twenty-Five',10,120,1,25,'Comprehensive',4,'Issued');
SELECT * FROM quote_information_t ;

```

-- 14. policy_transaction_t (25 Rows)

```

INSERT INTO policy_transaction_t VALUES
(1,'POL-2026-0001',1,1200.00,60.00,1260.00,'USD','Prepaid Balance','2026-01-10'),
(2,'POL-2026-0002',2,800.00,40.00,840.00,'EUR','Credit Card','2026-01-12'),
(3,'POL-2026-0003',3,2500.00,125.00,2625.00,'USD','Credit Card','2026-01-15'),
(4,'POL-2026-0004',4,950.00,47.50,997.50,'GBP','Prepaid Balance','2026-01-18'),
(5,'POL-2026-0005',8,1100.00,55.00,1155.00,'USD','Credit Card','2026-01-20'),
(6,'POL-2026-0006',9,1350.00,67.50,1417.50,'USD','Prepaid Balance','2026-01-22'),
(7,'POL-2026-0007',11,1800.00,90.00,1890.00,'EUR','Credit Card','2026-01-25'),
(8,'POL-2026-0008',12,750.00,37.50,787.50,'USD','Prepaid Balance','2026-01-26'),
(9,'POL-2026-0009',13,2100.00,105.00,2205.00,'USD','Credit Card','2026-02-01'),
(10,'POL-2026-0010',14,680.00,34.00,714.00,'GBP','Credit Card','2026-02-03'),
(11,'POL-2026-0011',15,1950.00,97.50,2047.50,'USD','Prepaid Balance','2026-02-05'),
(12,'POL-2026-0012',16,890.00,44.50,934.50,'USD','Credit Card','2026-02-10'),
(13,'POL-2026-0013',17,2300.00,115.00,2415.00,'EUR','Prepaid Balance','2026-02-12'),
(14,'POL-2026-0014',18,1050.00,52.50,1102.50,'USD','Credit Card','2026-02-15'),
(15,'POL-2026-0015',19,1400.00,70.00,1470.00,'USD','Prepaid Balance','2026-02-18'),
(16,'POL-2026-0016',20,920.00,46.00,966.00,'USD','Credit Card','2026-02-20'),
(17,'POL-2026-0017',21,2700.00,135.00,2835.00,'EUR','Prepaid Balance','2026-02-22'),
(18,'POL-2026-0018',22,790.00,39.50,829.50,'GBP','Credit Card','2026-02-25'),
(19,'POL-2026-0019',23,2050.00,102.50,2152.50,'USD','Credit Card','2026-02-28'),
(20,'POL-2026-0020',24,840.00,42.00,882.00,'USD','Prepaid Balance','2026-03-02'),
(21,'POL-2026-0021',25,2400.00,120.00,2520.00,'USD','Credit Card','2026-03-05'),
(22,'POL-2026-0022',5,1250.00,62.50,1312.50,'USD','Credit Card','2026-03-08'),
(23,'POL-2026-0023',6,810.00,40.50,850.50,'EUR','Prepaid Balance','2026-03-10'),
(24,'POL-2026-0024',7,2600.00,130.00,2730.00,'USD','Credit Card','2026-03-12'),
(25,'POL-2026-0025',10,900.00,45.00,945.00,'GBP','Prepaid Balance','2026-03-15');
SELECT * FROM policy_transaction_t;

```

-- 15. accounting_notes_t (25 Rows)

```

INSERT INTO accounting_notes_t VALUES
(1,1,'Debit Note',1260.00,'2026-01-10'),(2,1,'Credit Note',1260.00,'2026-01-10'),(3,2,'Debit
Note',840.00,'2026-01-12'),
(4,3,'Debit Note',2625.00,'2026-01-15'),(5,4,'Debit Note',997.50,'2026-01-18'),(6,4,'Credit
Note',997.50,'2026-01-18'),

```

```
(7,5,'Debit Note',1155.00,'2026-01-20'),(8,6,'Debit Note',1417.50,'2026-01-22'),(9,6,'Credit
Note',1417.50,'2026-01-22'),
(10,7,'Debit Note',1890.00,'2026-01-25'),(11,8,'Debit Note',787.50,'2026-01-26'),(12,8,'Credit
Note',787.50,'2026-01-26'),
(13,9,'Debit Note',2205.00,'2026-02-01'),(14,10,'Debit Note',714.00,'2026-02-03'),(15,11,'Debit
Note',2047.50,'2026-02-05'),
(16,11,'Credit Note',2047.50,'2026-02-05'),(17,12,'Debit Note',934.50,'2026-02-10'),(18,13,'Debit
Note',2415.00,'2026-02-12'),
(19,13,'Credit Note',2415.00,'2026-02-12'),(20,14,'Debit Note',1102.50,'2026-02-15'),(21,15,'Debit
Note',1470.00,'2026-02-18'),
(22,15,'Credit Note',1470.00,'2026-02-18'),(23,16,'Debit Note',966.00,'2026-02-20'),(24,17,'Debit
Note',2835.00,'2026-02-22'),
(25,17,'Credit Note',2835.00,'2026-02-22');
```

```
SELECT * FROM accounting_notes_t;
```

```
-- =====
-- STROED PROCEDURE
-- =====
```

```
DELIMITER $$
CREATE PROCEDURE DeductPrepaidBrokerBalance(
    IN p_broker_id INT,
    IN p_amount DECIMAL(10,2),
    OUT p_success_flag VARCHAR(20)
)
BEGIN
    DECLARE v_current_balance DECIMAL(12,2);

    SELECT prepaid_credit_balance INTO v_current_balance
    FROM broker_t WHERE broker_id = p_broker_id;

    IF v_current_balance >= p_amount THEN
        UPDATE broker_t
        SET prepaid_credit_balance = prepaid_credit_balance - p_amount
        WHERE broker_id = p_broker_id;
        SET p_success_flag = 'SUCCESS';
    ELSE
        SET p_success_flag = 'INSUFFICIENT_FUNDS';
    END IF;
END$$
DELIMITER ;
```

```
SET @execution_result = "";
CALL DeductPrepaidBrokerBalance(102, 500.00, @execution_result);
SELECT @execution_result AS procedure_output_flag;
```

```

DELIMITER $$
-- 2. Data management modification procedure: Updates dynamic asset states cleanly
CREATE PROCEDURE UpdateQuoteStatus(
    IN p_quote_id INT,
    IN p_status VARCHAR(20)
)
BEGIN
    UPDATE quote_information_t
    SET quote_status = p_status
    WHERE quote_id = p_quote_id;
END$$
DELIMITER ;

```

```

SELECT quote_id, customer_name, quote_status
FROM quote_information_t
WHERE quote_id = 20;

```

```

DELIMITER $$
-- 3. Informational fetch procedure: Returns profile metrics
CREATE PROCEDURE GetRegionalBusinessPerformance(
    IN p_region_id INT
)
BEGIN
    SELECT
        q.quote_status,
        COUNT(q.quote_id) AS record_count
    FROM quote_information_t q
    WHERE q.region_id = p_region_id
    GROUP BY q.quote_status;
END$$
DELIMITER ;

```

```

CALL GetRegionalBusinessPerformance(1);

```

```

-- =====
-- FUNCTIONS
-- =====

```

```

DELIMITER $$
-- 1. String processing scalar function: Concatenates structural human fields securely
CREATE FUNCTION GetFormattedUserName(p_user_id INT)
RETURNS VARCHAR(105)
DETERMINISTIC
BEGIN
    DECLARE v_first VARCHAR(50);
    DECLARE v_last VARCHAR(50);
    SELECT first_name, last_name INTO v_first, v_last
    FROM personal_information_t WHERE user_id = p_user_id;

```

```

    RETURN CONCAT(v_last, ', ', v_first);
END$$
DELIMITER ;
SELECT user_id, first_name, last_name, GetFormattedUserName(user_id) AS formatted_name
FROM personal_information_t;

```

```

SELECT DISTINCT
    region_id,
    GetAverageRegionalPremium(region_id) AS average_premium
FROM quote_information_t;

```

```

DELIMITER $$

```

```

-- 3. Business logical status confirmation function: Checks structural eligibility ranges

```

```

CREATE FUNCTION EvaluateAccountActivityStatus(p_login_id INT)

```

```

RETURNS VARCHAR(30)

```

```

DETERMINISTIC

```

```

BEGIN

```

```

    DECLARE v_status VARCHAR(20);

```

```

    SELECT status INTO v_status

```

```

    FROM login_user_t WHERE login_id = p_login_id;

```

```

    IF v_status = 'True' THEN

```

```

        RETURN 'ACCESS_GRANTED';

```

```

    ELSE

```

```

        RETURN 'ACCESS_DENIED_SUSPENDED';

```

```

    END IF;

```

```

END$$

```

```

DELIMITER ;

```

```

SELECT EvaluateAccountActivityStatus(1002) AS login_clearance;

```

```

-- =====
-- TRIGGERS
-- =====

```

```

DELIMITER $$

```

```

-- 1. BEFORE INSERT: Prevents negative financial base allocations on product entry

```

```

CREATE TRIGGER BeforeProductConfigInsert

```

```

BEFORE INSERT ON product_config_t

```

```

FOR EACH ROW

```

```

BEGIN

```

```

    IF NEW.base_rate < 0.00 THEN

```

```

        SIGNAL SQLSTATE '45000'

```

```

        SET MESSAGE_TEXT = 'Error: Premium operational base rate metric configurations cannot be
negative.';

```

```

    END IF;

```

```
END$$  
DELIMITER ;
```

```
SET @audit_last_modified_rate_id = 0;  
UPDATE premium_rate_config_t  
SET modifier_value = 1.25  
WHERE rate_id = 1;  
SELECT @audit_last_modified_rate_id AS triggered_audit_id;
```

```
DELIMITER $$
```

```
-- 2. AFTER UPDATE: Tracks premium configuration updates for regional risk compliance audits
```

```
CREATE TRIGGER AfterPremiumRateConfigUpdate
```

```
AFTER UPDATE ON premium_rate_config_t
```

```
FOR EACH ROW
```

```
BEGIN
```

```
    IF OLD.modifier_value <> NEW.modifier_value THEN
```

```
        SET @audit_last_modified_rate_id = NEW.rate_id;
```

```
    END IF;
```

```
END$$
```

```
DELIMITER ;
```

```
SET @audit_last_modified_rate_id = 9999;
```

```
UPDATE premium_rate_config_t
```

```
SET modifier_value = 1.45
```

```
WHERE rate_id = 10;
```

```
SELECT
```

```
    @audit_last_modified_rate_id AS current_captured_audit_id,
```

```
    rate_id,
```

```
    modifier_value
```

```
FROM premium_rate_config_t
```

```
WHERE rate_id = 10;
```

```
DELIMITER $$
```

```
-- 3. BEFORE INSERT: Normalizes target strings for data consistency
```

```
CREATE TRIGGER BeforePersonalInformationInsert
```

```
BEFORE INSERT ON personal_information_t
```

```
FOR EACH ROW
```

```
BEGIN
```

```
    SET NEW.email = LOWER(TRIM(NEW.email));
```

```
END$$
```

```
DELIMITER ;
```

```
SELECT
```

```
    user_id,
```

```
    first_name,
```

```
    last_name,
```

```
email
FROM personal_information_t
WHERE user_id = 25;
```

```
-- 04_views_and_transactions.sql
```

```
CREATE VIEW RegionalBusinessAggregateDashboard AS
SELECT
    r.region_id,
    r.region_name,
    COUNT(p.policy_id) AS complete_issued_policies_count,
    SUM(p.final_premium) AS aggregate_gross_written_premium,
    AVG(p.premium_amount) AS normalized_average_base_premium
FROM regions_t r
LEFT JOIN quote_information_t q ON r.region_id = q.region_id
LEFT JOIN policy_transaction_t p ON q.quote_id = p.quote_id
GROUP BY r.region_id, r.region_name;
```

```
SELECT
    region_name,
    complete_issued_policies_count,
    aggregate_gross_written_premium,
    normalized_average_base_premium
FROM RegionalBusinessAggregateDashboard;
```

```
INSERT INTO vehicle_color_t VALUES (26, 'Titanium Grey Metal', 'Active');
```

```
UPDATE vehicle_color_t
SET status = 'Deactive'
WHERE color_id = 21;
SELECT *
FROM vehicle_color_t
WHERE color_id = 21;
```

```
DELETE FROM vehicle_color_t
WHERE color_id = 26;
SELECT COUNT(*) AS Total_Colors
FROM vehicle_color_t;
```

```
START TRANSACTION;
```

```
SAVEPOINT OrderVerificationState;
```



```
INSERT INTO quote_information_t VALUES (26, 'Transaction Stress Client', 1, 101, 1, 1,
'Comprehensive', 5, 'Quoted');
UPDATE quote_information_t
SET quote_status = 'Issued'
WHERE quote_id = 26;
```

```
SELECT *
FROM quote_information_t
WHERE quote_id = 27;
```

```
COMMIT;
```

```
-- 05_rigorous_queries.sql
```

```
-- 1. Linked Join processing aligning user operational profiles across structural roles
```

```
SELECT
  p.user_id,
  p.first_name,
  p.last_name,
  l.usertype,
  l.status AS operational_status,
  b.broker_org_name
FROM personal_information_t p
INNER JOIN login_user_t l ON p.user_id = l.user_id
INNER JOIN broker_t b ON p.user_id = b.broker_id
ORDER BY b.broker_org_name ASC, p.last_name DESC;
```

```
SELECT
  q.quote_id,
  q.customer_name,
  q.cover_plan_type,
  p.policy_number,
  p.final_premium
FROM quote_information_t q
LEFT JOIN policy_transaction_t p ON q.quote_id = p.quote_id
WHERE q.quote_status = 'Issued'
ORDER BY p.final_premium DESC;
```

```
SELECT
  q.quote_id,
  q.customer_name,
  r.region_name,
  r.state_info,
  r.city_info
FROM quote_information_t q
RIGHT JOIN regions_t r ON q.region_id = r.region_id
WHERE r.region_id BETWEEN 1 AND 15
ORDER BY r.region_id ASC;
```

```
SELECT
  pt.policy_id,
  pt.policy_number,
```

```

    pt.final_premium,
    pt.currency,
    DENSE_RANK() OVER (
        PARTITION BY pt.currency
        ORDER BY pt.final_premium DESC
    ) AS pricing_rank_within_currency
FROM policy_transaction_t pt;

```

```

SELECT
    m.make_id,
    m.make_desc,
    COUNT(mo.model_id) AS total_tracked_models_count
FROM vehicle_make_t m
INNER JOIN vehicle_model_t mo ON m.make_id = mo.make_id
WHERE m.status = 'Active'
GROUP BY m.make_id, m.make_desc
HAVING COUNT(mo.model_id) >= 1;

```

```

SELECT
    pi.user_id,
    pi.first_name,
    pi.last_name,
    CASE
        WHEN pi.dob > '1990-01-01' THEN 'Young Operational Tier'
        WHEN pi.dob BETWEEN '1980-01-01' AND '1990-01-01' THEN 'Experienced Mid Tier'
        ELSE 'Senior Leadership Tier'
    END AS user_demographic_classification
FROM personal_information_t pi
ORDER BY pi.dob ASC;

```

```

SELECT
    p.policy_id,
    p.policy_number,
    p.final_premium,
    p.issue_date
FROM policy_transaction_t p
WHERE p.final_premium > (
    SELECT AVG(final_premium)
    FROM policy_transaction_t
)
ORDER BY p.final_premium DESC;

```

```

SELECT
    derived_summary.created_by_user_id,
    derived_summary.total_quotes_generated
FROM (
    SELECT q.created_by_user_id, COUNT(q.quote_id) AS total_quotes_generated
    FROM quote_information_t q

```

```
GROUP BY q.created_by_user_id
) AS derived_summary
WHERE derived_summary.total_quotes_generated > 2;
```

```
SELECT
    b.body_id,
    b.body_type,
    b.status
FROM vehicle_body_t b
WHERE b.body_type LIKE '%Sedan%'
    OR b.body_type LIKE '%Jeep%'
    OR b.body_type LIKE '%4x4%'
ORDER BY b.body_id ASC;
```

```
SELECT
    COUNT(pol.policy_id) AS system_total_issued_policies,
    SUM(pol.final_premium) AS consolidated_gross_written_premium,
    AVG(pol.premium_amount) AS computed_average_base_premium,
    MIN(pol.final_premium) AS lowest_individual_policy_premium,
    MAX(pol.final_premium) AS highest_individual_policy_premium
FROM policy_transaction_t pol
WHERE pol.issue_date >= '2026-01-01';
```

```
SELECT
    p.user_id,
    p.first_name,
    p.last_name
FROM personal_information_t p
WHERE p.user_id = ANY (
    SELECT q.created_by_user_id
    FROM quote_information_t q
    WHERE q.quote_status = 'Issued'
)
ORDER BY p.user_id ASC;
```

```
SELECT
    pc.product_id,
    pc.product_name,
    pc.base_rate
FROM product_config_t pc
WHERE pc.product_id <> ALL (
    SELECT pr.product_id
    FROM premium_rate_config_t pr
    WHERE pr.modifier_value > 1.50
)
ORDER BY pc.product_id ASC;
```

```
SELECT DISTINCT
    qi.cover_plan_type,
    qi.quote_status
FROM quote_information_t qi
WHERE qi.quote_status IS NOT NULL
ORDER BY qi.cover_plan_type ASC;
```

```
SELECT
    lu.login_id,
    pi.first_name,
    pi.last_name,
    br.broker_org_name,
    pt.policy_number
FROM login_user_t lu
INNER JOIN personal_information_t pi ON lu.user_id = pi.user_id
INNER JOIN broker_t br ON pi.user_id = br.broker_id
INNER JOIN quote_information_t qi ON pi.user_id = qi.created_by_user_id
INNER JOIN policy_transaction_t pt ON qi.quote_id = pt.quote_id
ORDER BY lu.login_id ASC;
```

```
SELECT
    an.note_id,
    an.note_type,
    an.amount AS note_face_value,
    pt.policy_number,
    qi.customer_name
FROM accounting_notes_t an
INNER JOIN policy_transaction_t pt ON an.policy_id = pt.policy_id
INNER JOIN quote_information_t qi ON pt.quote_id = qi.quote_id
WHERE an.generated_date <= '2026-12-31'
ORDER BY an.amount DESC;
```