Python 3.11.3 [main, GCC 13.1.1 20230429] Linux-6.4.3-arch1-2-x86 64-with-glibc2.37 Module Index : Topics : Keywords

Get

Search

# depal (version 0.0.1)

index home/sachin/Projects/depal/depal.py/

depal.py: Digital Earth Pacific (Abstration Library)

# **Modules**

<u>cartopy.crs</u> <u>xrspatial.multispectral</u> <u>matplotlib.pyplot</u> <u>geopandas</u> <u>numpy</u> <u>pystac\_client</u>

itertoolsplanetary\_computerrasteriostackstacmatplotlibpandasrioxarrayxarray

## **Functions**

# chart global land cover(data)

# Annual Charting of Land Cover Classes

#### cleanup()

# Cleanup Dask Resources

## colour maps()

# List Colour Maps

# **do coastal clip**(aoi, data, buffer=0)

# Clip Coastal Buffer (by 100 Metres Intervals)

# get\_area\_from\_geojson(geojson\_file)

# AOI from GeoJson File (use geojson.io)

**get\_cloudless\_mosaic**(aoi, collection\_name='sentinel-2-l2a', timeframe='2019-11-01/2022-11-31', cloudcover=10, resolution=100, max=100, period='yearly', coastal\_clip=False)

# median composite - Cloudless Mosaic achieved combining images across time

## get\_country\_admin\_boundary(country, admin\_type, admin)

# AOI from Country Administrative Boundary

## get country boundary(country)

# AOI from a Country Nation Boundary

**get\_data**(aoi, bands=[], collection\_name='sentinel-2-l2a', timeframe='2023-01-01/2023-12-31', cloudcover=10, resolution=100, max=<br/>built-in function max>, period='monthly', coastal\_clip=False)

# Xarray Dataset from STAC by Period Yearly, Quarterly, Monthly, Weekly, Daily

**get\_evi**(aoi, collection\_name='sentinel-2-l2a', timeframe='2019-11-01/2022-11-31', cloudcover=10, resolution=100, max=100, period='monthly', coastal\_clip=False)

# evi - Enhanced Vegetation

get\_gci(aoi, collection\_name='sentinel-2-l2a', timeframe='2019-11-01/2022-11-31', cloudcover=10, resolution=100, max=100, period='monthly', coastal\_clip=False)

# gci - Green Chlorophyll Index

#### get global land cover(aoi, name='io-lulc-9-class')

# Get Global LandCover over AOI

**get\_landcover\_mosaic**(aoi, year, bands=['B02', 'B03', 'B04', 'B05', 'B06', 'B07', 'B08', 'B8A'], resolution=10, max=10000, cloudcover=10, collection\_name='sentinel-2-12a', coastal\_clip=False)

# Generate Annual Landcover Mosaic with Multiple Bands for ML Classification

**get\_latest\_images**(aoi, collection\_name='sentinel-2-l2a', timeframe='2023-01-01/2023-12-31', cloudcover=10, resolution=100, max=100, period='daily', coastal\_clip=False)

# Latest RGB Images

**get\_ndmi**(aoi, collection\_name='sentinel-2-l2a', timeframe='2019-11-01/2022-11-31', cloudcover=10, resolution=100, max=100, period='monthly', coastal\_clip=False)

# ndmi - Normalised Difference Moisture Index

```
get_ndvi(aoi, collection_name='sentinel-2-12a', timeframe='2019-11-01/2022-11-31', cloudcover=10, resolution=100, max=100,
period='monthly', coastal clip=False)
     # ndvi - Normalised Difference Vegetation Index
get ndwi(aoi, collection name='sentinel-2-12a', timeframe='2019-11-01/2022-11-31', cloudcover=10, resolution=100, max=100,
period='monthly', coastal clip=False)
     # ndmi - Normalised Difference Water Index
get_sipi(aoi, collection_name='sentinel-2-12a', timeframe='2019-11-01/2022-11-31', cloudcover=10, resolution=100, max=100,
period='monthly', coastal clip=False)
     # sipi - Structure Insensitive Pigment Index: which is helpful in early disease detection in vegetation.
init(type='local', maxWorkers=4, resolution=100)
     # Initialise and Configure Dask and Resolution Defaults
list boundary types(country)
     # List Administrative Boundaries In a Country
list countries()
     # List Pacific Island Countries and Territories
list country boundary(country, admin type)
     # List Areas/Locations of a Administration Type Within A Country
list data assets(collection name)
     # List Data Assets (non-spectral) and Common Names within a Data Source, Pipeline or Sensor
list data bands(collection name='sentinel-2-12a')
     # List Data Bands and Common Names within a Data Source, Pipeline or Sensor
list data sources()
     # List Data Sources, Pipelines and Models
list global_land_cover()
     # List Global LandCover DataSets
plot(data)
     # Plot Mean TimeSeries for Indices
plot_cloudiness(aoi, timeframe, collection_name='sentinel-2-12a')
      # Plot Cloudiness Percentage Over AOI over Timeframe eq: "2020/2022"
save multiple(data, file name)
     # Save Multiple Outputs as GeoTIFF/COG Series
save single(data, file name)
      # Save Single Data as GeoTIFF/COG Series
     # eg: d = data.sel(time="2023-01-23").expand dims(dim="time"); dep.save single(d, "tmp")
smooth(data)
     # Focal Mean Smoothing and Noise Removal
visualise(data, cmap=None)
     # Visual Data by Colour Maps
```

# Data

```
__copyright__ = 'Pacific Community (SPC)'
__email__ = 'sachindras@spc.int'
__license__ = 'GPL'
__status__ = 'Development'
catalog = <Client id=microsoft-pc>
chunk_size = 4096
client = None
cluster = None
default_max = 100
default_resolution = 100
padm = country ... ... -176.24805 -13.28860))) [698 rows x 12 columns]
```

		ж.			
Д	10	•	а	$\overline{}$	п
				U	ш

Sachindra Singh