Python 3.11.3 [main, GCC 13.1.1 20230429] Linux-6.4.3-arch1-2-x86 64-with-glibc2.37 Module Index : Topics : Keywords

Get

Search

# depal (version 0.0.1)

index/ home/sachin/Projects/depal/depal.py/

depal.py: Digital Earth Pacific (Abstration Library)

## **Modules**

cartopy.crs xrspatial.multispectral matplotlib.pyplot geopandas numpy pystac\_client

itertoolsplanetary\_computerrasteriostackstacmatplotlibpandasrioxarrayxarray

## **Functions**

#### chart land cover(data)

# Annual Charting of Land Cover Classes

#### cleanup()

# Cleanup Dask Resources

## coastal clip(aoi, data, buffer=100)

# Clip Coastal Buffer by Metres

#### colour maps()

# List Colour Maps

### get\_area\_from\_geojson(geojson\_file)

# AOI from GeoJson File (use geojson.io)

get\_cloudless\_mosaic(aoi, collection\_name='sentinel-2-l2a', timeframe='2019-11-01/2022-11-31', cloudcover=10, resolution=100, max=100, period='yearly')

# median composite - Cloudless Mosaic achieved y combining images across time

#### get\_country\_admin\_boundary(country, admin\_type, admin)

# AOI from Country Administrative Boundary

#### get country boundary(country)

# AOI from a Country Nation Boundary

**get\_data**(aoi, bands=[], collection\_name='sentinel-2-l2a', timeframe='2023-01-01/2023-12-31', cloudcover=10, resolution=100, max=<br/>built-in function max>, period='monthly')

# Xarray Dataset from STAC by Period Yearly, Quarterly, Monthly, Weekly, Daily

**get\_evi**(aoi, collection\_name='sentinel-2-l2a', timeframe='2019-11-01/2022-11-31', cloudcover=10, resolution=100, max=100, period='monthly')

# evi - Enhanced Vegetation

**get\_gci**(aoi, collection\_name='sentinel-2-12a', timeframe='2019-11-01/2022-11-31', cloudcover=10, resolution=100, max=100, period='monthly')

# gci - Green Chlorophyll Index

#### get global land cover(aoi, name='io-lulc-9-class')

# Get Global LandCover over AOI

**get\_landcover\_mosaic**(aoi, year, bands=['B02', 'B03', 'B04', 'B05', 'B06', 'B07', 'B08', 'B8A'], resolution=10, max=10000, cloudcover=10, collection\_name='sentinel-2-12a')

# Generate Annual Landcover Mosaic with Multiple Bands for ML Classification

**get\_latest\_images**(aoi, collection\_name='sentinel-2-l2a', timeframe='2023-01-01/2023-12-31', cloudcover=10, resolution=100, max=100, period='daily')

# Latest RGB Images

**get\_ndmi**(aoi, collection\_name='sentinel-2-l2a', timeframe='2019-11-01/2022-11-31', cloudcover=10, resolution=100, max=100, period='monthly')

# ndmi - Normalised Difference Moisture Index

```
get_ndvi(aoi, collection_name='sentinel-2-l2a', timeframe='2019-11-01/2022-11-31', cloudcover=10, resolution=100, max=100,
period='monthly')
     # ndvi - Normalised Difference Vegetation Index
get_ndwi(aoi, collection_name='sentinel-2-12a', timeframe='2019-11-01/2022-11-31', cloudcover=10, resolution=100, max=100,
period='monthly')
     # ndmi - Normalised Difference Water Index
get_sipi(aoi, collection_name='sentinel-2-12a', timeframe='2019-11-01/2022-11-31', cloudcover=10, resolution=100, max=100,
period='monthly')
     # sipi - Structure Insensitive Pigment Index: which is helpful in early disease detection in vegetation.
init(type='local', maxWorkers=4, resolution=100)
     # Initialise and Configure Dask and Resolution Defaults
list boundary types(country)
     # List Administrative Boundaries In a Country
list countries()
     # List Pacific Island Countries and Territories
list country boundary(country, admin type)
     # List Areas/Locations of a Administration Type Within A Country
list data assets(collection name)
     \# \overline{	ext{List}} Data Asset\overline{	ext{S}} (non-spectral) and Common Names within a Data Source, Pipeline or Sensor
list data bands(collection name='sentinel-2-12a')
     # List Data Bands and Common Names within a Data Source, Pipeline or Sensor
list data sources()
     # List Data Sources, Pipelines and Models
list_global_land_cover()
     # List Global LandCover DataSets
plot(data)
     # Plot Mean TimeSeries for Indices
plot_cloudiness(aoi, timeframe, collection_name='sentinel-2-12a')
     # Plot Cloudiness Percentage Over AOI over Timeframe eq: "2020/2022"
save multiple(data, file name)
     # Save Multiple Outputs as GeoTIFF/COG Series
save single(data, file name)
     # Save Single Data as GeoTIFF/COG Series
smooth(data)
     # Focal Mean Smoothing and Noise Removal
visualise(data, cmap=None)
     # Visual Data by Colour Maps
```

# Data

```
__copyright__ = 'Pacific Community (SPC)'
__email__ = 'sachindras@spc.int'
__license__ = 'GPL'
__status__ = 'Development'
catalog = <Client id=microsoft-pc>
chunk_size = 4096
client = None
cluster = None
default_max = 100
default_resolution = 100
padm = country ... ... -176.24805 -13.28860))) [698 rows x 12 columns]
```

### **Author**

Sachindra Singh